



LAWN & GARDEN
14 & 25 Gallon
40, 60, 80 Gallon 4-5
110 & 150 Gallon6
150 & 200 Gallon7
FIELD SPRAYERS
300 Gallon 8-9
500 Gallon10-11
850 & 1050 - 45', 60', 66'12-13
1050 & 1250 - 80', 90'14-15
SideQuest® 1200 - 80', 90'16-17
Fertilizer Applicators
Pull Type & Three Point18-19
Tractor Mounted Sprayers
Tractor Mount Quick Fit List20-23
SideQuest® Side Mounts 120024
SideQuest® Side Mounts 700 & 100025
SideQuest® Track Mounts 700 & 100026
4WD Tractor Mounts 120027
4WD Articulating 60027
Quick Tach InLine28
Quick Tach Side Mount29
Tuick Tach 2WD30
RM Series 60031
RMLE 300, 400, 50032
RM Series 150, 20033
Booms
Booms - 80", 12', 18'
Truss-T Booms - 21',30', 40'34
Truss Booms - 30', 45'
Manual Fold Floating Booms - 45', 60'36
Hydraulic X-Fold Booms - 45', 60'37
Fertilizer Equipment
Lil' Thumper Piston Pumps
Tractor Mounted Sprayers
Tanks & Saddles
Tank Accessories41
Sprayer Controls42
Pumps43-45
Parts46-49
Spray Nozzle Accessories50-53

Over the years we've been printing catalogs to help customers like you purchase quality products. Every item in this catalog reflects our commitment to quality, durability, efficiency and value.

Our new 2019 Sprayer Catalog is specifically designed to help you configure and price items and to avoid much of the confusion related to choosing features available on specific implement models. You'll find an ordering procedure (black header bar) at the top of each chart to help you gather all the features you need to make a successful and hassle free order.

If you have any questions on availability or compatibility to your application, call us at

DEMCO 1-800-543-3626

We'll be glad to answer any questions. We're committed to your full satisfaction. It's just part of ... "Doing our best to provide you the best".



© 2019 Dethmers Mfg Co.

Demco Mfg. has attempted to show each product in this catalog in an accurate manner. Because we are continually updating product and/or production enhancements, it may sometimes change the appearance of an item before new photos can be taken.

Demco Mfg. is not responsible for typographical errors.

Banjo is a registered trademark of Banjo Corporation. Roundup is a registered trademark of Monsanto. TeeJet, FloodJet, Al TeeJet and BoomJet are registered trademarks of Spraying Systems Co. Viton and Rynite are registered trademarks of E. I. du Pont de Nemours and Company or its affiliates. du Pont is a trademark of E. I. du Pont de Nemours and Company or its affiliates. Raven is a registered trademark of Raven Industries Inc. Hypro is a registered trademark of Hypro. LLC. AGCO, Massey Ferguson and Challenger are registered trademarks of AGCO Corporation. Cat is a registered trademark of Caterpillar Inc. John Deere is a registered trademark of Deere & Company. IVT is a trademark of Deere & Company. ILS is a trademark of Deere & Company. Case IH, New Holland and Maxum are registered trademarks of CNH Amerrica LLC. Magnum & SuperSteer are a trademark of CNH Amerrica LLC. SAFi is a registered trademark of SAFi SAS. UltraFlyteTM is a trademark of Cadorath Uniflyte, Extender are the trademark of Stewart Steel, Inc., Bull-Pull is a trademark of Terog Manufacturing

LAWN & GARDEN PRO SERIES

Features of 14 Gallon

- 5" fill well
- Two formed steel channels bolt directly to the bottom of the tank the rear bracket is used for the boom installation
- 15" spray gun with adjustable nozzle
- 15' lead hose (380RB)

Two booms available:

- 80" spray boom with 2 nozzles
- 12' spray boom with 4 nozzles has spring loaded boom breakaway

Features of 25 Gallon

- 5" fillwell
- Heavy duty tube steel welded frame fits most ATV's. Tie down straps make mounting easy
- 18" handgun with adjustable nozzle
- 15' lead hose
- Plumbing includes pressure gauge & regulator

Four booms available:

- 12' and 18' booms feature floodjet tips and spring loaded boom wing breakaway. 10 GPA at 4 MPH output
- 21' or 30' Truss-T booms feature vertical and horizontal boom breakaway with 20" nozzle spacing

14 gallon25 gallon





NOTE: Do not exceed manufacturer's load limit All sprayers are partially preassembled

1. Choose desired Sprayer/Pump Model 2. Choose appropriate Accessories **MODEL AND PUMP SM14** 38 lbs. 14 Gallon skid mount, no boom, 1.8 GPM electric pump \$470.00 14 Gallon skid mount, no boom, 3 GPM electric pump, pressure gauge & regulating valve 43 lbs. SM314 \$591.00 25 Gallon rear ATV mount, 5 GPM electric pump, pressure gauge & regulating valve 9464047 74 lbs. \$864.00 **BOOMS** 12' Boom (1 section)(4 nozzles)(40" spacing) **DB12** 27 lbs. \$249.00 18' Boom (1 section)(6 nozzles)(40" spacing) **DB18** 38 lbs. \$351.00 21' Truss-T boom (1 section)(13 nozzles) See Components Section for tips DB21TDF 85 lbs. \$1,019.00 30' Truss-T boom (1 section)(19 nozzles) See Components Section for tips **DB30TDF** 115 lbs. \$1,274.00 **ACCESSORIES HYMB** Universal Mounting Brackets for ATV cargo rack 2 lbs. \$55.00 80" Two Nozzle Boom Assembly (40" spacing) 80B10 15 lbs. \$136.00 144" Four Nozzle Boom Assembly (40" spacing) 144B14 33 lbs. \$307.00 Tank, Frame, Mounting Brackets and Plumbing for 2 tank hookup on 1 ATV EX14KT 30 lbs. \$233.00 25 Gal. front tank w/ agitation, frame, mounting bracket & plumbing for 2 tanks on 1 ATV 9464048 40 lbs. \$285.00

PRO SERIES LAWN & GARDEN

40 gallon 60 gallon 80 gallon



Common Features

- Tank with a sloped bottom sump for total drainage, 5" fillwell
- Gallon and liter markings on the tank
- Agitation is standard in all tanks
- Special molded-in baffling in bottom of tank for enhanced agitation
- 15 x 6 flotation turf tires on 40 gallon trailer models
- 18 x 9.50 flotation tires on 60 and 80 gallon models
- Handgun with 15' spray hose (380RB)
- Rear mount fits category "1" three-point



9464105 DB12

WTO ORDER: 1. Choose Model 2. Choose Boom 3. Choose Accessories			
40 MODEL AND PUMP			
40 gallon skid mount with 5 GPM electric pump. Skid base is 34" wide x 26 1/2" deep	9464109	112 lbs.	\$1,101.00
40 gallon trailer with 5 GPM electric pump	9464077	154 lbs.	\$1,271.00
40 gallon rear mount with 5 GPM electric pump	9464084	139 lbs.	\$1,137.00
60 MODEL AND PUMP			
60 Gallon Skid with electric 5 GPM pump. Skid base is 34" wide x 26 1/2" deep	9464110	122 lbs.	\$1,181.00
Skid with 3.5 HP B&S engine and C4101GE pump			
Skid base is 26 1/2" wide x 34" deep	9464066	165 lbs.	\$1,732.00
60 Gallon Skid with 4 HP Honda® and "Silver Cast" pump (XL4101)			
Skid base is 26 1/2" wide x 34" deep	9464068	165 lbs.	\$2,356.00
60 Gallon Skid with Ace centrifugal pump and 3 HP Honda® engine (1-section)	9464101	165 lbs.	\$2,293.00
60 Gallon Skid with Ace centrifugal pump and 3 HP Honda® engine (3-section)	9464096	165 lbs.	\$2,505.00
60 Gallon Trailer with electric 5 GPM pump	9464078	186 lbs.	\$1,486.00
60 Gallon Trailer with 3.5 HP B&S engine and C4101GE pump	9464080	229 lbs.	\$2,051.00
60 Gallon Trailer with 4 HP Honda® and "Silver Cast" pump (XL4101)	9464082	229 lbs.	\$2,675.00
60 Gallon Trailer with Ace centrifugal pump and 3 HP Honda® engine (1-section)	9464105	165 lbs.	\$2,619.00
60 Gallon Trailer with Ace centrifugal pump and 3 HP Honda® engine (3-section)	9464103	165 lbs.	\$2,827.00
60 Gallon Rear Mount with electric 5 GPM pump	9464085	149 lbs.	\$1,211.00
60 Gallon Rear Mount with PTO 6 roller pump for 80", 12', or 18' boom (1-section)	9464087	168 lbs.	\$1,391.00
60 Gallon Rear Mount with PTO 6 roller pump for 21', 28', or 30' boom (3-section)	9464089	183 lbs.	\$1,599.00
BO MODEL AND PUMP			
30 Gallon Skid with electric 5 GPM pump. Skid base is 34" wide x 26 1/2" deep	9464111	138 lbs.	\$1,298.00
Skid with 3.5 HP B&S engine and C4101GE pump			
Skid base is 26 1/2" wide x 34" deep	9464067	181 lbs.	\$1,881.00
80 Gallon Skid with 4 HP Honda® and "Silver Cast" pump (XL4101)			
Skid base is 26 1/2" wide x 34" deep	9464069	181 lbs.	\$2,518.00
30 Gallon Skid with Ace centrifugal pump and 3 HP Honda® engine (1-section)	9464102	181 lbs.	\$2,363.00
80 Gallon Skid with Ace centrifugal pump and 3 HP Honda® engine (3-section)	9464097	181 lbs.	\$2,571.00
30 Gallon Trailer with electric 5 GPM pump	9464079	202 lbs.	\$1,627.00
80 Gallon Trailer with 3.5 HP B&S engine and C4101GE pump	9464081	245 lbs.	\$2,222.00
30 Gallon Trailer with 4 HP Honda® and "Silver Cast" pump (XL4101)	9464083	245 lbs.	\$2,861.00
30 Gallon Trailer with Ace centrifugal pump and 3 HP Honda® engine (1-section)	9464104	181 lbs.	\$2,765.00
30 Gallon Trailer with Ace centrifugal pump and 3 HP Honda® engine (3-section)	9464106	181 lbs.	\$2,975.00
30 Gallon Rear Mount with electric 5 GPM pump	9464086	165 lbs.	\$1,353.00
30 Gallon Rear Mount with PTO 6 roller pump for 80", 12', or 18' boom (1-section)	9464088	184 lbs.	\$1,539.00
30 Gallon Rear Mount with PTO 6 roller pump for 21', 28', or 30' boom (3-section)	9464090	199 lbs.	\$1,777.00
300M WITH PLUMBING - 40, 60, 80			
30" boom - 2 nozzles, 40" spacing	80B25	10 lbs.	\$115.00
12' boom - 4 nozzles, 40" spacing	DB12	27 lbs.	\$249.00
18' boom - 6 nozzles, 40" spacing	DB18	38 lbs.	\$351.00
2 nozzle boomless kit - includes 2 FC-XT010 tips, sprays approximately 30'	9428147	8 lbs.	\$247.00
BOOM WITH PLUMBING - 60, 80			
2 nozzle boomless kit roller/centrifugal pump - sprays approximately 30'	9428149	8 lbs.	\$286.00
21' Truss-T, rear cross/fold boom (13 nozzles) spray tips not included (3-section)	DB21TDF	85 lbs.	\$1,019.00
30' Truss-T, rear cross/fold boom (19 nozzles) spray tips not included (3-section)	DB30TDF	115 lbs.	\$1,274.00
ACCESSORIES			
Hose reel with 50' of 3/8" hose (uses existing handgun)	9428114	20 lbs.	\$227.00
Lawn and turf gun with #3 nozzle	25660-3	1 lbs.	\$122.00
LTL freight shipments require crating	CRATE		\$59.00

NOTE: All sprayers are partially preassembled



PRO SERIES LAWN & GARDEN

110 gallon 150 gallon •

Skid Dimensions

WIDTH: 30"

LENGTH: 70"



Features of 110 & 150 Mounted

- Tank features sump, molded sight gauge and large fillwell and agitation
- 18" handgun
- 15' hose (380RB)

Three booms available:

- 12' and 18' booms feature floodjet tips (AN1.5 with 40"nozzle spacing) and spring loaded boom wing breakaway
- 21' Truss-T boom features vertical and horizontal boom breakaway with 20" nozzle spacing (spray tips not included)

IOW TO ORDER: Choose in this order: 1. Tank 2. Frame 3. Plumbing 4. Engine 5. Pump	p 6. Boom 7. Accessories		
TANK			
110 Gallon Tank with agitation	P110 24A	40 lbs.	\$430.00
150 Gallon Tank with agitation	P150 30A	50 lbs.	\$528.00
FRAME			
110 Gallon Skid Frame	9464035	105 lbs.	\$578.00
150 Gallon Skid Frame	9464036	110 lbs.	\$621.00
PLUMBING			
5 GPM Electric pump plumbing kit (pump included)	9465008	10 lbs.	\$603.00
4 Roller pump plumbing kit (1 Section) (engine/pump not included)	SMR	36 lbs.	\$520.00
4 Roller pump plumbing kit (3 Section) (engine/pump not included)	SMR3	36 lbs.	\$640.00
Centrifugal plumbing kit (1 Section) (engine/pump not included)	9465009	36 lbs.	\$512.00
Centrifugal plumbing kit (3 Section) (engine/pump not included)	9465010	36 lbs.	\$740.00
Centrifugal plumbing kit (1 Section) (3.5 HP B&S engine/pump included)	9465128	36 lbs.	\$1,187.00
Centrifugal plumbing kit (1 Section) (3 HP Honda® engine/pump included)	9465129	36 lbs.	\$1,627.00
ENGINES			
3.5 HP B&S	GE3HP	28 lbs.	\$581.00
4 HP Honda®	GH4HP	30 lbs.	\$1,144.00
5.5 HP Honda® with centrifugal pump	DHC155H	65 lbs.	\$1,823.00
6.5 HP with centrifugal pump	DHC155	53 lbs.	\$1,064.00
PUMPS			
4 Roller pump	C4101	5 lbs.	\$172.00
4 Roller "Silver Cast" pump	XL4101	5 lbs.	\$460.00
BOOM WITH PLUMBING			
12' Boom (4 Nozzles)(40" spacing)(1 Section)	DB12	27 lbs.	\$249.00
18' Boom (6 Nozzles)(40" spacing)(1 Section)	DB18	38 lbs.	\$351.00
21' Truss-T Boom (13 Nozzles) spray tips not included (3 Section) ACCESSORIES	DB21T	85 lbs.	\$754.00
Hose Reel with 100' of 1/2" Hose. Reel will hold 200'	9428035	90 lbs.	\$769.00
1/2" Rubber Hose	120RB	per foot	\$2.00
Lawn and Turf handgun	25660-3	1 lbs.	\$122.00
LTL freight shipments require crating	CRATE		Net. \$59.00

NOTE: All sprayers are partially preassembled

LAWN & GARDEN PRO SERIES

Features of 150 & 200 Gallon Sprayers

• Elliptical tank features jet agitation, sump, and molded sight gauge

• Walking tandem axles with 22 x 11 x 8 pneumatic tires, or single axle with 24 x 12 turf tires

- 2" ball coupler hitch
- Tandems feature "lock out" for rigid axle spraying
- 2 1/2 gallon clean water tank is mounted for added safety

Three booms available:

• 21', 30', or 40'

Specifications

WHEEL SPACING TANDEM: 44" to 90" centers

WHEEL SPACING SINGLE: 72" to 90" centers

TRANSPORT WIDTH: 8'
GROUND CLEARANCE: 18"



HOW TO UNDER	Choose in this order:	. Tank/Trailer Frame Assemb	iy with fires 2	2. Pump and Plumbing	3. CONTROIS 4. BOO	m 5. Accessories
TANK/TRAILE	R FRAME ASSEMBLY					

IANK/ IKAILEK FRAME ASSEMBLY			
150 Gallon Tandem Axle Tank and Trailer Assembly	9464055	580 lbs.	\$4,216.00
200 Gallon Tandem Axle Tank and Trailer Assembly	9464056	610 lbs.	\$4,455.00
150 Gallon Single Axle Tank and Trailer Assembly	9464058	545 lbs.	\$3,875.00
200 Gallon Single Axle Tank and Trailer Assembly	9464059	575 lbs.	\$3,916.00
PUMPS AND PLUMBING KIT			
NOTE: For Pump Specifications, see Components section			
6.5 HP PowerProTM Gas Engine with Centrifugal Pump and Plumbing Kit	9970400	75 lbs.	\$1,546.00
5.5 HP Honda® Gas Engine with Centrifugal Pump and Plumbing Kit	9465029	75 lbs.	\$2,297.00
PTO Mounted 6 Roller Pump and Plumbing Kit	9970100	35 lbs.	\$677.00
PTO Mounted 6 Roller "Silver Cast" Pump and Plumbing Kit	9465025	35 lbs.	\$1,012.00
CONTROLS			
Manual Control Valves	9465037	5 lbs.	\$194.00
Electric Solenoid Control Valves	9465038	15 lbs.	\$1,208.00
Raven® 450 Sprayer Control with Ball Valves	9428106	15 lbs.	\$4,865.00
BOOM WITH PLUMBING			
NOTE: Order Spray Tips separately (see Components section)			
21' Truss-T, rear cross-fold boom (13 nozzles) spray tips not included	DB21TDF	85 lbs.	\$1,019.00
30' Truss-T, rear cross-fold boom (19 nozzles) spray tips not included	DB30TDF	115 lbs.	\$1,274.00
40' Truss-T, rear cross-fold boom (25 nozzles) spray tips not included	DB40TDF	170 lbs.	\$1,705.00
ACCESSORIES			
Factory setup (Boom may be removed for shipping.)	SU157		Net \$436.00
Hose Reel with 100' of 1/2" Hose. Reel will hold 200' (Handgun included)	DHR	95 lbs.	\$855.00
1/2" Rubber Hose	120RB	per foot	\$2.00
Handgun	DBHGL	13 lbs.	\$258.00
Fence Line Spray Kit, Manual	9428003	5 lbs.	\$87.00

NOTE: Sprayer is less spray tips Factory setup is available



SINGLE AXLE FIELD SPRAYERS

300 gallon



Features

- Elliptical tank with two dual jet agitators and sump
- Large convenient step and work platform with safety rail
- A clean water tank is conveniently mounted on each 300 gallon frame
- Three section manual or electric boom controls

Three booms available:

• 21', 30', or 40'

Specifications

GROUND CLEARANCE: 27"

WHEEL SPACINGS: 60" to 80"

HOW TO ORDER: Choose in this order: 1. Tank	2. Trailer Frame 3. Pump	4. Plumbing 5. Controls 6. Boom	7. Accessories
---	--------------------------	---------------------------------	----------------

TANK			
300 Gallon Tank	PE300RA	120 lbs.	\$1,159.00
TRAILER FRAME			
300 Gallon Single Axle Trailer with T11L Tires (60" - 80" wheel spacing) PUMPS	HCMETR	780 lbs.	\$3,039.00
NOTE: For Pump Specifications, see Component Section			
Hypro® 5 Roller Pump	C1700D	19 lbs.	\$512.00
Hypro® "Silver Cast" 5 Roller Pump	XL1700D	19 lbs.	\$1,319.00
Hypro® Belt Drive Pump with Constant Velocity PTO Shaft (C9402 540S)	9425071	66 lbs.	\$1,759.00
Hypro® Hydraulic Pump (C9303HM1)(hose kit included)	9425056	36 lbs.	\$1,199.00
PLUMBING / PUMP MOUNT			
Roller Pump Kit (controls included)	9425002	44 lbs.	\$648.00
Hypro® Belt Drive Kit	9425003	55 lbs.	\$645.00
Hypro® Hydraulic Kit CONTROLS	9425004	49 lbs.	\$627.00
Manual Control Valves for Centrifugal Pumps	CP3B3HV	22 lbs.	\$747.00
Electric Solenoid Control Valves for Centrifugal Pumps	CP414HVR	26 lbs.	\$1,382.00
BOOM WITH PLUMBING			
NOTE: Order Spray Tips separately see Component Section			
21' Truss-T boom	DB21TDF	85 lbs.	\$1,019.00
30' Truss-T boom	DB30TDF	115 lbs.	\$1,274.00
40' Truss-T boom	DB40TDF	170 lbs.	\$1,705.00
Boomless Jet Nozzle (Nozzle not included)	9464007	10 lbs.	\$92.00
ACCESSORIES			
Factory setup	SU341		Net \$635.00
Quick Refill (utilizes nurse tank transfer pump for refilling)	CPTK1	15 lbs.	\$206.00
Fence Line Spray Kit, Electric	9428002	5 lbs.	\$183.00
Fence Line Spray Kit, Manual	9428003	5 lbs.	\$87.00
Handgun (includes 25' of 1/2" hose)	DBHG	13 lbs.	\$258.00

NOTE: Sprayer is less spray tips Factory setup is available Boom may be removed for shipping

FIELD SPRAYERS DELUXE SINGLE AXLE

Features

- Elliptical tank with two dual jet agitators and sump.
- Large convenient step and work platform with safety rail
- A clean water tank is conveniently mounted on each 300 gallon frame
- Demco's DBFT flotation boom mechanism is required on 300 gallon "Deluxe" sprayers

Two booms available:

• 30' or 45'

Specifications

GROUND CLEARANCE: 27" **WHEEL SPACINGS:** 60" to 80"

300 gallon



300 Gallon Tank	PE300RA	120 lbs.	\$1,159.00
TRAILER FRAME			
300 Gallon Single Axle Trailer with T11L Tires (60" - 80" wheel spacing) PUMPS	9411015	1080 lbs.	\$3,587.00
NOTE: For Pump Specifications, see Component Section			
Hypro® 5 Roller Pump	C1700D	19 lbs.	\$512.00
Hypro® "Silver Cast" 5 Roller Pump	XL1700D	19 lbs.	\$1,319.00
Hypro® Gear Drive Pump with Constant Velocity PTO Shaft (C9016 540)	9425015	69 lbs.	\$1,625.00
Hypro® Belt Drive Pump with Constant Velocity PTO Shaft (C9403 540S)	9425026	75 lbs.	\$1,812.00
Hypro® Hydraulic Pump (C9303HM1)(hoses included) PLUMBING / PUMP MOUNT	9425056	36 lbs.	\$1,199.00
Roller Pump Kit (Manual Controls included)	9425002	44 lbs.	\$648.00
Hypro® Gear Drive Centrifugal Kit	9425043	60 lbs.	\$634.00
Hypro® Belt Drive Centrifugal Kit	9425003	55 lbs.	\$645.00
Hypro® Hydraulic Centrifugal Kit CONTROLS	9425004	49 lbs.	\$627.00
Manual Control Valves for Centrifugal Pumps	CP3B3HV	22 lbs.	\$747.00
Electric Solenoid Control Valves for Centrifugal Pumps BOOM WITH PLUMBING NOTE: Order Spray Tips separately (see Component Section)	CP414HVR	26 lbs.	\$1,382.00
Flotation Boom Mechanism (required on this model)	DBFT	112 lbs.	\$919.00
30' Truss Boom with Drip Free Plumbing	DB30DF	272 lbs.	\$2,203.00
45' Truss Boom with Drip Free Plumbing ACCESSORIES	DB45DF	305 lbs.	\$2,843.00
Factory setup	SU341		Net \$635.00
Wheel Assisted Boom Tip Protectors	DBTP	27 lbs.	\$230.00
Auto Boom Leveler	DBSAL	50 lbs.	\$641.00
Quick Refill (utilizes nurse tank transfer pump for refilling)	CPTK1	15 lbs.	\$206.00
Hydraulic Height Adjuster (24" travel)	9428009	190 lbs.	\$1,250.00
Hydraulic Boom Wing Leveling	DBHY	26 lbs.	\$665.00
Fence Line Spray Kit, Electric	9428002	5 lbs.	\$183.00
Fence Line Spray Kit, Manual	9428003	5 lbs.	\$87.00
Handgun (includes 25' of 1/2" hose)	DBHG	13 lbs.	\$258.00

BIG WHEEL FIELD SPRAYERS



Features

- Elliptical tank with two dual jet agitators, sump, baffle and 16" fliptop manway
- 11.2 x 38 bias 6 ply tires provide a large narrow footprint with less field compaction
- The hydraulic X-fold boom features independent wing leveling and folding and height adjustment
- All booms have stainless steel boom and hose clamps

Specifications

GROUND CLEARANCE: 29"

WHEEL SPACINGS: 62" to 120"

TRANSPORT WIDTH: 11'9"

HOW TO ORDER: Choose in this order: 1. Tank & Trailer Frame 2. Pump 3. Plumbing 4. Controls 5. Boom 6. Boom Accessories 7. Accessories

TANK AND TRAILER FRAME WITH TIRES			
500 Gallon Tank and Big Wheel Trailer (62" - 120" wheel spacing) (Red)	9411027-10	2229 lbs.	\$10,756.00
PUMPS			
NOTE: For Pump Specifications, see Component Section.			
Hypro® 5 Roller Pump	C1700D	19 lbs.	\$512.00
Hypro® Gear Drive Pump with Constant Velocity PTO Shaft (C9016 540)	9425015	69 lbs.	\$1,625.00
Hypro® Belt Drive Pump with Constant Velocity PTO shaft (C9403 540S)	9425026	75 lbs.	\$1,812.00
Hypro® Hydraulic Pump (C9303HM1)(hoses included)	9425056	36 lbs.	\$1,199.00
Ace Belt Drive Pump with Constant Velocity PTO shaft (PTOC600 10B150)	9425055	75 lbs.	\$1,779.00
Ace Hydraulic Pump (FMC150HYD206) (hoses included)	9425057	44 lbs.	\$1,175.00
PLUMBING / PUMP MOUNT			
Roller Pump Kit (Manual Controls included)	9425002	44 lbs.	\$648.00
Hypro® Gear Drive Centrifugal Kit	9425020	60 lbs.	\$979.00
Hypro®/Ace Belt Drive Centrifugal Kit	9425010	55 lbs.	\$918.00
Hypro®/Ace Hydraulic Centrifugal Kit	9425011	49 lbs.	\$859.00
CONTROLS			
Manual Controls for Centrifugal Pumps	9428139	10 lbs.	\$529.00
Solenoid Valves for Centrifugal Pumps	9428062	30 lbs.	\$1,174.00
Motorized Ball Valves for Centrifugal Pumps	9428090	35 lbs.	\$2,077.00
Raven® 450 Sprayer Control w/Motorized Ball Valves for Centrifugal Pumps	9428043	45 lbs.	\$5,442.00
Hydraulic X-Fold Boom without Plumbing			
(For Manual Fold Boom, see page 11)			
45' Hydraulic X-Fold Boom with weight transfer kit	9488125	1550 lbs.	\$10,653.00
60' Hydraulic X-Fold Boom with weight transfer kit	9488127	1620 lbs.	\$11,787.00
X-FOLD BOOM ACCESSORIES			
TeeJet® Drip Free (27 Nozzles) for 45' Hydraulic X-Fold Boom	9428024	20 lbs.	\$942.00
TeeJet® Drip Free (37 Nozzles) for 60' Hydraulic X-Fold Boom	9428026	25 lbs.	\$1,131.00
TeeJet® Triple Drip Free (27 Nozzles) for 45' Hydraulic X-Fold Boom	9428046	23 lbs.	\$1,628.00
TeeJet® Triple Drip Free (37 Nozzles) for 60' Hydraulic X-Fold Boom	9428008	28 lbs.	\$1,628.00
Wheel Assisted Boom Tip Protectors	9488012	27 lbs.	\$230.00
Light Kit	9428084	10 lbs.	\$325.00
ACCESSORIES			
Quick Refill (utilizes nurse tank transfer pump for refilling)	CPTK1	5 lbs.	\$206.00
55 Gallon Water Tank and Mountings for Flushing the Sprayer Tank	DFS55HP	95 lbs.	\$940.00
33 Gallon Foam Marker	9428156	107 lbs.	\$1,974.00
Chemical Eductor Vacuum Flow	9428165	125 lbs.	\$1,440.00
Fence Line Spray Kit, Electric	9428002	5 lbs.	\$183.00
Fence Line Spray Kit, Manual	9428003	5 lbs.	\$87.00
Feeder Line Filter Kit (60 mesh)	9428068	3 lbs.	\$141.00
Handgun (includes 25' of 1/2" hose)	DBHG	13 lbs.	\$258.00

NOTE: Sprayer is less spray tips. Factory setup is available. Boom may be removed for shipping.

FIELD SPRAYERS TANDEM AXLE

Features

- Elliptical tank with two dual jet agitators, sump, baffle and 16" fliptop manway
- 10 gauge formed steel trailer
- 11L x 15 8 ply tires.
- Constant velocity PTO shaft with centrifugal pump, or hydraulic driven centrifugal pump
- DFB boom offers manual rear folding, auto leveling and flotation suspension
- All booms have stainless steel boom and hose clamps



Specifications

GROUND CLEARANCE: 29" TRANSPORT WIDTH 45' & 50' Boom: 11'
WHEEL SPACINGS: 80" to 120" TRANSPORT WIDTH 60' Boom: 13' 10"

OW TO ORDER: Choose in this order: 1. Tank & Trailer Frame 2. Pump 3. Plumbing 4. Controls 5	5. Boom 6. Boom	Accessories 7	7. Accessories
TANK AND TRAILER FRAME WITH TIRES			
500 Gallon Tank and Tandem Axle Trailer (80" - 120" wheel spacing) (Red	9411028-10	2013 lbs.	\$9,611.00
PUMPS			
NOTE: For Pump Specifications, see Component Section.			
Hypro® 5 Roller Pump	C1700D	19 lbs.	\$512.00
Hypro® Gear Drive Pump with Constant Velocity PTO Shaft (C9016 540)	9425015	69 lbs.	\$1,625.00
Hypro® Belt Drive Pump with Constant Velocity PTO shaft (C9403 540S)	9425026	75 lbs.	\$1,812.00
Hypro® Hydraulic Pump (C9303HM1)(hoses included)	9425056	36 lbs.	\$1,199.00
Ace Belt Drive Pump with Constant Velocity PTO shaft (PTOC600 10B150)	9425055	75 lbs.	\$1,779.00
Ace Hydraulic Pump (FMC150HYD206) (hoses included)	9425057	44 lbs.	\$1,175.00
PLUMBING / PUMP MOUNT			
Roller Pump Kit (Manual Controls included)	9425002	44 lbs.	\$648.00
Hypro® Gear Drive Centrifugal Kit	9425020	60 lbs.	\$979.00
Hypro®/Ace Belt Drive Centrifugal Kit	9425010	55 lbs.	\$918.00
Hypro®/Ace Hydraulic Centrifugal Kit	9425011	49 lbs.	\$859.00
CONTROLS			
Manual Controls for Centrifugal Pumps	9428139	10 lbs.	\$529.00
Solenoid Valves for Centrifugal Pumps	9428062	30 lbs.	\$1,174.00
Motorized Ball Valves for Centrifugal Pumps	9428090	35 lbs.	\$2,077.00
Raven® 450 Sprayer Control w/Motorized Ball Valves for Centrifugal Pumps	9428043	45 lbs.	\$5,442.00
MANUAL FOLD BOOM WITHOUT PLUMBING			
(For Hydraulic X-Fold Boom, see page 10)			
45' floating boom	DFB45B	608 lbs.	\$4,745.00
60' floating boom	DFB60B	690 lbs.	\$5,717.00
MANUAL FOLD BOOM ACCESSORIES			
TeeJet® Drip Free (27 Nozzles) for 45' Manual Fold Boom	9428051	20 lbs.	\$858.00
TeeJet® Drip Free (37 Nozzles) for 60' Manual Fold Boom	9428053	25 lbs.	\$1,131.00
Wheel Assisted Boom Tip Protectors	DFBTP	27 lbs.	\$230.00
Hydraulic Height Adjuster (24" travel)	9428009	190 lbs.	\$1,250.00
Hydraulic Boom Leveling (for manual fold booms)	DFHY	28 lbs.	\$756.00
ACCESSORIES			
Quick Refill (utilizes nurse tank transfer pump for refilling)	CPTK1	15 lbs.	\$206.00
55 Gallon Water Tank and Mountings for Flushing the Sprayer Tank	DFS55HP	95 lbs.	\$940.00
33 Gallon Foam Marker	9428156	107 lbs.	\$1,974.00
Chemical Eductor Vacuum Flow	9428165	125 lbs.	\$1,440.00
Fence Line Spray Kit, Electric	9428002	5 lbs.	\$183.00
Fence Line Spray Kit, Manual	9428003	5 lbs.	\$87.00
Feeder Line Filter Kit (60 mesh)	9428068	3 lbs.	\$141.00
Handgun (includes 25' of 1/2" hose)	DBHG	13 lbs.	\$258.00
NOTE: Covering is less shown time. Eactory course is qualified a Poor man be removed for shipping			,

NOTE: Sprayer is less spray tips. Factory setup is available. Boom may be removed for shipping.



50 SERIES 45', 60', OR 66' BOOM FIELD SPRAYERS

850 gallon 1050 gallon





Hydraulic front fold booms

The hydraulic front fold booms feature a nitrogen charged accumulator system combined with leveling linkage and shock absorbers to soften the ride. Live hydraulic control block requires only one set of remote outlets to perform all boom functions.



Pendant boom control with live hydraulic front fold models



Electric motorized ball valves



7 gallon chemcial eductor and the 33 gallon foam marker are optional

Features

- Tanks have a 16" flip-top lid and 2 high volume jet agitators, molded-in trough drains spills to rear of sprayer.
- 100 gallon 2 stage sump provides optimum tank drainage and decreases sloshing
- External liquid site gauge
- 120 gallon rear mounted rinse tank and 2 1/2 gallon hand wash tank
- Fold-away ladder provides easy access to the large work platform for added safety when filling tank
- One of the shortest "hitch pin to axle" lengths in the industry 140"
- Large storage compartment conveniently located for storing extra nozzles, clamps, etc.
- Single tube hitch frame allows for improved turning can be adjusted vertically in 1 1/2" increments
- 13.6 x 38 bias tires
- Pump and plumbing are center mounted allowing for shorter hoses and improved pump priming
- 50 mesh main filter and 60 mesh feeder line filters prevent tip plugging
- 160 lb. glycerin-filled gauge
- 2" quick couplers for bottom filling tanks
- The Hydraulic pendant/block can be used with open or closed center tractor hydraulic systems.
- Booms feature independent wing fold, hydraulic height adjust, wing leveling and outer wing breakaway
- All booms have stainless steel boom and hose clamps
- Light system consists of flasher/turn signal and taillights for added road safety

Specifications

GROUND CLEARANCE: 30"
APPROX WEIGHT: 6100 lbs.
TRANSPORT WIDTH: 9'6"

OW TO ORDER: Choose in this order: 1. Tank & Trailer Frame w/Tires 2. Pump 3. Controls & Plu	umbing 4. Boom &	Accessories	5. Accessories
TRAILER ASSEMBLY WITH TANK			
Includes 38" wheels & tires			
850 Gallon Big Wheel Tank & Trailer Assembly (62"- 120" wheel spacing) (Red)	9411134-10		\$21,584.00
850 Gallon Big Wheel Tank & Trailer Assembly (62"- 120" wheel spacing) (Black)	9411134-76		\$21,584.00
850 Gallon Big Wheel Tank & Trailer Assembly (90"- 144" wheel spacing) (Red)	9411135-10		\$22,362.00
850 Gallon Big Wheel Tank & Trailer Assembly (90"- 144" wheel spacing) (Black)	9411135-76		\$22,362.00
1050 Gallon Big Wheel Tank & Trailer Assembly (62"- 120" wheel spacing) (Red)	9411139-10		\$23,236.00
1050 Gallon Big Wheel Tank & Trailer Assembly (62"- 120" wheel spacing) (Black)	9411139-76		\$23,236.00
1050 Gallon Big Wheel Tank & Trailer Assembly (90"- 144" wheel spacing) (Red)	9411140-10		\$24,890.00
1050 Gallon Big Wheel Tank & Trailer Assembly (90"- 144" wheel spacing) (Black)	9411140-76		\$24,890.00
PUMPS			
Hypro® Hydraulic Pump with Life Guard™ Seal & Flanged Ports (hoses included)			
(C9314HM1)	9425073	40 lbs.	\$1,613.00
Ace Hydraulic Pump with Silicone Carbide Seal & Flanged ports			
(FMC150HYD304) (hoses included)	9425074	38 lbs.	\$1,540.00
PLUMBING			
Motorized Ball Valves (console included)	9425075	35 lbs.	\$2,501.00
Raven® Flow Meter, Regulator, & Trailer Wire Harness w/3 Motorized Valves & Plumbing			
(7 valves maximum)	9425078		\$3,076.00
CONTROLS			
Raven® 450 Automatic Rate Control, Cable and Speed Sensor	9425086		\$2,707.00
Raven® ECU Automatic Rate Control, Auto Boom Shut Off & Mapping,			
works with most late model VT	9425096		\$5,098.00
Mueller ECU Automatic Rate Control, Auto Boom Shut Off, Mapping,			
works with most late model VT	9425095		\$3,431.00
Note: Unlock required from OEM BOOM WITHOUT PLUMBING			
Hydraulic Front Fold Boom			
45' Hydraulic Front Fold Boom	9488132		\$14,096.00
60' Hydraulic Front Fold Boom	9488134		\$14,740.00
66' Hydraulic Front Fold Boom	9488135		\$15,128.00
Front Fold Boom Accessories			40.40.00
TeeJet® Drip Free (27 Nozzles) for 45' Boom	9428118	20 lbs.	\$942.00
TeeJet® Triple Drip Free (27 Nozzles) for 45' Boom	9428121	23 lbs.	\$1,263.00
TeeJet® Drip Free (37 Nozzles) for 60' Boom	9428108	25 lbs.	\$1,131.00
TeeJet® Triple Drip Free (37 Nozzles) for 60' Boom	9428109	28 lbs.	\$1,646.00
TeeJet® Drip Free (40 Nozzles) for 66' Boom	9428120	25 lbs.	\$1,179.00
TeeJet [®] Triple Drip Free (40 Nozzles) for 66' Boom	9428123	30 lbs.	\$1,727.00
Wheel Assisted Boom Tip Protectors ACCESSORIES	9488013	27 lbs.	\$188.00
Astro II GPS Speed Sensor 1Hz (for use with Raven® 450)	14071	1 lbs.	\$492.00
2" Flow Meter with digital display for tank fill	9428163	5 lbs.	\$1,296.00
33 Gallon Foam Marker Charcoal Tank	9428167	107 lbs.	\$1,974.00
33 Gallon Foam Marker Yellow Tank	9428156	107 lbs.	\$1,974.00
Chemical Eductor Vacuum Flow	9428164	125 lbs.	\$1,791.00
Fence Line Spray Kit, Electric	9428002	5 lbs.	\$183.00
Fence Line Spray Kit, Manual	9428003	5 lbs.	\$87.00

NOTE: Sprayer is less spray tips Factory setup is available Boom may be removed for shipping



50 SERIES 80'/90' BOOM FIELD SPRAYERS

1050 gallon 1250 gallon



Hydraulic front fold booms

The hydraulic front fold booms feature a nitrogen charged accumulator system combined with leveling linkage and shock absorbers to soften the ride. Live hydraulic control block requires only one set of remote outlets to perform all boom functions



Raven® 450 sprayer control system



Astro II GPS Speed Sensor for use with Raven® 450



Pendant boom control with live hydraulic front fold models



2" Flow Meter with digital display



7 gallon chemcial eductor and the 33 gallon foam marker are optional

Features

- Tanks have a 16" flip-top lid and 2 high volume jet agitators, molded-in trough drains spills to rear of sprayer.
- 100 gallon 2 stage sump provides optimum tank drainage and decreases sloshing
- External liquid site gauge
- 120 gallon rear mounted rinse tank and 2 1/2 gallon hand wash tank
- Fold-away ladder provides easy access to the large work platform for added safety when filling tank
- One of the shortest "hitch pin to axle" lengths in the industry 140"
- Large storage compartment conveniently located for storing extra nozzles, clamps, etc.
- Single tube hitch frame allows for improved turning can be adjusted vertically in 1 1/2" increments
- 320 / 90R46 radial trires provide a smooth ride and low field compaction
- Pump and plumbing are center mounted allowing for shorter hoses and improved pump priming
- 50 mesh main filter and 60 mesh feeder line filters prevent tip plugging
- 160 lb. glycerin-filled gauge
- 2" quick couplers for bottom filling tanks
- The Hydraulic folding pendant/block designed for closed center tractor hydraulic systems
- Booms feature 2 stage wing fold, hydraulic height adjust, wing leveling and outer wing breakaway
- Booms are available with 3/4" high volume plumbing and TeeJet® diaphragm check nozzles spaced at 20"
- Booms can be folded to spray in a 60' or an unfolded 80/90' width
- Light system consists of flasher/turn signal and taillights for added road safety

Specifications

GROUND CLEARANCE: 30"

APPROX WEIGHT: 1050 - 6700 lbs.

1250 - 7600 lbs.

TRANSPORT WIDTH: 12'

HOW TO ORDER: Choose in this order: 1. Tank & Trailer Frame w/Tires 2. Pump 3. Controls &	Plumbing 4. Boom &	Accessories	5. Accessories
TRAILER ASSEMBLY WITH TANK			
Includes 46" wheels & tires			
1050 Gallon Big Wheel Tank & Trailer Assembly (90"- 144" wheel spacing) (Red)	9411141-10		\$28,621.00
1050 Gallon Big Wheel Tank & Trailer Assembly (90"- 144" wheel spacing) (Black)	9411141-76		\$28,621.00
1250 Gallon Big Wheel Tank & Trailer Assembly (90"- 144" wheel spacing) (Red)	9411138-10		\$29,808.00
1250 Gallon Big Wheel Tank & Trailer Assembly (90"- 144" wheel spacing) (Black) PUMPS	9411138-76		\$29,808.00
Hypro® Hydraulic Pump w/ Life Guard™ Seal & Flanged Ports (hoses included)(C9314HM1)	9425073	40 lbs.	\$1,613.00
Ace Hydraulic Pump with Silicone Carbide Seal & Flanged ports			
(FMC150HYD304) (hoses included)	9425074	38 lbs.	\$1,540.00
PLUMBING			
Raven® Flow Meter, Regulator, & Trailer Wire Harness w/5 Motorized Valves & Plumbing			
(7 valves maximum)	9425081		\$3,810.00
CONTROLS			
Raven® 450 Automatic Rate Control, Cable and Speed Sensor	9425087		\$3,031.00
Raven® ECU Automatic Rate Control, Auto Boom Shut Off & Mapping	9425096		\$5,098.00
Mueller ECU Automatic Rate Control, Auto Boom Shut Off, Mapping	9425095		\$3,431.00
Note: Unlock required from OEM BOOM WITHOUT PLUMBING			
Hydraulic Front Fold Boom			
60', 80/90' Combination Hydraulic Front Fold Boom			
(Tractor must be equipped with closed center hydraulic system.)	9488130		\$23,848.00
Note: For 80' spray pattern, outer 5' sections can be removed. Front Fold Boom Accessories			
TeeJet® Drip Free (55 Nozzles) for 60', 80/90' Boom	9428159		\$1,470.00
TeeJet® Triple Drip Free (55 Nozzles) for 60', 80/90' Boom	9428160		\$2,254.00
Hydraulic Glide Suspension System (factory installed only)			
(Tractor must be equipped with closed center hydraulic system.) ACCESSORIES	9428152	20 lbs.	\$3,843.00
Astro II GPS Speed Sensor 1Hz (for use with Raven® 450)	14071	1 lbs.	\$492.00
2" Flow Meter with digital display for tank fill	9428163	5 lbs.	\$1,296.00
33 Gallon Foam Marker Charcoal Tank	9428168	107 lbs.	\$2,074.00
33 Gallon Foam Marker Yellow Tank	9428157	107 lbs.	\$2,074.00
Chemical Eductor Vacuum Flow	9428164	125 lbs.	\$1,791.00
Fence Line Spray Kit, Electric	9428002	5 lbs.	\$183.00

NOTE: Sprayer is less spray tips Factory setup is available Boom may be removed for shipping


HYDRAULICS NOTES: Tractor must be equipped with closed center hydraulic system.

How the Hydraulic Glide Suspension Works

Unique hydraulic glide suspension system makes the boom wings weightless. The guide wheels activate the hydraulic system and automatically adjust for uneven terrain. Guide wheels hav epuncture proof tires. (optional)



Cab mounted console allows operator to adjust the precharge on the wing lift cylinders for optimal boom performance.





SIDEQUEST® FIELD SPRAYERS

1200 gallon



Extended rear axle spindle mount allows weight to be shifted to the rear, relieving stress on the tractor's front axle and chassis. Units will fit on tractors with or without front duals. Rear duals are required.

Features

- Two 600 gallon tanks with 16" fillwells, molded sight gauge, large centered drainage sump and high volume jet agitator
- Tanks are mounted longitudinal for superb visibility
- Tank mounting brackets deliver excellent front to rear weight distribution ratio (25% front; 75% rear) and optimal row crop spraying clearance
- 3 point 80/90' hydraulic front fold boom with leveling linkage and shock absorbers to soften the ride. Live hydraulic control block requires only one set of remote outlets to perform all boom functions
- Boom can be folded to spray in a 60' or an unfolded 80/90' width.
- Unique hydraulic glide suspension system makes the boom wings weightless (see page 15 for details)
- Quick & easy 3-point (category II or III) rear mount hookup with quick couple plumbing and jack stands for easy installation and removal
- Easy access control panel makes easy work of preparation, refilling and clean-up
- 100 gallon rinse tank thoroughly flushes entire system

Specifications

GROUND CLEARANCE: 30"

APPROX WEIGHT: 1200 - 7600 lbs.

TRANSPORT WIDTH: 16' 11"



Easy access controls



Easy attach tank mounts

NOTE: Tractors with aftermarket dual hubs may require different mounting bolts

Hub spacer assembly is designed for tractors with 520 or narrower rear tractor tires

Front fenders need to be removed on most models

Factory setup is standard for 3-point frame and boom assembly

Not applicable on tractors with mid frame hydraulics and front 3-point



1200 Gallon, Charcoal Tanks, 30" row spacing 1200 Gallon, Yellow Ta	,266.00 ,266.00 ,266.00 ,470.00 ,558.00 ,470.00 ,470.00 ,470.00
1200 Gallon, Charcoal Tanks, 30" row spacing 1200 Gallon, Yellow Ta	,266.00 ,266.00 ,470.00 ,\$58.00 ,470.00 ,470.00 ,470.00
1200 Gallon, Yellow Tanks, 30" row spacing TRACTOR MOUNTING BRACKETS (BRACKETS ARE REQUIRED) Case IH® Magnum™ Tier 4 Emissions System 180, 190, 210, & 225 (Will not fit 4.75 front susp.) Tractors with optional water/fuel separator - relocation kit Case IH® MX Magnum™ 180, 200, 210, 220, 230, 240, 255, 270, & 285 Case IH® MX 215, 245, 275 & 305 Case IH® Magnum™ Tier 3 Emissions System 245, 275, 305 & **335 **Not applicable for 335 with front axel suspension Case IH® Magnum™ Tier 4 Emissions System 235, 260, 290, 315 & ***340 & 370 ***340 Tier 4 Emissions System hydraulic hose kit Case IH® Magnum™ Tier 4B Emissions System 250, 280, 310 & ***340 & 380 9422183 340 Ibs. \$2, 340	,266.00 ,470.00 ,\$58.00 ,470.00 ,470.00 ,470.00 ,470.00
TRACTOR MOUNTING BRACKETS (BRACKETS ARE REQUIRED) Case IH® Magnum™ Tier 4 Emissions System 180, 190, 210, & 225 (Will not fit 4.75 front susp.) 9422197 340 lbs. \$2, Tractors with optional water/fuel separator - relocation kit 6032 5 lbs. Case IH® MX Magnum™ 180, 200, 210, 220, 230, 240, 255, 270, & 285 9422197 340 lbs. \$2, Case IH® MX 215, 245, 275 & 305 \$40 lbs. \$2, Case IH® Magnum™ Tier 3 Emissions System 245, 275, 305 & **335 \$40 lbs. \$2, ***Not applicable for 335 with front axel suspension \$2, ***Not applicable for 335 with front axel suspension Case IH® Magnum™ Tier 4 Emissions System 235, 260, 290, 315 & ***340 & 370 9422183 340 lbs. \$2, ***340 Tier 4 Emissions System hydraulic hose kit \$1063 \$1 lbs. \$2, ***340 lbs. Case IH® Magnum™ Tier 4B Emissions System 250, 280, 310 & ****340 & 380 9422183 340 lbs. \$2, ***340 lbs.	,470.00 \$58.00 ,470.00 ,470.00 ,470.00
Case IH® Magnum™ Tier 4 Emissions System 180, 190, 210, & 225 (Will not fit 4.75 front susp.) 9422197 340 lbs. \$2, Tractors with optional water/fuel separator - relocation kit 6032 5 lbs. Case IH® MX Magnum™ 180, 200, 210, 220, 230, 240, 255, 270, & 285 9422197 340 lbs. \$2, Case IH® MX 215, 245, 275 & 305 Case IH® Magnum™ Tier 3 Emissions System 245, 275, 305 & **335 9422197 340 lbs. \$2, And Iss. **Not applicable for 335 with front axel suspension 340 lbs. \$2, And Iss. \$2, And Iss. Case IH® Magnum™ Tier 4 Emissions System 235, 260, 290, 315 & ***340 & 370 9422183 340 lbs. \$2, And Iss. ****340 Tier 4 Emissions System hydraulic hose kit 14063 5 lbs. \$2, And Iss. Case IH® Magnum™ Tier 4B Emissions System 250, 280, 310 & ****340 & 380 9422183 340 lbs. \$2, And Iss.	\$58.00 ,470.00 ,470.00 ,470.00
Tractors with optional water/fuel separator - relocation kit 6032 5 lbs. Case IH® MX Magnum™ 180, 200, 210, 220, 230, 240, 255, 270, & 285 9422197 340 lbs. \$2, Case IH® MX 215, 245, 275 & 305 9422197 340 lbs. \$2, Case IH® Magnum™ Tier 3 Emissions System 245, 275, 305 & **335 9422197 340 lbs. \$2, **Not applicable for 335 with front axel suspension \$2, \$2, \$2, \$340 lbs. \$2, Case IH® Magnum™ Tier 4 Emissions System 235, 260, 290, 315 & ***340 & 370 9422183 340 lbs. \$2, ***340 Tier 4 Emissions System hydraulic hose kit 14063 5 lbs. \$3, Case IH® Magnum™ Tier 4B Emissions System 250, 280, 310 & ***340 & 380 9422183 340 lbs. \$2,	\$58.00 ,470.00 ,470.00 ,470.00
Case IH® MX Magnum™ 180, 200, 210, 220, 230, 240, 255, 270, & 285 9422197 340 lbs. \$2, Case IH® MX 215, 245, 275 & 305 \$2, Case IH® Magnum™ Tier 3 Emissions System 245, 275, 305 & **335 9422197 340 lbs. \$2, ***Not applicable for 335 with front axel suspension \$2, ***340 lbs.	,470.00 ,470.00 ,470.00 ,470.00
Case IH® MX 215, 245, 275 & 305 9422197 340 lbs. \$2, Case IH® Magnum™ Tier 3 Emissions System 245, 275, 305 & **335 9422197 340 lbs. \$2, **Not applicable for 335 with front axel suspension Case IH® Magnum™ Tier 4 Emissions System 235, 260, 290, 315 & ***340 & 370 9422183 340 lbs. \$2, ***340 Tier 4 Emissions System hydraulic hose kit 14063 5 lbs. \$3 Case IH® Magnum™ Tier 4B Emissions System 250, 280, 310 & ***340 & 380 9422183 340 lbs. \$2,	,470.00 ,470.00 ,470.00
Case IH® Magnum™ Tier 3 Emissions System 245, 275, 305 & **335 9422197 340 lbs. \$2, ***Not applicable for 335 with front axel suspension Case IH® Magnum™ Tier 4 Emissions System 235, 260, 290, 315 & ***340 & 370 9422183 340 lbs. \$2, ***340 Tier 4 Emissions System hydraulic hose kit 14063 5 lbs. \$3 Case IH® Magnum™ Tier 4B Emissions System 250, 280, 310 & ***340 & 380 9422183 340 lbs. \$2	,470.00
Not applicable for 335 with front axel suspension Case IH® Magnum™ Tier 4 Emissions System 235, 260, 290, 315 & *340 & 370 ***340 Tier 4 Emissions System hydraulic hose kit Case IH® Magnum™ Tier 4B Emissions System 250, 280, 310 & ***340 & 380 9422183 340 lbs. \$2, 40 & 380	,470.00
Case IH® Magnum™ Tier 4 Emissions System 235, 260, 290, 315 & ***340 & 370 9422183 340 lbs. \$2, 400 lbs. \$3, 400 lbs. \$2, 400 lbs. \$3, 400 lbs. \$2, 400 lbs. \$	
***340 Tier 4 Emissions System hydraulic hose kit 14063 5 lbs. \$ Case IH® Magnum™ Tier 4B Emissions System 250, 280, 310 & ***340 & 380 9422183 340 lbs. \$2,	
	\$114.00
***340 & 380 Tier 4B Emissions System hydraulic hose kit 14063 5 lbs.	,470.00
	\$114.00
	\$181.00
Tractors with front suspension that have factory line interference will need a line kit	AFO 00
	\$58.00
	,470.00 ,470.00
New Holland® TG210, TG215, TG230, TG245, TG255, TG275, TG285, TG305, T8010,	4 10.00
	,470.00
	,470.00
	,470.00
	5591.00
Tractors with optional water/fuel separator - relocation kit 6027 5 lbs.	\$17.00
	,470.00
*John Deere® 8100, 8200, 8300, 8400, 8110, 8210, 8310, 8410, 8120, 8220, 83208120, 8220, 8320,	
	,470.00
*John Deere® FT4 w/ E23 or IVT™ trans. 8130, 8230, 8330, 8430, 8530, 8225R, 8235R, 8245R,	470.00
	,470.00
· · · · · · · · · · · · · · · · · · ·	S181.00 S182.00
	\$58.00
THREE POINT FRAME	ψου.υυ
	,231.00
PUMPS	
	,477.00
	,592.00
PLUMBING / PUMP MOUNT / BALL VALVES	
Raven® Flow Meter, Regulator, & Trailer Wire Harness w/5 Motorized Valves & Plumbing	000.00
	,008.00
CONTROLS Raven® 450 Automatic Rate Control. Power Cable and Astro II GPS Speed Sensor 1Hz 9425088 \$2.	707 00
	,707.00 ,098.00
	,431.00
Note: Unlock required from OEM	101.00
BOOM WITHOUT PLUMBING	
NOTE: Warranty is void if mounted on track units.	
60', 80/90' Combination Hydraulic Front Fold Boom	
(Tractor must be equipped with closed center hydraulic system.) 9488137 \$23,	,848.00
FRONT FOLD BOOM ACCESSORIES	
NOTE: Order Spray Tips Separately	170.00
	,470.00
	,254.00
Hydraulic Glide Suspension System (factory installed only) (Tractor must be equipped with closed center hydraulic system.) 9428152 20 lbs. \$3,	,843.00
ACCESSORIES 9428152 20 lbs. \$3,	,040.00
	,074.00
	,074.00
	,843.00
	3183.00
	5544.00
36" row spacing kit 6044 \$	5591.00
	,507.00
Tank Sight Gauge (Kit to do one tank) 6202	\$32.00



PULL TYPE & THREE POINT FERTILIZER APPLICATORS



Kick up Feature

Bar uses a center linkage with two cylinders attached. One cylinder is for folding and the second is for wing "Kick Up". This feature "kicks" the wings up 8 degrees to avoid knocking crops down when turning on headlands.

Specifications

TRAILER GROUND CLEARANCE: 30"
3 PT. GROUND CLEARANCE: 25"

TRANSPORT WIDTH: 19'7"

Features

- Tank has a 16" flip-top lid and 2 high volume jet agitators
- External liquid site gauge
- 2 1/2 gallon hand wash tank
- Fold-away ladder provides easy access to the large work platform for added safety when filling tank
- One of the shortest "hitch pin to axle" lengths in the industry 140"
- 10,000 lb. tongue jack
- · Large storage compartment
- Single tube hitch frame allows for improved turning can be adjusted vertically in 1 1/2" increments
- 13.6 x 38 bias tires or 320 / 90R46 radial tires
- 50 mesh main filter and 60 mesh feeder line filters prevent tip plugging
- Centrally located controls for convenient valve operation
- 160 lb SS. glycerin-filled gauge
- 3" quick couplers for bottom filling tanks
- Light system consists of flasher/turn signal and taillights for added road safety
- Double bar (5x7) design provides maximum strength
- Hydraulic down pressure to keep coulters in the groundcan easily be adjusted without the use of tools
- •The bar can be folded from 40' to 30' or 60' to 40' by folding the outer wings



Three Point Only Features

- The "Kick Up" cylinder and "Folding" cylinder are on two separate hydraulic blocks when the tool bar is unfolded the bar will be in the "Kicked" up position preventing the coulters from crashing into the ground
- Category "3" or 4" point "Quick Attach" three point hookup

TRAILER ASSEMBLY WITH TANK						
Includes 38" wheels & tires	20"	المارة المعادمة المارة		0410004 10		¢44 700 00
Trailer 1050 Red with 30' Toolbar (11 coulted	9413084-10		\$41,733.00			
Trailer 1050 Black with 30' Toolbar (11 coul				9413084-30		\$41,733.00
Trailer 1050 Red with 40' Toolbar (15 coulted				9413073-10		\$46,536.00
Trailer 1050 Black with 40' Toolbar (15 coul	iters on 30" rows,	sold separately)		9413073-30		\$46,536.00
Includes 46" wheels & tires	0.011					4=0.400.00
Trailer 1250 Red with 40' Toolbar (15 coulted				9413074-10		\$50,190.00
Trailer 1250 Black with 40' Toolbar (15 coul				9413074-30		\$50,190.00
Trailer 1250 Red with 60' Toolbar (23 coulted				9413076-10		\$69,916.00
Trailer 1250 Black with 60' Toolbar (23 coul	lters on 30" rows,	sold separately)		9413076-30		\$69,916.00
THREE POINT TOOLBAR						
30' Three Point Toolbar (11 coulters on 30"				9413081		\$18,632.00
40' Three Point Toolbar (15 coulters on 30"				9413001		\$22,800.00
60' Three Point Toolbar (23 coulters on 30"	rows, sold separ	ately)		9413048		\$38,403.00
COULTER						
20" Smooth Blade with Injector, Shield				9413002	each	\$767.00
20" Smooth Blade with Knife, Shield				9413003	each	\$804.00
20" Crucible Fluted Blade with Injector, Shi				9413022	each	\$767.00
20" Crucible Fluted Blade with Knife, Shield				9413023	each	\$804.00
20" Smooth Blade with Injector, Gen III Yet	te			9413004	each	\$767.00
20" Smooth Blade with Knife, Gen III Yetter				9413005	each	\$729.00
20" Rippled Blade with Spring Tine Injector	, Gen III Yetter			9413026	each	\$767.00
20" Rippled Blade with Knife, Gen III Yetter				9413027	each	\$729.00
20" Smooth Blade with Injector, Xtreme Yel		fice)		9413006	each	\$848.00
20" Smooth Blade with Knife, Xtreme Yette		,		9413007	each	\$810.00
20" Rippled Blade with Injector, Xtreme Yet		fice)		9413029	each	\$807.00
20" Rippled Blade with Knife, Xtreme Yette		/		9413030	each	\$810.00
20" Smooth Blade with Spring Tine Injector		etter		9413032	each	\$917.00
20" Smooth Blade with Knife, 2996 Parallel				9413033	each	\$879.00
20" Rippled Blade with Spring Tine Injector		etter		9413034	each	\$917.00
20" Rippled Blade with Knife, 2996 Parallel				9413035	each	\$879.00
TRAILER PUMPS						,
Hypro Hydraulic Stainless Steel Pump (930)6S-HM1C- B3U)	(hoses included))	9413061		\$2,514.00
Hypro Hydraulic Pump (9306C-HM1C- BU)				9413062		\$1,858.00
Ace Hydraulic Stainless Steel Pump (FMC-			d)	9413063		\$2,357.00
Ace Hydraulic Pump (FMC-150-HYD- 304)			ω,	9413064		\$1,733.00
3 POINT PUMPS	(nooco molacoa)			0410004		Ψ1,100.00
Hypro Hydraulic Stainless Steel Pump (930	06S-HM1C- B3U)	(hoses included)		9413008		\$2,530.00
Hypro Hydraulic Pump (9306C-HM1C- BU)				9413009		\$1,787.00
Ace Hydraulic Stainless Steel Pump (FMC-			4)	9413010		\$2,368.00
Ace Hydraulic Pump (FMC-150-HYD- 304)			ω)	9413011		\$1,742.00
,	,			0110011		Ψ1,1 12.00
PLUMBING / PUMP MOUNT / BALL VALV						
30" 15 Coulter, 3 Section	9413065	\$4,155.00	30" 17 Coulter, 5 Section		9413015	\$4,850.00
30" 15 Coulter, 5 Section	9413066	\$4,828.00	20" 23 Coulter, 3 Section		9413016	\$4,419.00
30" 17 Coulter, 3 Section	9413067	\$4,332.00	20" 23 Coulter, 5 Section		9413017	\$5,088.00
30" 17 Coulter, 5 Section	9413068	\$5,006.00	20" 25 Coulter, 3 Section		9413018	\$4,538.00
30" 23 Coulter, 3 Section	9413069	\$4,403.00 \$5,129.00	20" 25 Coulter, 5 Section		9413019	\$5,206.00
30" 23 Coulter, 5 Section 30" 25 Coulter, 3 Section	9413070 9413071	\$4,605.00	60' Plumbing			
30" 25 Coulter, 5 Section	9413072	\$4,605.00	30" 23 Coulter, 3 Section		9413049	\$4,268.00
20 20 Country, o Country	341007£	ψ+,000.00	30" 23 Coulter, 5 Section		9413050	\$4,980.00
PLUMBING / PUMP MOUNT / BALL VALV	FS - 3 POINT		30" 25 Coulter, 3 Section 30" 25 Coulter, 5 Section		9413051	\$4,505.00 \$5,163.00
40' Plumbing	LO OTOMI		20" 35 Coulter, 3 Section		9413052 9413053	\$4,688.00
30" 15 Coulter, 3 Section	9413012	\$3,955.00	20" 35 Coulter, 5 Section		9413054	\$5,358.00
30" 15 Coulter, 5 Section	9413013	\$4,624.00	20" 37 Coulter, 3 Section		9413055	\$4,888.00
30" 17 Coulter, 3 Section	9413014	\$4,182.00	20" 37 Coulter, 5 Section		9413056	\$5,476.00
CONTROLO			,			, , , , , , , , , , , , , , , , , , , ,
CONTROLS	0.0	411		0.405000		AO 000 00
Raven® 450 Rate Controller, 3 Section, GP				9425092		\$2,922.00
Raven® 450 Rate Controller, 5 Section, GP				9425093		\$3,197.00
Raven® ECU Automatic Rate Control, Auto Bo				9425096		\$5,098.00
Mueller ECU Automatic Rate Control, Auto	9425095		\$3,431.00			
Note: Unlock required from OEM						
ACCESSORIES						A
ACCESSORIES Offset Kit for 20" Rows, Shield				9413025		\$329.00
ACCESSORIES Offset Kit for 20" Rows, Shield Offset Kit for 20" Rows, Yetter				9413028		\$329.00
ACCESSORIES Offset Kit for 20" Rows, Shield Offset Kit for 20" Rows, Yetter Coulter Extension Kit 40' Tool Bar for 17 (3)				9413028 15015-76	each	\$329.00 \$155.00
ACCESSORIES Offset Kit for 20" Rows, Shield Offset Kit for 20" Rows, Yetter Coulter Extension Kit 40' Tool Bar for 17 (3 Coulter Extension Kit 60' Tool Bar for 25 (3				9413028 15015-76 15016-76	each each	\$329.00 \$155.00 \$155.00
ACCESSORIES Offset Kit for 20" Rows, Shield Offset Kit for 20" Rows, Yetter Coulter Extension Kit 40' Tool Bar for 17 (3 Coulter Extension Kit 60' Tool Bar for 25 (3 Adjustable Hitch for pull behind implement				9413028 15015-76 15016-76 9413046		\$329.00 \$155.00 \$155.00 \$1,343.00
ACCESSORIES Offset Kit for 20" Rows, Shield Offset Kit for 20" Rows, Yetter Coulter Extension Kit 40' Tool Bar for 17 (3 Coulter Extension Kit 60' Tool Bar for 25 (3				9413028 15015-76 15016-76	each	\$329.00 \$155.00 \$155.00



CASE-IH

	Quick Tach	Quick Tach	Inline/Tear Drop	SideQuest	SideQuest
MODEL	400	500	600	700 & 1000	1200
MX Magnum 200	N/A	N/A	9422199	9422196	9422197
MX Magnum 210	N/A	N/A	9422199	9422196	9422197
MX Magnum 220 MX Magnum 230	N/A N/A	N/A N/A	9422199 9422199	9422196 9422196	9422197 9422197
MX Magnum 240	N/A N/A	N/A N/A	9422199	9422196	9422197
MX Magnum 255	N/A	N/A	9422199	9422196	9422197
MX Magnum 270	N/A	N/A	9422199	9422196	9422197
MX Magnum 285	N/A	N/A	9422199	9422196	9422197
MX 215 MX 245	N/A	N/A N/A	9422199	9422196	9422197
MX 275	N/A N/A	N/A N/A	9422199 9422199	9422196 9422196	9422197 9422197
MX 305	N/A	N/A	9422199	9422196	9422197
Magnum 7110	TB470QTMFD	TB570QTMFD	9422064	9422159	N/A
Magnum 7120	TB470QTMFD	TB570QTMFD	9422064	9422159	N/A
Magnum 7130	TB470QTMFD	TB570QTMFD	9422064	9422159	N/A
Magnum 7140 Magnum 7150	TB470QTMFD TB470QTMFD	TB570QTMFD TB570QTMFD	9422064 9422064	9422159 9422159	N/A N/A
Magnum 7210	TB470QTMFD	TB570QTMFD	9422064	9422159	N/A
Magnum 7220	TB470QTMFD	TB570QTMFD	9422064	9422159	N/A
Magnum 7230	TB470QTMFD	TB570QTMFD	9422064	9422159	N/A
Magnum 7240	TB470QTMFD	TB570QTMFD	9422064	9422159	N/A
Magnum 7250 Magnum 7250	TB470QTMFD TB470QTMFD	TB570QTMFD TB570QTMFD	9422064 9422064	9422159 9422159	N/A N/A
Magnum 8910	TB470QTMFD	TB570QTMFD	9422064	9422159	N/A N/A
Magnum 8920	TB470QTMFD	TB570QTMFD	9422064	9422159	N/A
Magnum 8930	TB470QTMFD	TB570QTMFD	9422064	9422159	N/A
Magnum 8940	TB470QTMFD	TB570QTMFD	9422064	9422159	N/A
Magnum 8950	TB470QTMFD	TB570QTMFD	9422064	9422159	N/A
***Magnum 180 ***Magnum 190	N/A N/A	N/A N/A	9422199 9422199	9422196 9422196	9422197 9422197
***Magnum 210	N/A	N/A	9422199	9422196	9422197
Magnum 215	N/A	N/A	9422199	9422196	9422197
***Magnum 225	N/A	N/A	9422199	9422196	9422197
**Magnum 235	N/A	N/A	N/A	9422184	9422183
Magnum 245 **Magnum 260	N/A N/A	N/A N/A	9422199 N/A	9422196 9422184	9422197 9422183
Magnum 275	N/A N/A	N/A N/A	9422199	9422196	9422197
**Magnum 290	N/A	N/A	N/A	9422184	9422183
*Magnum 305	N/A	N/A	9422199	9422196	9422197
**Magnum 315	N/A	N/A	N/A	9422184	9422183
*Magnum 335 **Magnum 340	N/A N/A	N/A N/A	9422199 N/A	9422196 9422184	9422197 9422183
Magnum 370	N/A N/A	N/A	N/A	9422184	9422183
Magnum 380	N/A	N/A	N/A	9422184	9422183
Magnum 250 T4B	N/A	N/A	9422226	9422224	9422225
Magnum 280 T4B	N/A	N/A	9422226	9422224	9422225
Magnum 310 T4B	N/A N/A	N/A N/A	9422226 9422226	9422224 9422224	9422225 9422225
Magnum 340 T4B Magnum 380 T4B	N/A N/A	N/A N/A	9422226	9422224	9422225
Stieger 335 (4WD Wheeled)	N/A	N/A	9422206	N/A	9422205
Stieger 350 (4WD Rowtrac ^{↑M} & Wheeled)	N/A	N/A	9422211	N/A	****9422207
Stieger 400 (4WD Rowtrac™ & Wheeled)	N/A	N/A	9422211	N/A	****9422207
Stieger 450 (4WD Rowtrac TM & Wheeled)	N/A	N/A	9422211	N/A	****9422207 ****9422207
Stieger 370 (4WD Rowtrac [™] & Wheeled) Stieger 420 (4WD Rowtrac [™] & Wheeled)	N/A N/A	N/A N/A	9422211 9422211	N/A N/A	****9422207
Stieger 470 (4WD Rowtrac® & Wheeled)	N/A N/A	N/A N/A	9422211	N/A	****9422207
Stieger 470 (4WD Quadtrac® & Wheeled)	N/A	N/A	9422227	N/A	N/A
Stieger 500 (4WD Quadtrac® & HD Wheeled)	N/A	N/A	9422227	N/A	N/A
Stieger 540 (4WD Quadtrac® & HD Wheeled)	N/A	N/A	9422227	N/A	N/A
Stieger 550 (4WD Quadtrac® & HD Wheeled) Stieger 580 (4WD Quadtrac® & HD Wheeled)	N/A N/A	N/A N/A	9422227 9422227	N/A N/A	N/A N/A
Stieger 600 (4WD Quadtrac® & HD Wheeled)	N/A N/A	N/A N/A	9422227	N/A N/A	N/A N/A
Stieger 620 (4WD Quadtrac® & HD Wheeled)	N/A	N/A	9422227	N/A	N/A

Stieger 620 (4WD Quadtrac® & HD Wheeled) | N/A | N/A | Magnums equipped with optional water/fuel seperator require relocation kit (6032)

Some Tier 4 Emission Systems may require hydraulic hose kit (14063) on SideQuest models
*305 & 335 equipped with optional suspended front end will only fit 700 & 1000 SideQuest with Class 5 should work on 4.75 scissor suspension.
**Tractors with front suspension that have factory line interference will need a line kit from Case IH®

^{***1000} gallon will not fit 4.75 Front suspension with 6019 spacer.

^{****}Wheeled only

JOHN DEERE

MODEL	Quick Tach 400	Quick Tach 500	Inline/Tear Drop 600	SideQuest 700 & 1000	SideQuest 1200
8100	9422168	9422169	9422068	9422231	9422229
8110	9422168	9422169	9422068	9422231	9422229
*8120	9422168	9422169	9422068	9422231	9422229
8130	9422168	9422169	9422068	9422231	9422229
8130 IVT	N/A	N/A	9422126	9422231	9422230
8200	9422168	9422169	9422120	9422232	9422230
8210 *8220	9422168 9422168	9422169 9422169	9422068	9422231 9422231	9422229 9422229
		N/A	9422068 9422068	9422231	9422229
8225R 8225R IVT	N/A N/A	N/A N/A		9422231	
			9422126		9422230
8230	9422168	9422169	9422068	9422231	9422229
8230 IVT	N/A	N/A	9422126	9422232	9422230
8235R	N/A	N/A	9422068	9422231	9422229
8235R IVT	N/A	N/A	9422126	9422232	9422230
8245R	N/A	N/A	9422068	9422231	9422229
8245R FT4	N/A	N/A	9422068	9422231	9422229
8245R IVT	N/A	N/A	9422126	9422232	9422230
8245R IVT/E23 FT4	N/A	N/A	9422126	9422232	9422230
8260R	N/A	N/A	9422068	9422231	9422229
8260R IVT	N/A	N/A	9422126	9422232	9422230
8270R	N/A	N/A	9422068	9422231	9422229
8270R FT4	N/A	N/A	9422068	9422231	9422229
8270R IVT	N/A	N/A	9422126	9422232	9422230
8270R IVT/E23 FT4	N/A	N/A	9422126	9422232	9422230
8285R	N/A	N/A	9422068	9422231	9422229
8285R IVT	N/A	N/A	9422126	9422232	9422230
8295R	N/A	N/A	9422068	9422231	9422229
8295R FT4	N/A	N/A	9422068	9422231	9422229
8295R IVT	N/A	N/A	9422126	9422232	9422230
8295R IVT/E23 FT4	N/A	N/A	9422126	9422232	9422230
8300	9422168	9422169	9422068	9422231	9422229
8310	9422168	9422169	9422068	9422231	9422229
8310R	N/A	N/A	9422068	9422231	9422229
8310R IVT	N/A	N/A	9422126	9422232	9422230
*8320	9422168	9422169	9422068	9422231	9422229
8320R	N/A	N/A	9422068	9422231	9422229
8320R FT4	N/A	N/A	9422068	9422231	9422229
8320R IVT	N/A	N/A	9422126	9422232	9422230
8320R IVT/E23 FT4	N/A	N/A	9422126	9422232	9422230
8330	9422168	9422169	9422068	9422231	9422229
8330 IVT	N/A	N/A	9422126	9422232	9422230
8335R	N/A	N/A	9422068	9422231	9422229
8335R IVT	N/A	N/A	9422126	9422232	9422230
8345R IVT	N/A	N/A	9422126	9422232	9422230
8345R IVT/E23 FT4	N/A	N/A	9422126	9422232	9422230
8360R IVT	N/A	N/A	9422126	9422232	9422230
8370R IVT/E23 FT4	N/A	N/A	9422126	9422232	9422230
8400	9422168	9422169	9422068	9422231	9422229
8410	9422168	9422169	9422068	9422231	9422229
8420	9422168	9422169	9422068	9422231	9422229
8430	9422168	9422169	9422068	9422231	9422229
8430 IVT	N/A	N/A	9422126	9422232	9422230
8520	9422168	9422169	9422068	9422231	9422229
8530 IVT	N/A	N/A	9422126	9422232	9422230

*8120, 8220 & 8320 models equipped with 46" rear tires will be short frame, models with 50" rear tires will be a long frame.

JOHN DEERE

MODEL	Quick Tach 400	Quick Tach 500
4050 4250 4350 4450 4750 4850	TB460QTMFD	TB560QTMFD
4055 4255 4455 4555 4755 4955	TB460QTMFD	TB560QTMFD
4560 4760 4960	TB460QTMFD	l TB560QTMFD



JOHN DEERE

MODEL	Quick Tach 400	Quick Tach 500	Inline 400	Inline 600	SideQuest 700 & 1000	SideQuest 1200
7200R	N/A	N/A	9422187	9422188	9422189	9422190
7215R	N/A	N/A	9422187	9422188	9422189	9422190
7230R	N/A	N/A	9422187	9422188	9422189	9422190
7260R	N/A	N/A	9422187	9422188	9422189	9422190
7280R	N/A	N/A	9422187	9422188	9422189	9422190
7210R	N/A	N/A	9422187	9422188	9422189	9422190
7230R	N/A	N/A	9422187	9422188	9422189	9422190
7250R	N/A	N/A	9422187	9422188	9422189	9422190
7270R	N/A	N/A	9422187	9422188	9422189	9422190
7290R	N/A	N/A	9422187	9422188	9422189	9422190
7310R	N/A	N/A	9422187	9422188	9422189	9422190
7400	N/A	N/A	N/A	N/A	N/A	N/A
7600	TB740QTMFD	TB750QTMFD	N/A	N/A	N/A	N/A
7610	TB740QTMFD	TB750QTMFD	N/A	N/A	N/A	N/A
7630	N/A	N/A	N/A	N/A	9422162	N/A
7700	TB740QTMFD	TB750QTMFD	N/A	N/A	N/A	N/A
7710	TB740QTMFD	TB750QTMFD	N/A	N/A	N/A	N/A
7720	N/A	N/A	N/A	N/A	9422162	N/A
7730	N/A	N/A	N/A	N/A	9422162	N/A
7800	TB740QTMFD	TB750QTMFD	N/A	N/A	N/A	N/A
7810	TB740QTMFD	TB750QTMFD	N/A	N/A	N/A	N/A
7820	N/A	N/A	N/A	N/A	9422162	N/A
7830	N/A	N/A	N/A	N/A	9422162	N/A
7920	N/A	N/A	N/A	N/A	9422162	N/A
7930	N/A	N/A	N/A	N/A	9422162	N/A

^{*}Not applicable on Tractors with mid frame hydraulics and front 3-point.

JOHN DEERE TRACK

T Corios	700/1000 Brackets	700 Tanks	1000 Tanks
T Series			
8200T	9422116	9422112	9422114
8210T	9422116	9422112	9422114
8220T	9422116	9422112	9422114
8230T	9422116	9422112	9422114
8300T 8310T	9422116 9422116	9422112 9422112	9422114 9422114
8320T	9422116	9422112	9422114
8330T	9422116	9422112	9422114
8400T	9422116	9422112	9422114
8410T	9422116	9422112	9422114
8420T	9422116	9422112	9422114
8430T	9422116	9422112	9422114
8520T	9422116	9422112	9422114
9300T	9422128	N/A	9422170
9320T	9422128	9422112	9422114
9400T	9422128	N/A	9422170
9420T	9422128	9422112	9422114
9430T	9422128	N/A	9422170
9520T	9422128	9422112	9422114
9530T	9422128	N/A	9422170
9620T	9422128	9422112	9422114
9630T_	9422128	N/A	9422170
8295RT	9422167	N/A	9422170
8295RT	9422167	N/A	9422170
8310RT	9422167	N/A	9422170
8320RT	9422167	N/A	9422170
8335RT	9422167 9422167	N/A N/A	9422170 9422170
8345RT 8360RT	9422167	N/A N/A	9422170
9460RT	9422107	N/A N/A	9422170
9510RT	9422128	N/A	9422170
9560RT	9422128	N/A N/A	9422170
8320RT	9422167	N/A	9422170
8345RT	9422167	N/A	9422170
8370RT	9422167	N/A	9422170
22.0	0.22.07		3.223

JOHN DEERE 4WD

4WD	600 Brackets	1200 Brackets
9230	9422210	9422204
9330	9422210	9422204
9430	9422210	9422204
9530	9422210	9422204
9630 9360R	9422210 9422210	9422204 9422204
9410R	9422210	9422204
9460R	9422210	9422204
9510R	9422210	9422204
9560R	9422210	9422204
9420R	9422243	N/A
9470R	9422243	N/A
9520R	9422243	N/A
9570R	9422243	N/A
9670R	9422243	N/A
9420RX 9470RX	9422244 9422244	N/A
9520RX	9422244	N/A N/A
9570RX	9422244	N/A N/A
9670RX	9422244	N/A

NEW HOLLAND

MODEL	Quick Tach 400	Quick Tach 500	Inline 400	Inline 600	SideQuest 700 & 1000	SideQuest 1200
TG 210	N/A	N/A	N/A	N/A	9422161	9422191
TG 215	N/A	N/A	N/A	N/A	9422161	9422191
TG 230	N/A	N/A	N/A	N/A	9422161	9422191
TG 245	N/A	N/A	N/A	N/A	9422161	9422191
TG 255	N/A	N/A	N/A	N/A	9422161	9422191
TG 275	N/A	N/A	N/A	N/A	9422161	9422191
TG 285	N/A	N/A	N/A	N/A	9422161	9422191
TG 305	N/A	N/A	N/A	N/A	9422161	9422191
T8.275	N/A	N/A	*9422185	*9422186	*9422192	*9422193
T8.300	N/A	N/A	*9422185	*9422186	*9422192	*9422193
T8.330	N/A	N/A	*9422185	*9422186	*9422192	*9422193
T8.360	N/A	N/A	*9422185	*9422186	*9422192	*9422193
T8.390	N/A	N/A	*9422185	*9422186	*9422192	*9422193
T8.320	N/A	N/A	N/A	N/A	*9422235	*9422236
T8.350	N/A	N/A	N/A	N/A	*9422235	*9422236
T8.380	N/A	N/A	N/A	N/A	*9422235	*9422236
T8.410	N/A	N/A	N/A	N/A	*9422235	*9422236
T8.435	N/A	N/A	N/A	N/A	*9422235	*9422236
T8010	N/A	N/A	N/A	N/A	9422161	9422191
T8020	N/A	N/A	N/A	N/A	9422161	9422191
T8030	N/A	N/A	N/A	N/A	9422161	9422191
T8040	N/A	N/A	N/A	N/A	9422161	9422191
T8050	N/A	N/A	N/A	N/A	9422161	9422191
T9.390 4WD	N/A	N/A	N/A	9422211	N/A	9422207
T9.450 4WD	N/A	N/A	N/A	9422211	N/A	9422207
T9.505 4WD	N/A	N/A	N/A	9422211	N/A	9422207
T9.560 4WD	N/A	N/A	N/A	9422211	N/A	9422207

FORD

MODEL	Quick Tach 400	Quick Tach 500	Inline 400	Inline 600	SideQuest 700 & 1000	SideQuest 1200
8670	TB440QTMFD	TB540QTMFD	N/A	N/A	9422160	N/A
8770	TB440QTMFD	TB540QTMFD	N/A	N/A	9422160	N/A
8870	TB440QTMFD	TB540QTMFD	N/A	N/A	9422160	N/A
8970	TB440QTMFD	TB540QTMFD	N/A	N/A	9422160	N/A

BUHLER

	Quick Tach	Quick Tach	Inline	Inline	SideQuest	SideQuest
MODEL	400	500	400	600	700 & 1000	1200
2145	TB440QTMFD	TB540QTMFD	N/A	N/A	9422160	N/A
2160	TB440QTMFD	TB540QTMFD	N/A	N/A	9422160	N/A
2180	TB440QTMFD	TB540QTMFD	N/A	N/A	9422160	N/A
2210	TB440QTMFD	TB540QTMFD	N/A	N/A	9422160	N/A

CHALLENGER

	Quick Tach	Quick Tach	Inline	Inline	SideQuest	SideQuest
MODEL	400	500	400	600	700 & 1000	1200
MT645C/D	N/A	N/A	N/A	9422216	9422217	9422218
MT655C/D	N/A	N/A	N/A	9422216	9422217	9422218
MT665C/D	N/A	N/A	N/A	9422216	9422217	9422218
MT675C/D	N/A	N/A	N/A	9422216	9422217	9422218
MT685C/D	N/A	N/A	N/A	9422216	9422217	9422218

MASSEY FERGUSON

MODEL	Quick Tach 400	Quick Tach 500	Inline 400	Inline 600	SideQuest 700 & 1000	SideQuest 1200
8650	N/A	N/A	N/A	9422216	9422217	9422218
8660	N/A	N/A	N/A	9422216	9422217	9422218
8670	N/A	N/A	N/A	9422216	9422217	9422218
8680	N/A	N/A	N/A	9422216	9422217	9422218
8690	N/A	N/A	N/A	9422216	9422217	9422218

*Not applicable for tractors equipped with front suspension



SIDEQUEST® SIDE TRACTOR MOUNTS

700 & 1000 - 40" Row Spacing 1200 gallon

U.S. Patent No. 6,286,870 & 8,839,999

NOTE: Tractors with aftermarket dual hubs may require different mounting bolts Hub spacer assembly is designed for tractors with 520 or narrower rear tractor tires

Front fenders need to be removed on most models Not applicable on tractors with mid frame hydraulics and front 3-point

- Two 350,500, or 600 gallon high capacity side mount tanks with 16" fillwell delivers excellent front to rear weight distribution ratio (25% front: 75% rear)
- Extended rear axle spindle mount allows weight to be shifted to the rear relieving stress on the tractor's front axle and chassis
- Units will fit on tractors with or without front duals (rear duals are required)
- Tanks are mounted longitudinal for superb visibility
- Transport width 30" Row Spacing (16'11") when straddle duals are set on 120" centers
- Transport width 36" Row Spacing (18' 11") when straddle duals are set on 144" centers
- Flanged fittings provide leak free plumbing

TANKS AND BRACKETS 700 Gallon, Yellow Tanks, 40" row spacing 9422239 3550 lbs. \$13,289.00 700 Gallon, Charcoal Tanks, 40" row spacing 9422240 3550 lbs. \$13,289.00 1000 Gallon, Yellow Tanks, 40" row spacing 9422241 3550 lbs. \$15,261.00 1000 Gallon, Charcoal Tanks, 40" row spacing 9422242 3550 lbs. \$15,261.00 1200 Gallon, White Tanks, 30" row spacing 9422238 3550 lbs. \$18,266.00 1200 Gallon, Yellow Tanks, 30" row spacing 9422234 3550 lbs. \$18,266.00 1200 Gallon, Yellow Tanks, 30" row spacing 9422233 3550 lbs. \$18,266.00 TRACTOR MOUNTING BRACKETS (BRACKETS ARE REQUIRED) \$18,266.00 \$2,470.00 \$2,470.00 Case IH® Magnum™ Tier 4 Emissions System 180, 190, 210, & 225 (Will not fit 4.75 front suspension) 9422197 340 lbs. \$2,470.00 Tractors with optional water/fuel separator - relocation kit 6032 5 lbs. \$58.00 Case IH® MX Magnum™ 180, 200, 210, 220, 230, 240, 255, 270, & 285 9422197 340 lbs. \$2,470.00
700 Gallon, Yellow Tanks, 40" row spacing 700 Gallon, Charcoal Tanks, 40" row spacing 9422240 3550 lbs. \$13,289.00 1000 Gallon, Yellow Tanks, 40" row spacing 9422241 3550 lbs. \$15,261.00 1000 Gallon, Charcoal Tanks, 40" row spacing 9422242 3550 lbs. \$15,261.00 1200 Gallon, White Tanks, 30" row spacing 9422238 3550 lbs. \$15,261.00 1200 Gallon, White Tanks, 30" row spacing 9422238 3550 lbs. \$18,266.00 1200 Gallon, Yellow Tanks, 30" row spacing 9422234 3550 lbs. \$18,266.00 1200 Gallon, Yellow Tanks, 30" row spacing 9422233 3550 lbs. \$18,266.00 1200 Gallon, Yellow Tanks, 30" row spacing 9422233 3550 lbs. \$18,266.00 1200 Gallon, Yellow Tanks, 30" row spacing 9422237 340 lbs. \$2,470.00 Tractors with optional water/fuel separator - relocation kit 6032 5 lbs. \$58.00
700 Gallon, Charcoal Tanks, 40" row spacing 1000 Gallon, Yellow Tanks, 40" row spacing 1000 Gallon, Charcoal Tanks, 40" row spacing 1000 Gallon, Charcoal Tanks, 40" row spacing 1000 Gallon, Charcoal Tanks, 40" row spacing 1200 Gallon, White Tanks, 30" row spacing 1200 Gallon, Charcoal Tanks, 30" row spacing 1200 Gallon, Charcoal Tanks, 30" row spacing 1200 Gallon, Yellow Tanks, 30" row spacing 1200 Gallon, Y
1000 Gallon, Yellow Tanks, 40" row spacing 1000 Gallon, Charcoal Tanks, 40" row spacing 1200 Gallon, Charcoal Tanks, 40" row spacing 1200 Gallon, White Tanks, 30" row spacing 1200 Gallon, Charcoal Tanks, 30" row spacing 1200 Gallon, Charcoal Tanks, 30" row spacing 1200 Gallon, Yellow Tanks, 30" row spacing 1200 Gallon, Y
1000 Gallon, Charcoal Tanks, 40" row spacing 1200 Gallon, White Tanks, 30" row spacing 1200 Gallon, White Tanks, 30" row spacing 1200 Gallon, Charcoal Tanks, 30" row spacing 1200 Gallon, Charcoal Tanks, 30" row spacing 1200 Gallon, Yellow
1200 Gallon, White Tanks, 30" row spacing 1200 Gallon, Charcoal Tanks, 30" row spacing 1200 Gallon, Charcoal Tanks, 30" row spacing 1200 Gallon, Yellow T
1200 Gallon, Charcoal Tanks, 30" row spacing 1200 Gallon, Yellow Tanks, 30" row spacing 1200 Gallon, Yellow Tanks, 30" row spacing TRACTOR MOUNTING BRACKETS (BRACKETS ARE REQUIRED) Case IH® Magnum™ Tier 4 Emissions System 180, 190, 210, & 225 (Will not fit 4.75 front suspension) Tractors with optional water/fuel separator - relocation kit 43550 lbs. \$18,266.00 \$18,266.0
1200 Gallon, Yellow Tanks, 30" row spacing TRACTOR MOUNTING BRACKETS (BRACKETS ARE REQUIRED) Case IH® Magnum™ Tier 4 Emissions System 180, 190, 210, & 225 (Will not fit 4.75 front suspension) Tractors with optional water/fuel separator - relocation kit 9422233 3550 lbs. \$18,266.00 \$2,470.00 \$422197 340 lbs. \$2,470.00 \$5 lbs. \$58.00
Case IH® Magnum™ Tier 4 Emissions System 180, 190, 210, & 225 (Will not fit 4.75 front suspension) Tractors with optional water/fuel separator - relocation kit 430 lbs. \$2,470.00 \$5,000.00 \$5,0
Tractors with optional water/fuel separator - relocation kit 6032 5 lbs. \$58.00
Case IH® MX Magnum™ 180, 200, 210, 220, 230, 240, 255, 270, & 285 9422197 340 lbs. \$2.470.00
Case IH® MX 215, 245, 275 & 305 9422197 340 lbs. \$2,470.00
Case IH [®] Magnum [™] Tier 3 Emissions System 245, 275, 305 & **335 9422197 340 lbs. \$2,470.00
**Not applicable for 335 with front axel suspension
Case IH® Magnum™ Tier 4 Emissions System 235, 260, 290, 315 & ***340 & 370 9422183 340 lbs. \$2,470.00
***340 Tier 4 Emissions System hydraulic hose kit 14063 5 lbs. \$114.00
Case IH® Magnum™ Tier 4B Emissions System 250, 280, 310, ***340 & 380 9422225 340 lbs. \$2,470.00
***340 & 380 Tier 4B Emissions System hydraulic hose kit 14063 5 lbs. \$114.00
Spacer kit for models 380 6303 46 lbs. \$181.00
Tractors with front suspension that have factory line interference will need a line kit from Case IH®
Tractors with optional water/fuel separator - relocation kit 6032 5 lbs. \$58.00
Challenger® MT645C/D, MT655C/D, MT665C/D, MT675C/D, & MT685C/D with stamped wheels 9422218 \$2,470.00
Massey Ferguson® 8650, 8660, 8670, 8680 & 8690 with stamped wheels 9422218 \$2,470.00
New Holland® TG210, TG215, TG230, TG245, TG255, TG275, TG285, TG305, T8010, T8020, T8030,
T8040 & T8050 9422191 340 lbs. \$2,470.00
New Holland® 4A T8.275, T8.300, T8.330, T8.360 & T8.390 NA for front suspension 9422193 340 lbs. \$2,470.00
New Holland® 4B T8.320, T8.350, T8.380, T8.410 & T8.435 NA for front suspension 9422236 340 lbs. \$2,470.00
Spacer kit required on 4B Emission models 6110 \$591.00
Tractors with optional water/fuel separator - relocation kit 5 lbs. \$17.00
John Deere® 7200R, 7215R, 7230R, 7260R, 7280R, 7210R, 7230R, 7250R, 7270R, 7290R & 7310R 9422190 340 lbs. \$2,470.00
*John Deere® 8100, 8200, 8300, 8400, 8110, 8210, 8310, 8410, 8120, 8220, 83208120, 8220, 8320, 8420, 8520, 8130, 8230 FT4 8245R, 8270R, 8295R & 8320R with powershift transmission & heavy duty hubs 9422229 180 lbs. \$2,470.00
520, 8130, 8230 F14 8245R, 8270R, 8295R & 8320R with powershift transmission & neavy duty hubs 9422229 180 lbs. \$2,470.00 *John Deere® FT4 w/ E23 or IVT™ trans. 8130, 8230, 8330, 8430, 8530, 8225R, 8235R, 8245R, 8260R,
8270R, 8285R, 8295R, 8310R, 8320R, 8335R, 8345R,8360R, & 8370R w/ HD hubs 9422230 230 lbs. \$2,470.00
Spacer kit for models with long frame 6303 46 lbs. \$181.00
*For tractors with standard Hubs order Kit 6072 \$182.00
Tractors with optional water/fuel separator - relocation kit 51bs. \$58.00
1200 ACCESSORIES
Plumbing Kit for joining tanks includes 2" quick refill 9470026 \$464.00
36" row spacing kit for NH & Case IH Tier 4 & 4B 6041 \$544.00
36" row spacing kit for JD® 8000 Series 6044 \$591.00
38/40" row spacing kit 6156 \$1,507.00
Tank Sight Gauge (Kit to do one tank) 6202 \$32.00

SIDE TRACTOR MOUNTS

Features

- Two 350 or 500 gallon high capacity side mount tanks with 16" fillwell - delivers excellent front to rear weight distribution ratio (25% front: 75% rear)
- Extended rear axle spindle mount allows weight to be shifted to the rear relieving stress on the tractor's front axle and chassis
- Units will fit on tractors with or without front duals
- Tanks are mounted longitudinal for superb visibility
- Comfortable transport width 16'4" when straddle duals are set NOTE: Tractors with aftermarket dual hubs may require different mounting bolts on 120" centers
- Flanged fittings provide leak free plumbing



Hub spacer assembly is designed for tractors with 520 or narrower rear tractor tires Front fenders need to be removed on most models Not applicable on tractors with mid frame hydraulics and front 3-point

Choose in this order: 1. Tank & Brackets 2. Mounting Brackets 3. Accessories

TANKS AND BRACKETS WITH 10 BOLT HUB ASSEMBLY		· · · · · · · · · · · · · · · · · · ·	
700 Gallon, Charcoal Tanks, 30" row spacing	9422214	1710 lbs.	\$11,826.00
700 Gallon, Yellow Tanks, 30" row spacing	9422151	1710 lbs.	\$11,826.00
1000 Gallon, Charcoal Tanks, 30" row spacing	9422212	2080 lbs.	\$13,858.00
1000 Gallon, Yellow Tanks, 30" row spacing	9422153	2080 lbs.	\$13,858.00
700 Gallon, Charcoal Tanks, 36" row spacing	9422215	1730 lbs.	\$12.232.00
700 Gallon, Yellow Tanks, 36" row spacing	9422155	1730 lbs.	\$12,232.00
1000 Gallon, Charcoal Tanks, 36" row spacing	9422213	2110 lbs.	\$14,265.00
1000 Gallon, Yellow Tanks, 36" row spacing	9422157	2110 lbs.	\$14,265.00
TRACTOR MOUNTING BRACKETS (BRACKETS ARE REQUIRED.)			, ,
Case IH [®] Magnum™ 7100, 7200 & 8900 series	9422159	223 lbs.	\$1,533.00
Case IH® Magnum™ Tier 4 Emissions System 180, 190, 210, & 225 (4.75 front needs 6019 kit)	9422196	340 lbs.	\$1,902.00
Tractors with optional water/fuel separator - relocation kit	6032	5 lbs.	\$58.00
Case IH [®] MX Magnum™ 180, 200, 210, 220, 230, 240, 255, 270, & 285	9422196	340 lbs.	\$1,902.00
Case IH® MX 215, 245, 275 & 305	9422196	340 lbs.	\$1,902.00
Case IH [®] Magnum™ Tier 3 Emissions System 245, 275, 305 & **335	9422196	340 lbs.	\$1,902.00
(**335 with front axel suspension requires a spacer kit)	6019	15 lbs.	\$230.00
Case IH [®] Magnum™ Tier 4 Emissions System 235, 260, 290, 315, ***340 & 370	9422184	340 lbs.	\$1,902.00
***340 & 370 Tier 4 Emissions System hydraulic hose kit	14063	5 lbs.	\$114.00
Tractors with front suspension that have factory line interference will need a line kit from Case IH®			4
Tractors with optional water/fuel separator - relocation kit	6032	5 lbs.	\$58.00
Case IH [®] Magnum™ Tier 4B Emissions System 250, 280, 310, ***340 & 380	9422224	340 lbs.	\$1,902.00
***340 & 380 Tier 4B Emissions System hydraulic hose kit	14063	5 lbs.	\$114.00
Tractors with CVT Transmission require 4" spacer kit	6127	46 lbs.	\$181.00
Tractors with front suspension that have factory line interference will need a line kit from Case IH®		- u	AFO 00
Tractors with optional water/fuel separator - relocation kit	6032	5 lbs.	\$58.00
Challenger® MT645C/D, MT655C/D, MT665C/D, MT675C/D, & MT685C/D with stamped wheels	9422217		\$1,902.00
Massey Ferguson® 8650, 8660, 8670, 8680 & 8690 with stamped wheels	9422217	000 11	\$1,902.00
New Holland® / Ford Genesis 8670, 8770, 8870, 8970, Buhler 2145, 2160, 2180 & 2210	9422160	200 lbs.	\$1,533.00
New Holland® TG210, TG215, TG230, TG245, TG255, TG275, TG285, TG305, T8010, T8020, T8030,	0400464	200 lb-	¢4 E22 00
T8040 & T8050	9422161 9422192	200 lbs. 223 lbs.	\$1,533.00
New Holland® T8.275, T8.300, T8.330, T8.360 & T8.390	9422235	223 lbs. 223 lbs.	\$1,902.00 \$1,902.00
New Holland® 4B T8.320, T8.350, T8.380, T8.410 & T8.435 NA for front suspension Tractors with optional water/fuel separator - relocation kit	9422235 6027	223 lbs. 5 lbs.	\$1,902.00 \$17.00
John Deere® 7720, 7820, 7920, 7730, 7830 & 7930	9422162	223 lbs.	\$1,533.00
John Deere® 7720, 7820, 7920, 7730, 7830 & 7930 John Deere® 7200R, 7215R, 7230R, 7260R, 7280R, 7210R, 7230R, 7250R, 7270R, 7290R, 7310R	J422 IUZ	ZZJ 103.	ψ1,000.00
(NA for Trac with front 3-point)	9422189	223 lbs.	\$1,902.00
*John Deere® 8100, 8200, 8300, 8400, 8110, 8210, 8310, 8410, 8120, 8220, 8320, 8420, 8130, 8230,	J722 100	££0 103.	Ψ1,502.00
8330, 8430, 8225R, 8235R, 8245R, 8260R, 8270R, 8285R, 8295R, 8310R, 8320R & 8335R with			
powershift transmission & heavy duty hubs	9422231	180 lbs.	\$1,533.00
*John Deere® 8130, 8230, 8330, 8430, 8530, 8225R, 8235R, 8245R, 8260R, 8270R, 8285R, 8295R,	·	100 100.	ψ1,000.00
8310R, 8320R, 8335R, 8345R & 8360FT4 w/ E23 or IVT™ trans. & 8370R w/ HD hubs	9422232	230 lbs.	\$1.902.00
*For tractors with standard Hubs order Kit	6072		\$182.00
Tractors with optional water/fuel separator - relocation kit	6139	5 lbs.	\$58.00
Tractors with optional long frames - require 4" spacer kit	6127	46 lbs.	\$181.00
ACCESSORIES	-		, , , , , , ,
Roll-away Jack Stands	9470016	145 lbs.	\$786.00
Folding Step / Platform	9470023	50 lbs.	\$291.00
Plumbing Kit for joining tanks includes 2" quick refill	9470025		\$781.00
Tank Signt Gauge (Kit to do one tank)	6202		\$32.00
			-

QUEST® TRACK TRACTOR MOUNTS



Features

- Two 350 or 500 gallon high capacity side mount tanks with 16" fillwell
- Tanks are mounted longitudinal for superb visibility

Choose in this order: 1. Tanks 2. Square Tube Mounting Brackets

TANKS			
700 - 2/350 Gallon Yellow Tanks for John Deere® 8100T, 8200T, 8300T, 8400T, 8110T,			
8210T, 8310T, 8410T, 8120T, 8220T, 8320T, 8420T, 8520T, 8420T, 8230T, 8330T, 8430T,			
9300T, 9400T, 9320T, 9420T, 9520T & 9620T	9422112	1340 lbs.	\$7,385.00
1000 - 2/500 Gallon Yellow Tanks for John Deere® 8100T, 8200T, 8300T, 8400T, 8110T,			
8210T, 8310T, 8410T, 8120T, 8220T, 8320T, 8420T, 8520T, 8420T, 8230T, 8330T, 8430T,			
9300T, 9400T, 9320T, 9420T, 9520T & 9620T	9422114	1710 lbs.	\$9,184.00
TRACTOR MOUNTING BRACKETS (REQUIRED)			
John Deere® 8100T, 8200T, 8300T, 8400T, 8110T, 8210T, 8310T, 8410T, 8120T, 8220T,			
832NT 842NT 852NT 823NT 833NT & 843NT	9422116	600 lbs	\$3 939 00



Choose in this order: 1. Tanks 2. Square Tube Mounting Brackets

TANKS			
1000 - 2/500 Gallon Yellow Tanks	9422170	1410 lbs.	\$8,403.00
TRACTOR MOUNTING BRACKETS (REQUIRED) John Deere® 8310RT, 8335RT, 8295RT, 8320RT, 8345RT, 8360RT & 8370RT	9422167	598 lbs.	\$5,843.00
John Deere® 9320T, 9420T, 9520T, 9430T, 9530T, 9630T, 9460RT, 9510RT & 9560RT	9422128	590 lbs.	\$5,843.00

4 WD ARTICULATING TRACTOR MOUNTS **SIDEQUEST®**

Features

 Two 600 gallon high capacity side mount tanks with 16" fillwell

 Better visibility - tanks are mounted longitudinal for superb visibility

• 21-23" of ground clearance

• 17'-2" transport width

NOTE: Hub spacer assembly is designed for tractors with 520 or narrower tractor tires





HOW TO ORDER: Choose in this order: 1. Tanks 2. Square Tube Mounting Brackets

IANKS		
1200 - 2/600 Gallon Yellow Tank	9422200	\$18,958.00
1200 - 2/600 Gallon Charcoal Tank	9422208	\$18,958.00
TRACTOR MOUNTING BRACKETS (REQUIRED)		
*John Deere® 9230, 9330, 9430, 9530, 9630, 9360R, 9410R, 9460R, 9510R & 9560R	9422204	\$3,050.00
Case IH® Steiger® 350, 400 & 450	9422207	\$3,050.00
New Holland® T9.390, T9.450, T9.505 & T9.560	9422207	\$3,050.00

^{*}Tractor must be equipped with front tractor reinforcement kit available from John Deere®

4 WD ARTICULATING TRACTOR MOUNTS QUICK TACH

Features

 Two 300 gallon tanks with dual jet agitation, sump, molded sight gauge and 12" fillwell with no-splash cover

 High clearance brackets include saddles, tank bands, carrier brackets and all necessary bolts for a complete installation

- 22-25" of ground clearance
- 15' transport width
- 16'9" transport width for wide frame

600 gallon



HOW TO ORDER: Choose in this order: 1. **Tanks** 2. **Square Tube Mounting Brackets**

300 Gallon Yellow Tank	9422202	\$917.00
300 Gallon Charcoal Tank	9422203	\$917.00
TRACTOR MOUNTING BRACKETS (REQUIRED)		
*John Deere® 9230, 9330, 9430, 9530, 9630, 9360R, 9410R, 9460R, 9510R & 9560R	9422210	\$5,498.00
****	0.1000.10	AF 400 00

*John Deere® 9420R, 9470R, 9520R, 9570R, 9670R 9422243 \$5,498.00 John Deere® 9420RX, 9470RX, 9520RX, 9570RX, 9670RX 9422244 Call for Price 9422206 \$5,498.00 Case IH® Steiger® 335 Case IH® Steiger® Wheeled & RowtracTM 350, 370, 400, 420, 450 & 470 9422211 \$5,498.00 Case IH® Steiger® Wheeled(Wide Frame) & QuadtracTM 450, 470, 500, 540, 550, 580, 600 & 620 9422227 \$5,498.00 New Holland® T9.390, T9.450, T9.505 & T9.560 9422211 \$5,498.00 New Holland® T9.600, T9.615, T9.645, T9.670 & T9.700 9422227 \$5,498.00

*Tractor must be equipped with front tractor reinforcement kit available from John Deere®



QUICK TACH INLINE TRACTOR MOUNTS

Mechanical front wheel drive tractors



NOTE: Do not exceed the tractor manufacturer's frame load capacity recommendation.

Not applicable on tractors with front duals. 60" front wheel spacing required. 60" diameter x 16" wide maximum front tire.

Check tractor frame interference when equiped with front 3-point.

Not applicable on Tractors with mid frame hydraulics and front 3-point.

- 300 gallon capacity with dual jet agitation, sump, molded sight gauge and fillwell with no-splash cover
- Poly baffle
- High clearance brackets allow for approximately 30" of ground clearance
- Transport width: 16'6"

10W TO ORDER: Choose in this order: 1. Tank 2. Tractor Mounting Brackets 3. Pump/Plumbing/0	Controls 4. Access	sories	
TANK (2 REQUIRED)			
300 gallon	PC300A	130 lbs.each	\$1,383.00
TRACTOR MOUNTING BRACKETS			
Case IH® 7110, 7120, 7130, 7140, 7150, 7210, 7220, 7230, 7240, 7250, 8910, 8920, 8930, 8940 & 8950			
600 gallon	9422064	1195 lbs.	\$4,883.00
Case IH [®] MX Magnum™ 180, 200, 210, 220, 230, 240, 255, 270 & 285 (Tractors with suspended beam from	nt axle require reloca	ting accumulator)	
600 gallon	9422199	1195 lbs.	\$4,883.00
Case IH® MX 215, 245, 275 & 305 (Tractors with suspended beam front axle require relocating accumulator	,		
600 gallon	9422199	1195 lbs.	\$4,883.00
Case IH [®] Magnum™ Tier 3 Emissions System 245, 275, 305 & 335* (Tractors with suspended beam front a	ıxle require relocating	g accumulator)	
*(Not applicable on 335 model with suspended beam front axle)			
600 gallon	9422199	1195 lbs.	\$4,883.00
Case IH [®] Magnum [™] Tier 4 Emissions System 180, 190, 210, 225 (Tractors with suspended beam front axle (Will not fit 4.75 front suspension)	e require relocating a	ccumulator)	
Tractors with optional water/fuel separator - relocation kit	6032	5 lbs.	\$58.00
600 gallon	9422199	1195 lbs.	\$4,883.00
Case IH [®] Magnum [™] Tier 4B Emissions System 250, 280, 310, 340 & 380 (Tractors with suspended beam 1 (Will not fit CL5 suspension)	front axle require relo	ocating accumulate	or)
Tractors with optional water/fuel separator - relocation kit	6032	5 lbs.	\$58.00
600 gallon	9422064	1195 lbs.	\$4,883.00
Challenger® MT645D, MT655D, MT665D, MT657D, & MT685D 600 gallon	9422216		\$4,883.00
Massey Ferguson® 8650, 8660, 8670, 8680 & 8690			
600 gallon	9422216		\$4,883.00
New Holland® T8.275, T8.300, T8.330, T8.360 & T8.390			
Tractors with optional water/fuel separator - relocation kit	6027	5 lbs.	\$17.00
600 gallon	9422186	1195 lbs.	\$4,883.00
John Deere® 7200R, 7215R, 7260R, 7280R			
600 gallon	9422188	1028 lbs.	\$4,883.00
John Deere® with power shift transmissions 8100, 8200, 8300, 8400, 8110, 8210, 8310, 8410, 8120, 8220, 88235R, 8245R, 8260R, 8270R, 8285R, 8295R, 8310R, 8320R & 8335R	3320, 8420, 8520, 81	30, 8230, 8330, 8	430, 8225R,
600 gallon	9422068	1028 lbs.	\$4,883.00
John Deere® with IVT® transmissions 8130, 8230, 8330, 8430, 8530, 8225R, 8235R, 8245R, 8260R, 8270R 8360R	k, 8285R, 8295R, 83 ⁻	10R, 8320R, 8335	R, 8345R, &
600 gallon	9422126	1058 lbs.	\$5,480.00
PLUMBING/CONTROLS (PUMP NO INCLUDED) NOTE: FOR PUMP, SEE COMPONENTS SECTION			
Plumbing kit (1 section electric)	9470012	40 lbs.	\$1,103.00
Plumbing kit (3 section electric)	9470013	65 lbs.	\$1,844.00
Quick refill (2" quick couplers)	PTCTK1	15 lbs.	\$194.00
ACCESSORIES			
Roll-away Jack Stands	9470015	92 lbs.	\$465.00
Quick Refill (11/2" quick couplers)	9470009	15 lbs.	\$141.00
Quick Refill (2" quick couplers)	PTCTK1	15 lbs.	\$194.00

TRACTOR MOUNTS QUICK TACH SIDE MOUNT

Features

- Slim-line polyethylene tanks come in two sizes: 200 or 250 gallon capacities with dual jet agitator, sump, molded sight gauge and fillwell with a no-splash cover
- Quick Tach brackets come with saddles, tank bands, carrier brackets and all necessary bolts for complete installation. The undercarriage is bolted to the tractor and can remain on the tractor while the tanks can be removed quickly and easily.
- Transport width: 16'

NOTE: Do not exceed the tractor manufacturer's frame load capacity recommendation.

Not applicable on tractors with deep lug front tires or front duals. Fenders need to be removed on most models.

Mechanical front wheel drive tractors



10W TO ORDER: Choose in this order: 1. Tank 2. Tractor Mounting Brackets 3. Pump/Plumbing/	Controls 4. Access	ories	
TANK (2 REQUIRED)			
200 gallon	PA200 24C	84 lbs. each	\$648.00
250 gallon	PA250 24C	100 lbs. each	\$801.00
TRACTOR MOUNTING BRACKETS			
Case-IH® 7100, 7200 & 8900 Series			
400 Gallon	TB470QTMFD	912 lbs.	\$3,575.00
500 Gallon	TB570QTMFD	918 lbs.	\$3,612.00
Ford Genesis 8670, 8770, 8870 & 8970 Buhler 2145, 2160, 2180 & 2210			
(Not applicable with 18.4 or wider front tires)			
400 Gallon	TB440QTMFD	927 lbs.	\$3,477.00
500 Gallon	TB540QTMFD	933 lbs.	\$3,506.00
John Deere® 4000 series			
400 Gallon	TB460QTMFD	1075 lbs.	\$3,984.00
500 Gallon	TB560QTMFD	1081 lbs.	\$4,015.00
John Deere® 7600, 7700, 7800, 7610, 7710 & 7810			
Adaptor Kit for Tractors with ILS™ front axles	9470022	20 lbs.	\$124.00
400 Gallon	TB740QTMFD	907 lbs.	\$3,575.00
500 Gallon	TB750QTMFD	913 lbs.	\$3,612.00
John Deere® 8000 Series High Clearance Mounting Brackets			
(Not applicable for Tier 4 Emission system) (Not applicable with IVT® transmissions) (Not applicable with 20	0.8 or wider front tires)		
400 Gallon	9422168	725 lbs.	\$3,477.00
500 Gallon	9422169	731 lbs.	\$3,506.00
Massey Ferguson® 3630, 3650, 3670, 3680 & 3690			
400 Gallon	TB430QTMFD	912 lbs.	\$3,477.00
500 Gallon	TB530QTMFD	918 lbs.	\$3,506.00
PUMPS			
NOTE: For Pump Specifications, see Components Section.			
Hypro® Gear Drive Pump 540 RPM	C9006 540	44 lbs.	\$1,052.00
Hypro® Hydraulic Pump (C9303HM1)	C9303HM1	26 lbs.	\$987.00
PLUMBING/CONTROLS (PUMP NOT INCLUDED)			
Plumbing kit (1 section electric)	9470012	40 lbs.	\$1,103.00
Plumbing kit (3 section electric)	9470013	65 lbs.	\$1,844.00
ACCESSORIES			
Quick refill (11/2" quick couplers)	9470009	15 lbs.	\$141.00
Quick refill (2" quick couplers)	PTCTK1	15 lbs.	\$194.00
Quick Tach wheels and jackstand	QTWL	30 lbs.	\$332.00
Quick Tach wheels and jackstand (for John Deere® 8000)	9470001	33 lbs.	\$393.00



QUICK TACH SIDE MOUNT TRACTOR MOUNTS

Standard two wheel drive tractors



Features

- Tanks come in two sizes: 200 or 250 gallon
- Tanks feature a dual jet agitator, sump, molded sight gauge and fillwell with a no-splash cover
- Demco "Quick Tach" brackets come with saddles, tank bands, carrier brackets and all necessary bolts for complete installation
- Transport width: 14'

NOTE: Do not exceed the tractor manufacturer's frame load capacity recommendation. Exhaust manifold should be shielded from tanks.

Demco's side mount tractor brackets fit most flat side frames.

HOW TO ORDER: Choose in this order: 1. Tank 2. Tractor Mounting Brackets 3. Pump/Plumbing	g/Controls 4. Acces	sories	
TANK (2 REQUIRED)			
200 gallon	PA200 24C	84 lbs. each	\$648.00
250 gallon	PA250 24C	100 lbs. each	\$801.00
TRACTOR MOUNTING BRACKETS - FITS MOST FLAT SIDE FRAMES			
400 gallon	TB400QT	650 lbs.	\$2,585.00
500 gallon	TB500QT	650 lbs.	\$2,618.00
PUMPS			
Hypro® Gear Drive Pump 540 RPM	C9006 540	44 lbs.	\$1,052.00
Hypro® Hydraulic Pump (C9303HM1)	C9303HM1	26 lbs.	\$987.00
PLUMBING/CONTROLS - PUMP NOT INCLUDED			
Plumbing kit (1 section electric)	9470012	40 lbs.	\$1,103.00
Plumbing kit (3 section electric)	9470013	65 lbs.	\$1,844.00
ACCESSORIES			
Quick refill (1 1/2" quick couplers)	9470009	15 lbs.	\$141.00
Quick refill (2" quick couplers)	PTCTK1	15 lbs.	\$194.00
Quick Tach wheels and jackstand	QTWL	30 lbs.	\$332.00

REAR TRACTOR MOUNTS RM SERIES

- 600 gallon tank with 16 inch fillwell, jet agitation, molded sight gauge, and large centered drainage sump
- Category "3" or "4" rear mount brackets may be used with "Quick Attach" three point hookup
- Retractable, built-in ground stand for storage when empty
- A clean water tank is conveniently mounted on the rear mount unit
- Available with 45, 60, 66 or 80/90' front fold booms.
- Approximate shipping weight 60 5110 lbs, 80/90' 5710 lbs.



DW TO ORDER: Choose in this order: 1. Frame/Tank 2. Pump 3. Plumbing 4. Controls 5. Boom	6. Accessories		
FRAME			
2Frame with Charcoal 600 Gallon Tank	9416023		\$6,818.00
PUMPS			4
Ace Hydraulic Pump (FMC150HYD304) (hose kit included)	9425068	33 lbs.	\$1,477.00
Hypro Hydraulic Pump (C9314HM1) (hose kit included)	9425067	35 lbs.	\$1,592.00
PLUMBING/PUMP MOUNT/BALL VALVES	0.405000		#4.040.00
Raven® Flow Meter, Regulator, 3 Motorized Valves & Plumbing (use with 45, 60, 66' boom)	9425090		\$4,242.00
Raven® Flow Meter, Regulator, 5 Motorized Valves & Plumbing (use with 80/90' boom) (7 valves maximum)	9425091		\$4,958.00
CONTROLS	9420091		φ 4 ,936.00
Raven® 450 Rate Controller (GPS Speed Sensor 1Hz included) (use with 45, 60, 66' boom	9425092		\$2,922.00
Raven® 450 Rate Controller (GPS Speed Sensor 1Hz included) (use with 80/90' boom).	9425093		\$3,197.00
Raven® ECU Automatic Rate Control, Auto Boom Shut Off & Mapping, works with most late model VT	9425096		\$5,098.00
Mueller ECU Automatic Rate Control, Auto Boom Shut Off, Mapping, works with most late model VT	9425095		\$3,431.00
Note: Unlock required from OEM	0 120000		ψο, το τ.σο
BOOM - WITHOUT PLUMBING			
Hydraulic Front Fold Boom			
45' Hydraulic Front Fold Boom	9488139		\$13,641.00
60' Hydraulic Front Fold Boom	9488140		\$14,191.00
66' Hydraulic Front Fold Boom	9488141		\$14,631.00
60', 80/90' Combination Hydraulic Front Fold Boom			
(Tractor must be equipped with closed center hydraulic system.)	9488142		\$24,436.00
NOTE: Warranty is void if mounted on track units.			
Front Fold Boom Plumbing			
TeeJet® Drip Free (27 Nozzles) for 45' Boom	9428118	20 lbs.	\$942.00
TeeJet® Triple Drip Free (27 Nozzles) for 45' Boom	9428121	23 lbs.	\$1,263.00
TeeJet® Drip Free (37 Nozzles) for 60' Boom	9428108	25 lbs.	\$1,131.00
TeeJet® Triple Drip Free (37 Nozzles) for 60' Boom	9428109	28 lbs.	\$1,646.00
TeeJet® Drip Free (40 Nozzles) for 66' Boom	9428120	25 lbs.	\$1,179.00
TeeJet® Triple Drip Free (40 Nozzles) for 66' Boom	9428123	30 lbs.	\$1,727.00
TeeJet® Drip Free (55 nozzles) for 60', 80/90' Hydraulic Front Fold Boom (5 section)	9428159		\$1,470.00
TeeJet® Triple Drip Free (55 nozzles) for 60', 80/90' Hydraulic Front Fold Boom (5 section)	9428160		\$2,254.00
45, 60, 66' BOOM ACCESSORIES			440.00
Foam Marker Mounting Kit	9428170	20 lbs.	\$48.00
33 Gallon Foam Marker with Charcoal Tank	9428167	107 lbs.	\$1,974.00
Wheel Assisted Boom Tip Protectors	9488013	27 lbs.	\$188.00
80/90' BOOM ACCESSORIES	0400170	20 lbs.	¢40.00
Foam Marker Mounting Kit 33 Gallon Foam Marker with Charcoal Tank	9428170 9428168	20 lbs. 111 lbs.	\$48.00 \$2.074.00
Hydraulic Glide Suspension System	9428152	TITIDS.	\$2,074.00
ACCESSORIES	3420132		φ3,0 4 3.00
2" Flow Meter with digital display for tank fill	9428163	5 lbs.	\$1,296.00
Fence Line Spray Kit, Electric	9428002	5 lbs.	\$1,290.00
Chemical Eductor Vacuum Flow	9428166	125 lbs.	\$1,440.00
55 Gallon Tank and Mounting for Flushing the Sprayer Tank	9428169	120 103.	\$1,440.00
oo canon farik ana waaning ioi i laciling the opiayer farik	3720103		ψ1,000.00



RMLE REAR TRACTOR MOUNTS



- Tanks include jet agitation, molded sight gauge, sump and fillwell with no-splash cover
- Category "2" or "3" rear mount brackets may be used with "Quick Attach" three point hookup
- Large, convenient platform with safety rail and ladder for easy filling of the tank
- Retractable, built-in ground stand for storage when empty
- A clean water tank is conveniently mounted on the rear mount unit
- Available with three section electric controls for boom spraying

HOW TO ORDER: Choose in this order: 1. Frame 2. Tank 3. Pump 4. Plumbing 5. Controls 6. B	oom 7. Accessories		
FRAME			
300 Gallon Frame	RMLE300P	615 lbs.	\$2,417.00
400 Gallon Frame	RMLE400P	640 lbs.	\$2,498.00
500 Gallon Frame	RMLE500P	660 lbs.	\$2,572.00
TANK			. ,
300 Gallon Tank	PE300RA	120 lbs.	\$1,159.00
400 Gallon Tank	PE400RA	135 lbs.	\$1,383.00
500 Gallon Tank	PE500RA	180 lbs.	\$1,724.00
PUMPS			-
NOTE: For Pump Specifications, see Components Section.			
Hypro® Gear Drive Pump 540 RPM	C9006 540	44 lbs.	\$1,052.00
Hypro® hydraulic pump (C9303HM1) (hose kit included)	9425056	36 lbs.	\$1,199.00
PLUMBING			
Plumbing Kit (3 section)	9465059	28 lbs.	\$395.00
CONTROLS			
3 section electric (solenoid valve)	CP414HVR	26 lbs.	\$1,382.00
3 section electric (ball valve)	9428129	35 lbs.	\$2,116.00
3 section electric (ball valve) with Raven® 450 sprayer controller (wheel sensor not included)	9428115	45 lbs.	\$5,442.00
Astro II GPS Speed Sensor	14071	1 lbs.	\$492.00
BOOM/PLUMBING			
NOTE: Order Spray Tips separately (see Component section)			
NOTE: Manual Fold Booms (see Boom section)			
45' Hydraulic X-Fold Boom without plumbing	9488064	1160 lbs.	\$7,462.00
60' HydraulicX-Fold Boom without plumbing	9488070	1275 lbs.	\$8,540.00
TeeJet® Drip Free Plumbing (27 nozzles) for 45' hydraulic X-fold boom	9428024	20 lbs.	\$942.00
TeeJet® Drip Free Plumbing (37 nozzles) for 60' hydraulic X-fold boom	9428026	25 lbs.	\$1,131.00
TeeJet® Triple Drip Free (27 nozzles) for 45' Hydraulic X-Fold Boom	9428046	23 lbs.	\$1,263.00
TeeJet® Triple Drip Free (37 nozzles) for 60' Hydraulic X-Fold Boom	9428008	28 lbs.	\$1,628.00
ACCESSORIES			***
Wheel Assisted Boom Tip Protectors (for X-fold booms)	9488012	27 lbs.	\$230.00
Hydraulic Height Adjuster (24" travel) (for X-fold booms)	9428133	210 lbs.	\$1,682.00
Fence Line Spray Kit, Electric	9428002	5 lbs.	\$183.00
Fence Line Spray Kit, Manual	9428003	5 lbs.	\$87.00
Quick Refill (utilizes nurse tank transfer pump for refilling)	CPTK1	15 lbs.	\$206.00
Handgun (includes 25' of 1/2" hose)	DBHGL	13 lbs.	\$258.00
Foam Marker Mounting Kit	9428036	25 lbs.	\$102.00
33 Gallon Foam Marker (requires mounting kit)	9428156	107 lbs.	\$1,974.00
Feeder Line Filter Kit (60 mesh)	9428068	3 lbs.	\$141.00
Factory setup	SURML		Net \$728.00

REAR TRACTOR MOUNTS RM SERIES

- Tanks include jet agitation, molded sight gauge, sump, fillwell with no-splash cover
- Category "1" and "2"
- May be used with a "Quick Attach" three point hookup
- Non-retractable built-in ground stand for storage when empty
- 21', 30' and 40' Truss-T booms feature vertical and horizontal boom breakaway, no drip diaphram check nozzles spaced at 20"
- Handgun with 25' of hose (optional)







Three section electric solenoid valve and control

One section electric

HOW TO ORDER: Choose in this order: 1. Frame 2. Tank 3. Pump 4. Plumbing 5. Controls 6. Boom	n 7. Accessories		
FRAME	<u> </u>		
Rear Mount Frame for 150 gallon tank	9416006	190 lbs.	\$1,202.00
Rear Mount Frame for 200 gallon tank	9416007	200 lbs.	\$1,309.00
TANK			
150 Gallon Tank with agitation	P150 32A	50 lbs.	\$593.00
200 Gallon Tank with agitation	P200 32A	64 lbs.	\$695.00
BOOM - WITH PLUMBING NOTE: ORDER SPRAY TIPS SEPARATELY (SEE COMPONENTS SECTION)			
21' Boom (3 section, 13 nozzles)	DB21TDF	85 lbs.	\$1,019.00
30' Boom (3 section, 19 nozzles)	DB30TDF	115 lbs.	\$1,274.00
40' Boom (3 section, 25 nozzles)	DB40TDF	170 lbs.	\$1,705.00
BoomJet® Nozzle Bracket Kit (1 section, nozzle not included)	9464050	5 lbs.	\$92.00
PUMP AND PLUMBING KIT (LESS CONTROLS)			
NOTE: For Pump Specifications (see Components Section)			
PTO Mounted 8 Roller Pump and Plumbing Kit (1 section)	9465064	28 lbs.	\$541.00
PTO Mounted 8 Roller Pump and Plumbing Kit (3 section)	9465066	31 lbs.	\$601.00
Centrifugal Pump Plumbing Kit (3 section) (Pump not included)	9465068	65 lbs.	\$414.00
CONTROLS			
Manual (1 section)	9465054	2 lbs.	\$73.00
Electric (1 section)	9465055	5 lbs.	\$231.00
Manual (3 section)	9465056	5 lbs.	\$188.00
Electric (3 section)	9465057	15 lbs.	\$876.00
ACCESSORIES			
Handgun (includes 25' of 1/2" hose)	DBHGR	13 lbs.	\$238.00
Factory setup (Booms may be removed for shipping.)	SURMU		Net \$293.00
LTL freight shipments require crating	CRATE1		Net \$68.00

BOOMS

80" 12' 18'



BOOM - WITHOUT PLUMBING			
12' Boom without Plumbing	DB12B	25 lbs.	\$192.00
18' Boom without Plumbing	DB18B	35 lbs.	\$273.00
BOOM - WITH PLUMBING 40" SPACING			
80" Boom (2 nozzles)	80B25	10 lbs.	\$115.00
12' Boom (4 nozzles)	DB12	27 lbs.	\$249.00
18' Boom (6 nozzles)	DB18	8 lbs.	\$351.00

TRUSS-T BOOMS




NOTE: 21' & 30' booms are partially preassembled. 40' boom is shipped unassembled. Feeder lines not included.

- Vertical and horizontal breakaway minimizes needless wear and tear
- All hose is 1/2" EPDM chemical resistant rubber
- Truss-T booms are available on 150, 200 & 300 gallon trailer sprayers and 60, 80, 150 & 200 gallon rear mounts

ROOM	I – W	ITH PI	HIM	RING

NOTE:Order Spray Tips separately (see Components section)			
21' Truss-T boom (without plumbing) Transport width 8'	DB21TB	85 lbs.	\$630.00
30' Truss-T boom (without plumbing) Transport width 8'	DB30TB	115 lbs.	\$741.00
40' Truss-T boom (without plumbing) Transport width 10'	DB40TB	170 lbs.	\$1,117.00
21' Truss-T boom (13 conventional nozzles) Transport width 8'	DB21T	85 lbs.	\$754.00
30' Truss-T boom (19 conventional nozzles) Transport width 8'	DB30T	115 lbs.	\$897.00
40' Truss-T boom (25 conventional nozzles) Transport width 10'	DB40T	170 lbs.	\$1,330.00
21' Truss-T boom (13 TeeJet® drip free nozzles) Transport width 8'	DB21TDF	85 lbs.	\$1,019.00
30' Truss-T boom (19 TeeJet® drip free nozzles) Transport width 8'	DB30TDF	115 lbs.	\$1,274.00
40' Truss-T boom (25 TeeJet® drip free nozzles) Transport width 10'	DB40TDF	170 lbs.	\$1,705.00
ACCESSORIES			
Convert a 21' Boom to a 30' Boom with Conventional Nozzles	DB30TEX	30 lbs.	\$150.00
Convert a 21' Boom to a 30' Boom with TeeJet® Drip Free Nozzles	DB30TEXDF	30 lbs.	\$277.00
Convert a 21' Boom to a 30' Boom without Plumbing	DB30TEXB	26 lbs.	\$113.00

TRUSS BOOMS DTB SERIES



Features

- Ideal for small acreage spraying
- Vertical and horizontal breakaway minimizes needless wear and tear
- All hose is 3/4" EPDM chemical resistant rubber

NOTE: Booms are unassembled. Factory setup is available. Demco flotation mechanism (DBFT) is recommended for truss boom.

HOW TO ORDER: Choose: 1. Boom 2. Boom Plumbing 3. Accessories			
BOOM WITHOUT PLUMBING			
30' Truss Boom without Plumbing	DB30B	272 lbs.	\$1,635.00
45' Truss Boom without Plumbing	DB45B	305 lbs.	\$2,131.00
30' Truss Boom with TeeJet® Drip Free Plumbing (19 nozzles)	DB30DF	281 lbs.	\$2,203.00
45' Truss Boom with TeeJet® Drip Free Plumbing (27 nozzles)	DB45DF	322 lbs.	\$2,843.00
ACCESSORIES			
Order Spray Tips separately (see Components section)			
3-POINT Mounting Kit			
Mounting Brackets to attach Boom to a tractor's 3-point hitch (Category II & III)	DTB3	145 lbs.	\$695.00
REAR MOUNT Mounting Kit			
Mounting Brackets to attach Boom to Demco 300 thru 500 gallon Rear Mount units	9416012	80 lbs.	\$329.00
TRAILER Mounting Kit			
Universal Mounting Brackets to attach Boom to Trailer Frame	DB9	85 lbs.	\$393.00
Factory setup	SUDB		Net \$243.00
Flotation Mechanism	DBFT	112 lbs.	\$919.00
Auto Boom Leveler	DBSAL	50 lbs.	\$641.00
Hydraulic Height Adjuster for trailer and rear mount models (24" travel)	9428009	190 lbs.	\$1,250.00
Hydraulic Boom Wing Leveling	DBHY	26 lbs.	\$665.00
Wheel Assisted Boom Tip Protectors	DBTP	27 lbs.	\$230.00
Fence Line Spray Kit, Electric	9428002	5 lbs.	\$183.00
Fence Line Spray Kit, Manual	9428003	5 lbs.	\$87.00
Convert a 28' Boom to a 30' Boom without Plumbing	DB30EXB	14 lbs.	\$185.00
Convert a 28' Boom to a 45' Boom without Plumbing	DB45EXB	37 lbs.	\$677.00
Convert a 28' Boom to a 30' Boom with TeeJet® Plumbing	DB30EXDF	17 lbs.	\$262.00
Convert a 28' Boom to a 45' Boom with TeeJet® Plumbing	DB45EXDF	52 lbs.	\$901.00



MANUAL FOLD FLOATING BOOM

45¹
60¹



- Compact Boom: Overall sprayer length (from sprayer frame of boom) is very close and compact for better weight distribution of the entire sprayer
- Standard with auto-level and shock-spring flotation system
- Reinforced hinges for spraying at faster speeds and through rougher field conditions
- Transport width 45' booms: 11'
- Transport width 60' boom: 13' 10"

HOW	TO ORDER: Choose: 1. Boom 2. Boom Plumbing 3. Accessories			
	BOOM WITHOUT PLUMBING NOTE: If a 60' boom is ordered, Demco recommends the 80"-120" wheel spacing trailer.			
	45' Floating Boom	DFB45B	608 lbs.	\$4,745.00
	60' Floating Boom	DFB60B	690 lbs.	\$5,717.00
	BOOM PLUMBING			
	NOTE: Order Spray Tips separately (see Components section)			
	TeeJet® Drip Free (27 Nozzles) for 45' floating boom	9428051	20 lbs.	\$858.00
	TeeJet® Drip Free (37 Nozzles) for 60' floating Boom	9428053	25 lbs.	\$1,131.00
	ACCESSORIES			
	3-POINT Mounting Kit			
	Mounting Brackets to attach Boom to a tractor's 3-point hitch (Category II & III)	DTB3	145 lbs.	\$695.00
	REAR MOUNT Mounting Kit			
	Mounting Brackets and Safety Stands to attach Boom to Demco 300 thru 500 gallon			
	Rear Mount Units	9416004	80 lbs.	\$380.00
	TRAILER Mounting Kit			
	Universal Mounting Brackets to attach Boom to Trailer Frame Units	DHB9	85 lbs.	\$130.00
	Factory setup	SUDFB		Net \$447.00
	Hydraulic Height Adjuster for trailer and rear mount models (24" travel)	9428009	190 lbs.	\$1,250.00
	Hydraulic Boom Leveling (for manual fold booms)	DFHY	28 lbs.	\$756.00
	Wheel Assisted Boom Tip Protectors	DFBTP	27 lbs.	\$230.00
	Fence Line Spray Kit, Electric	9428002	5 lbs.	\$183.00
	Fence Line Spray Kit, Manual	9428003	5 lbs.	\$87.00


X-FOLD BOOM HYDRAULIC

45' 60'



- Heavy duty hydraulic X-fold boom
- Auto level ride and shock-spring flotation
- Spring loaded cable ride for cushioning and less swing
- Hydraulic boom wing leveling
- · Wings fold independently
- Outer wing breakaway
- Easy access to 3-point pins and hydraulic hookups
- Available in three versions: 3-point tractor mount, trailer mount or rear mounted tank unit
- Transport width: 10'8"
- Transport height: 11' 9" (at a 20" spraying height)
- Trailer mounts include hydraulic height adjuster (24" travel)

NOTE: Factory setup is standard.
Wings may be removed for shipping.



HOW TO ORDER: Choose: 1. Boom 2. Boom Plumbing 3. Accessories

BOOM WITHOUT PLUMBING			
NOTE: If a 60' boom is ordered, Demco recommends the 80-120" wheel spacing trailer.			
45' Hydraulic X-Fold Boom 3-Point Mount	9488065	1225 lbs.	\$7,696.00
45' Hydraulic X-Fold Boom Rear Mount	9488064	1160 lbs.	\$7,462.00
45' Hydraulic X-Fold Boom Trailer Mount (Includes Height Adjuster)	9488063	1250 lbs.	\$10,051.00
60' Hydraulic X-Fold Boom 3-Point Mount	9488071	1275 lbs.	\$8,774.00
60' Hydraulic X-Fold Boom Rear Mount	9488070	1275 lbs.	\$8,540.00
60' Hydraulic X-Fold Boom Trailer Mount (Includes Height Adjuster)	9488069	1320 lbs.	\$11,129.00
BOOM PLUMBING			
NOTE: Order Spray Tips separately (see Components section)			
TeeJet® Drip Free (27 nozzles) for 45' Hydraulic X-Fold Boom	9428024	20 lbs.	\$942.00
TeeJet® Drip Free (37 nozzles) for 60' Hydraulic X-Fold Boom	9428026	25 lbs.	\$1,131.00
TeeJet® Triple Drip Free (27 nozzles) for 45' Hydraulic X-Fold Boom	9428046	23 lbs.	\$1,263.00
TeeJet® Triple Drip Free (37 nozzles) for 60' Hydraulic X-Fold Boom	9428008	28 lbs.	\$1,628.00
ACCESSORIES			
3-Point Boom Storage Stand	9488011	75 lbs.	\$465.00
Hydraulic Height Adjuster for rear mount models (24" travel)	9428133	210 lbs.	\$1,682.00
Wheel Assisted Boom Tip Protectors	9488012	27 lbs.	\$230.00
Fence Line Spray Kit, Electric	9428002	5 lbs.	\$183.00
Fence Line Spray Kit, Manual	9428003	5 lbs.	\$87.00
Light Kit	9428084	10 lbs.	\$325.00
LTL freight shipments require crating	CRATE2		Net \$97.00

LIL' THUMPER FERTILIZER EQUIPMENT

Ground driven pumps



Features

- Lil' Thumper piston pumps can be mounted on most planters and will adapt to other application equipment
- Ground wheel drive assures accurate rate of application regardless of speed rate is easily set by dial pointer
- All parts in contact with solution have unequaled corrosion resistance for years of service
- 1-1/2" FPT / 200 Flange, inlet and outlet ports recommended operating pressure 20 40 PSI

Single piston pump has 7.35 GPM output at 100 RPM full stroke

Double piston pump has 14.7 GPM output at 100 RPM full stroke. Maximum RPM 210. Maximum operating pressure 100 PSI

NOTE: Any amount of liquid fertilizer, with or without additives, may cause germination damage when placed in direct contact with the seed.

Si	ngle and Double Piston Pumps			
	Single			
	Lil'Thumper Single Piston 1.25" diameter solid shaft	5232	52 lbs.	\$1,575.00
	Lil'Thumper Single Piston with clutch, less shut-off	5230	70 lbs.	\$1,748.00
	Lil'Thumper Single Piston with manual shut-off	PP1	80 lbs.	\$1,735.00
	Double			
	Lil'Thumper Double Piston 1.25" diameter solid shaft	5233	70 lbs.	\$2,401.00
	Lil'Thumper Double Piston with manual shut-off	PP2	100 lbs.	\$2,526.00
	Lil'Thumper Double Piston with 25/32 double sprocket	5802	105 lbs.	\$2,595.00

Ground Drive for Piston Pump

Ground Drive Wheel for Lil'Thumper Piston Pump Mounting for 7" X 7" tool bar - includes	s chain, hub and ne	cessary mount	ing hardware	
(less tire). Unit designed to be pushed, not pulled	PPGDW	200 lbs.	\$1,379.00	
Traction Tire for Ground Drive Wheel (590 X 15")	T590L	20 lbs. Net	\$114.00	
18 tooth sprocket, 1 1/4" bore, #50 chain	07209-30	4 lbs.	\$86.00	

Lil' Thumper Pump Mounting

Universal Mounting Kit for Planter - includes mounting rails, plates, four 28 tooth sprockets, 6 feet of # 40 roller chain w/ connecting link, jack shaft and all necessary hardware 51 lbs. \$357.00

NOTE: Modifications may be necessary for some planters

COMPONENTS

Polyethylene

Round Tanks (without agitation)										
Gallons	Fillwell	Outlet	Measurements							
14	5"	1/2"	14" x 31"	P14 146	11 lbs.	\$143.00				
55	5"	3/4"	23" x 37"	P296 008	20 lbs.	\$296.00				
85	5"	3/4"	24" x 46"	P85 246	29 lbs.	\$374.00				
110	5"	3/4"	24" x 59"	P110 248	40 lbs.	\$378.00				
110	8"	1 1/4"	30" x 44"	P110 304	40 lbs.	\$437.00				
150	8"	1 1/4"	30" x 56"	P150 304	50 lbs.	\$474.00				
150	8"	1 1/4"	32" x 52"	P150 324	50 lbs.	\$536.00				
200	8"	1 1/4", 3/4"	32" x 65"	P200 324	64 lbs.	\$622.00				
Pound Tonks (with saitation)										

Round Tanks (with agitation)

55	5"	(1) 1 1/4"	23" x 37"	P55 23A6	20 lbs.	\$345.00	
85	5"	(1) 1 1/4""	24" x 46"	P85 24A 6	29 lbs.	\$426.00	
110	5"	(1) 1 1/4"	24" x 59"	P110 24A 6	40 lbs.	\$430.00	
110	8"	(1) 1 1/4"	30" x 44"	P110 30A4	40 lbs.	\$490.00	
150	8"	(1) 1 1/4"	30" x 56"	P150 30A4	50 lbs.	\$528.00	
150	8"	(1) 1 1/4"	32" x 52"	P150 32A4	50 lbs.	\$593.00	
200	8"	(1) 1 1/4"	32" x 65"	P200 32A 4	64 lbs.	\$695.00	
Tank Saddles (for tank #)							

Talik Saudies (for talik #)				
P25 23, P25 23A, P55 2	3, P55 23A	PS23	14 lbs.	\$210.00
P85 24, P85 24A, P110	24, P110 24A	PS24	30 lbs.	\$308.00
1P110 30, P110 30A, P1	50 30, P150 30A	PS30	40 lbs.	\$350.00
P200 32, P200 32A		PS232A	80 lbs.	\$500.00

Elliptical Tanks (without agitation)								
150	10"	1 1/4"	24" x 38.5" x 56"	PE150R6	55 lbs.	\$684.00		
200	8"	1 1/4""	26" x 41" x 66"	PE200R4	85 lbs.	\$770.00		
300	8"	1 1/4"	30" x 48" x 70"	PE300R4	120 lbs.	\$990.00		
400	8"	1 1/4"	36" x 57" x 69"	PE400R4	135 lbs.	\$1,210.00		
500	8"	1 1/4"	36" x 57" x 82"	PE500R4	180 lbs.	\$1,556.00		
500	16"	1 1/4"	36" x 48" x 92"	PE500 1 2 4	188 lbs.	\$1,831.00		
1000	16"	2"	49" x 78" x 90"	PE1000 4	300 lbs.	PE1000		
1600	16"	2"	49" x 78" x 138"	PE1600 Q Q	420 lbs.	PE1600		

El	Elliptical Tanks (with agitation)											
	150	10"	(1) 1 1/4"	38.5" x 24" x 56"	PE150RA 6	20 lbs.	\$941.00					
	200	8"	(1) 1 1/4""	26" x 41" x 66"	PE200RA4	29 lbs.	\$941.00					
	300	8"	(1) 1 1/4"	30" x 48" x 70"	PE300RA4	40 lbs.	\$1,159.00					
	400	8"	(1) 1 1/4"	36" x 57" x 69"	PE400RA4	40 lbs.	\$1,383.00					
	500	8"	(1) 1 1/4"	36" x 57" x 82"	PE500RA4	50 lbs.	\$1,724.00					
	500	16"	(1) 2"	36" x 48" x 92"	PE500A 0 2 4	50 lbs.	\$2,004.00					
	1000	16"	(1) 2"	49" x 78" x 90"	PE1000A 49	64 lbs.	\$2,885.00					

Tank Saddles (for tank #)			
P150R, PE150RA	PS150RA	75 lbs.	\$448.00
P200R, PE200RA	PS200RA	80 lbs.	\$523.00
P300R, PE300RA	PS300RA	90 lbs.	\$565.00
P400R, PE400RA	PS400RA	128 lbs.	\$656.00
P500R, PE500RA	PS500RA	158 lbs.	\$740.00
P750, PE750A - special order, min of 10	SKD750	315 lbs.	\$1,257.00
P1000, PE1000A - special order, min of 10	SKD1000	380 lbs.	\$1,835.00
Pe1600 - special order, min of 10	SKD1600	630 lbs.	\$2,952.00

●Includes 16" Fliptop Manway ●Includes Baffle ●Shallow Sump ●Deep Sump

Features

- All tanks include sump, molded gallonage markings, o-rings and polypropylene outlet fittings
- Tanks with agitation include extra outlets and jet agitation for Demco sprayers











P-SERIES TANKS COMPONENTS

Polyethylene





Saddle bands and hardware are included













Cut-away Sido	e Tanks	(with ag	itation)			
Gallons 200 250	Fillwell 8" 8"	Outlet 1 1/4" 1 1/4"	Measurements 24" x 54" x 46" 24" x 60" x 51"	PA200 24C4 PA250 24C4	84 lbs. 100 lbs.	\$648.00 \$801.00
Cut-away Sido	e Tank S	Saddles				
200 gallon 250 gallon				SA24 200 SA24 250	88 lbs. 92 lbs.	\$436.00 \$436.00
Side Tanks (w	ith agit	ation)				
200 300	8" 16"	1 1/4" 1 1/4"	36" x 35" x 48" 36" x 35" x 69"	PC200A 6 PC300A 0 2 6	81 lbs. 130 lbs.	\$658.00 \$1,383.00
Side Teardrop	Tanks ((with agi	tation)			
300 Yellow 300 Charcoa	12" al 12"	1 1/4" 1 1/4"	44" x 36" x 62" 44" x 36" x 62"	9422202 ⑤ 9422203 ⑥	110 lbs. 110 lbs.	\$917.00 \$917.00
Teardrop Tank	Saddle	es				
300 gallon	Teardro	р		9422237	200 lbs.	\$566.00
Side Tanks (w	ith agit	ation)				
300	8"	1 1/4"	31" x 49" x 56"	P300 31 4	108 lbs.	\$1,016.00
Side Tank Sad	ldles					
300 gallon	(P300 3	1)		S31 300	175 lbs.	\$518.00
SideOuest® Ta	ınks (wi	th 200 Fla	inge outlet, 100 Fla	inge agitation & sad	dle)	

SideQuest® Tanks (with 200 Flange outlet, 100 Flange agitation & saddle)								
350 Yellow	16"	26" x 44" x 96"	35631	520 lbs.	\$3,265.00			
350 Charcoal	16"	26" x 44" x 96"	35631C	520 lbs.	\$3,265.00			
500 Yellow	16"	26" x 64" x 96"	35632	705 lbs.	\$4,202.00			
500 Charcoal	16"	26" x 64" x 96"	35632C	705 lbs.	\$4,202.00			

SideQuest® Tank	cs (with 200 Fla	nge outlet, 100 Flai	nge agitation & saddle & shut-of	ff Valve)
600 Yellow		30" x 72" x 105"		\$5,263.00
600 Charcoal	16"	30" x 72" x 105"	35865	\$5,263.00

Fresh Water Tank				
2 1/2 gallon Fresh Water Tank with Universal Mounting Bracket		6054	20 lbs.	\$89.00
●Includes 16" Fliptop Manway	2 Includes Baffle	Shallow Sump	Deep Sump	

COMPONENTS TANK ACCESSORIES

Replacement Fillwell Covers

5" diameter lid with splash baffle 5" diameter lid with ball vent 5" diameter lid with step vent







5056R	\$39.06
PL5A	\$26.19
15388	\$26.19





8" diameter lid with splash baffle (with fillwell)	09319	\$33.04
10" threaded replacement fillwell cover	5478R	\$37.78
10" threaded replacement fillwell	5479R	\$30.77
12" threaded replacement fillwell cover	12226	\$39.01
16" threaded replacement fillwell cover		
(complete)	5470R	\$91.22
4" diameter replacement lid with vent		
for 16" threaded tank lid	PL4	\$36.20
16" threaded replacement fillwell	5052R16	\$41.28
Stainless steel screw	12108	\$0.20




 16" fliptop lid & fillwell (new style)
 5486A
 \$120.49

 Stainless steel screw (10 required)
 12108
 \$0.20

 Replacement gasket
 10905
 \$55.58

 Replacement gasket ofr old style (5486R)
 5486G
 \$29.39

Flanged Tank Fittings



Polyethylene Tank Fittings

Ace Fittings		Hole Size		
-		Requirement		
	1/2" double thread	1 1/4"	P012DA	\$22.42
(Aid)	3/4" double thread	1 3/4"	P034DA	\$16.81
1	1" double thread	1 3/4"	P100DA	\$16.81
	1 1/4" double thread	2 1/4"	P114A	\$22.42
0	1 1/4" double thread	2 1/4"	P114AV	\$43.00
Dilli	1 1/2" double thread	3"	P112A	\$24.14
PTT4AV				

Tank Fittings

Hole size requirements for polethylene tanks are: 1/2" outlet fittings require a 1 1/2" diameter hole. 1 1/4", 1 1/2", & 2" outlet fittings require a 2 3/4" diameter hole. EPDM gasket.



Р1	14PAV

1/2" double thread	P012DN	\$33.00
1 1/4"	P114	\$48.44
1 1/4" double thread	P114D	\$48.44
1 1/4" anti-vortex	P114PAV	\$48.44
1 1/2"	P112	\$48.44
1 1/2" double thread	P112D	\$1.39
1 1/2" anto-vortex	P112PAV	\$48.44
2"	P200	\$48.44
2" double thread	P200D	\$47.03
2" anit-vortex	P200PAV	\$48.44

Jet Agitation Assembly

Ace Agitators

Hole size requirements for tanks are: 1 1/4"



Replacement Tank Straps





Single agitation for 110 gal. tanks or smaller
Double agitation for 150 gal. tanks or larger
Double agitation fo 2" sump
on polyethylene tanks

S3371PA
B3371PA
B3371PA
B463.41
B3371PA
B463.41
B3371PSA
B464.47



Jet agitation wand 5044 1 \$5.66 High volume jet agitation wand 09941 \$42.79

1 3/4" strap/ft.	05367	\$2.11
4" strap/ft.	03728	\$3.63
Attaching Hardware		
Anchor for 1/3/4" strap	05785-95	\$5.67
Anchor for 4" strap	05784-95	\$9.47
5/16"x4" bolt for 1 3/4" strap	04352	\$1.01
3/8"x5" bolt for 4" strap	01885	\$0.90

SPRAYER CONTROL SYSTEMS COMPONENTS

Flanged Tank Fittings



Three section manual control for centrifugal pump systems. Inlet: 1" Outlet: 3/4" Capacity: 27 GPM at 30 PSI (Includes 4" pressure gauge)

CP3B3HV 22 lbs. \$747.00

Electric Control



Solenoid Valve three section controls for centrifugal pump systems. Inlet: 1" Outlet: 3/4" Capacity: 27 GPM at 30 PSI

	CP414HVR	26 lbs.	\$1,382.00
Replacement Console	3318		\$538.66
Gauge (Glycerine filled)	12118		\$95.30
15' Extension Cable	21720 15		\$130.32
Union Fitting	21486NY		\$6.84

Electric Control



Motorized Ball Valve three section electric control for centrifugal pump systems. Inlet: 1 1/4" Outlet: 3/4"

	9428129	45 lbs.	\$2,116.00.
Replacement Console	3318		\$538.66
Gauge (Glycerine filled)	12118		\$95.30
Union Fitting	21486NY		\$6.84

Electric Control



Single section controls for centrifugal pump systems. Inlet: 3/4" Outlet: 3/4"

	CPER	11 lbs.	\$795.00
Replacement Console			
with 15' Harness	5120		\$233.65
Replacement Gauge	01072		\$51 43

Raven® 450 Sprayer Control



The data window in the SCS450 console continually displays the actual rate of spray application. A variety of other spraying information is also available in the rate window on command.

450 (3 Section)	9428043	\$5,442.00
450 (5 Section)	9428045	\$6,382.00
Replacement Components		
Flow meter	5890	\$945.82
Proximity wheel sensor	10308	\$145.62
1" regulating butterfly valve	10311	\$678.65
Speed sensor 12' harness	10046	\$188.41
Speed sensor 18' harness	11430	\$167.04
Console to hitch harness	10960	\$482.33
Hitch to valve harness with packard		
valve plugs (37') 16 pin	10959	\$858.17
Hitch to valve harness with packard		
valve plugs (24') 16 pin	12851	\$745.58

COMPONENTS CENTRIFULGAL SPRAYER PUMPS

Hypro® Gear-driven Centrifugal Pump

Viton® shaft seal standard. Cast iron body, molded nylon impeller. Planetary gear drive and bearings are factory lubricated. Ports: 11/2" NPT suction, 11/4" NPT discharge. Max. pressure: 80 PSI. Max. output: 106 GPM at open discharge at 20 PSI on 9006 & 9016. Max. output: 110 GPM at open discharge at 20 PSI on 9008, 9018 & 9028.



540 RPM tractor mounted pump. For 1 3/8" PTO. 47 GPM @ 60 PSI (540 RPM)	C9006 540	44 lbs.	\$1,001.00
1000 RPM tractor mounted pump. For 1 3/8" PTO. 70 GPM @ 60 PSI (1000 RPM)	C9008 1000	45 lbs.	\$1,039.00
1000 RPM tractor mounted pump. For 1 3/4" PTO. 70 GPM @ 60 PSI (1000 RPM)	C9028 1000	48 lbs.	\$1,204.00
540 RPM frame mounted pump. (1" diameter stub shaft) 47 GPM @ 60 PSI (540 RPM)	C9016 540	41 lbs.	\$987.00
1000 RPM frame mounted pump. (1" diameter stub shaft) 70 GPM @ 60 PSI (1000 RPM)	C9018 1000	42 lbs.	\$1,026.00
Viton® Seal Repair Kit	5564		\$55.33
Silicone Carbide Seal Repair Kit. Excellent Life Guard™ survivability	3430 0591		\$206.18

Hypro® Belt-driven Centrifugal Pump

Includes 12 groove belt drive. The Cast iron body and epoxy coating inside and out provides excellent protection from corrosion as well as a stainless steel shaft and Viton® mechanical seal.



1 1/4" x 1" pump, 600 RPM for 1" solid shaft. 54 GPM at 60 PSI (540 RPM)	C9402 540S	45 lbs.	\$1,026.00
1 1/4" x 1" pump, 600 RPM w/ 1 3/8" PTO, 6 spline, quick coupler. 98 GPM at 60 PSI (540 RPM)	C9402 540Q	45 lbs.	\$1,026.00
1 1/2" x 1 1/4" pump, 1000 RPM for 13/8" PTO, 21 spline. 98 GPM at 60 PSI.	C9403B2	42 lbs.	\$1,159.00
1 1/2" x 1 1/4" pump, 1000 RPM for 1 3/4" PTO, 21 spline. 128 GPM at 60 PSI.(1000 RPM)	C9403 1000L	42 lbs.	\$1,203.00
1 1/2" x 1 1/4" pump, 600 RPM for 1" solid shaft. 98 GPM at 60 PSI (540 RPM).	C9403 540S	45 lbs.	\$1,159.00
1 1/2" x 1 1/4" pump, 1000 RPM for 1" solid shaft. 128 GPM at 60 PSI.	C9403B5	42 lbs.	\$1,159.00
Viton® Seal Repair Kit	5565		\$63.38
Silicone Carbide Seal Repair Kit. Excellent Life Guard™ survivability	3430 0589		\$206.29
1000 RPM 12 Groove Belt	3100 0005		\$69.98
540 RPM 12 Groove Belt	3100 0006		\$94.32
540 RPM Cogged Belt F/9401 Series	3103 0009		\$75.31
1000 RPM Cogged Belt F/9401 Series	3103 0010		\$58.53

Hypro® Centrifugal Pump with Hydraulic Motor

The Hypro® centrifugal pump is made of pressure tested epoxy coated cast iron housing with a closed-type, molded nylon impeller mounted on a hardened stainless steel shaft. The epoxy coating on the housing provides for superior internal chemical and abrasion resistance for longer pump life, as well as extra protection of the external surface of the pump. 180 PSI maximum spraying pressure. C9303HM2 includes a restrictor orifice. Standard Viton® shaft seals unless noted.



8	3-15 GPM motor with 1 1/2" x 1 1/4" cast iron pump.	,	j			0
	104 GPM @ 60 PSI.(3000 PSI. maximum @ remote	outlet)		C9303HM2	26 lbs.	\$987.00
4	-8 GPM motor with 1 1/2" x 1 1/4" cast iron pump					

4-8 GPM motor with 1 1/2" x 1 1/4" cast iron pump			
50 GPM @ 60 PSI. (3000 PSI maximum @ remote outlet)	C9314HM1	26 lbs.	\$1,297.00
15-23 GPM motor with 1 1/2" x 1 1/4" cast iron pump.76 GPM @ 60 PSI.			
(3000 PSI. maximum @ remote outlet)	C9006 540	26 lbs.	\$1,052.00
10-20 GPM oil flow 2" x 2" for closed/open center systems.120 PSI maximum pressure,			
207 GPM @ 60 PSI Includes Life Guard™ seal and 220 Flanged ports.			
(3000 PSI maximum @ remote outlet)	C9006 540	41 lbs.	\$1,052.00
Viton® Seal Repair Kit	5565		\$63.38
Silicone Carbide Seal Repair Kit. Excellent Life Guard™ survivability	3430 0589		\$206.29
Repair Kit for Orbit Motor	3430 0178		\$104.51



CENTRIFULGAL SPRAYER PUMPS COMPONENTS

Ace Belt-driven Centrifugal Pumps

With Pulleys, 10 groove belt and Viton® seals. 0-70 PSI. 11/4" suction x 1" discharge. Sprays 48 GPM at 40 PSI when driven by 540 RPM PTO.

Cast iron pump for direct mounting on 1 3/8" 600 RPM PTO shaft.		100	A P
Pump is equipped with quick coupler	PT0C600 10QC	46 lbs.	\$1,108.00
Cast iron pump for direct mounting on 1 3/8" 1000 RPM PTO shaft. Pump is equipped			
with 21 spline split PTO drive shaft & split ring locking collar	PTOC1,207 00	43 lbs.	\$1,207.00
Cast iron pump. 1" dia. stub shaft and integral mounting base for 600 RPM			
Tumblerod drive shaft	PT0C600 10B	42 lbs.	\$1,069.00
Replacement cast iron pump	FMCMIA	18 lbs.	\$546.00
Pump Seal Repair Kit	RKFMC		\$69.94

BAC28 10

BAC28 10M

\$51.68

\$52.47

Ace Belt-driven Centrifugal Pumps

Pump Seal Repair Kit 540 RPM 10 Groove Belt

1000 RPM 10 Groove Belt

With Pulleys, 10 groove belt and Viton® seals. High Performance. 0-100 PSI. 11/2" suction x 11/4" discharge. Sprays 85 GPM at 40 PSI when driven by 540 RPM PTO.

Cast iron pump for direct mounting on 1 3/8" 600 RPM PTO shaft. With quickcoupler	PT0C600QC150	51 lbs.	\$1,271.00
Cast iron pump. 1" dia. stub shaft and integral mounting base for 600 RPM			
Tumblerod drive shaft	PT0C600 10B150	52 lbs.	\$1,242.00
Cast iron pump for direct mounting on 1 3/4" 1000 RPM PTO shaft. With 20 spline			
PTO shaft & locking collar	PT0C1000 175	50 lbs.	\$1,271.00
Pump Seal Repair Kit	RKFMC150		\$66.77
540 RPM 10 Groove Belt	BAC28 10 150		\$65.17
1000 RPM 10 Groove Belt	BAC28 10M150		\$47.16

Ace Hydraulic Pumps

	45		
1 1/4" x 1" frame mounted centrifugal, hydraulic driven pump. 0-100 PSI at max. 75 GPM	24	-	
at open discharge. Tractor hydraulic system must have 4-13 GPM of hydraulic fluid		-	
available to the sprayer pump from the tractor remote outlet (at 1000 PSI)	FMCHYD204	26 lbs.	\$1,125.00
1 1/4" x 1" frame mounted centrifugal, hydraulic driven pump. 0-100 PSI at max. 75 GPM			. ,
at open discharge. Tractor hydraulic system must have 8-17 GPM of hydraulic fluid			
available to the sprayer pump from the tractor remote outlet (at 1000 PSI)	FMCHYD210	27 lbs.	\$1,125.00
1 1/2" x 11/4" frame mounted centrifugal, hydraulic driven pump. 0-120 PSI at max. 100	GPM		, ,
at open discharge. Tractor hydraulic system must have 7-16 GPM of hydraulic fluid			
available to the sprayer pump from the tractor remote outlet (at 1000 PSI)	FMC150HYD206	31 lbs.	\$1,166.00
1 1/2" x 11/4" frame mounted centrifugal, hydraulic driven pump. 0-120 PSI at max. 100	GPM		. ,
at open discharge. Tractor hydraulic system must have 7-16 GPM of hydraulic fluid			
available to the sprayer pump from the tractor remote outlet (at 1000 PSI).			
Flanged ports & silicon carbide seal.	FMC150HYD304	38 lbs.	\$1,388.00
2" x 1 1/2" frame mounted centrifugal, hydraulic driven pump. 0-120 PSI at max. 200 GPI	M		
at open discharge. Tractor hydraulic system must have 11-20 GPM of hydraulic fluid			
available to the sprayer pump from the tractor remote outlet (at 1000 PSI)	FMC200HYD304	33 lbs.	\$1,318
Viton® Pump Seal Repair Kit.	RKFMC		\$69.94
Hydraulic Orbit Motor Repair Kit. (for 204, 206, 210 only)	RKBAC75HYDL		\$79.62
Hydraulic Orbit Motor Repair Kit. (for 304 motor only)	RKBAC75HYD300	L	\$120.98

COMPONENTS

Hypro® Roller Pumps

4000 Series (Viton® seals, 4 polypropylene rollers, 3/4' NPT Ports, Max cap: 3.3 GPM @ 150 PSI, 4.4 @ 50 PSI, max pressure 150 PSI) Hypro® 1900 DDM goot iron nu **#404 00**

Hypro* 1800 RPINI cast Iron pump	G400 I	o ids.	\$104.00
"Silver Cast" 1800 RPM pump	XL4001	5 lbs.	\$474.00
2000 RPM, 15 Spline, PTO Adapter	05327	1 lbs.	\$41.64
Hypro® 2600 RPM cast iron pump	C4101	5 lbs.	\$172.00
"Silver Cast" 2600 RPM pump	XL4101	5 lbs.	\$460.00
Pump Repair Kit (includes rollers, seals, & O-ring)	3430 0158	5 lbs.	\$41.76



6500 Series (Viton® seals, 6 polypropylene rollers, 3/4' NPT Ports, Max cap: 21.8 GPM @ 150 PSI, 4.4 @ 50 PSI, max pressure 150 PSI)

Hypro® cast iron pump	C6500	8.5 lbs.	\$186.00
Hypro® "Silver Cast" pump	XL6500	9 lbs.	\$596.00
1 3/8" multi-speed quick coupler for 6500 series	1321 0012		\$40.00
Pump Repair Kit (includes rollers, seals, & O-ring)	3430 0380		\$49.20

7560 Series (Viton® seals, 4 polypropylene rollers, 3/4' NPT Ports, Max cap: 3.3 GPM @ 150 PSI, 4.4 @ 50 PSI, max pressure 150 PSI)

Hypro® cast iron pump	C7560	13 lbs.	\$243.00
Hypro® "Silver Cast" pump	XL7560	13 lbs.	\$710.00
1 3/8" multi-speed quick coupler for 7560 series	1321 0013		\$42.00
Pump Repair Kit (includes rollers, seals, & O-ring)	3430 0167		\$68.61

XL7560

1700 Series (Viton® seals, 4 polypropylene rollers, 3/4' NPT Ports, Max cap: 3.3 GPM @ 150 PSI, 4.4 @ 50 PSI, max pressure 150 PSI Hypro® cast iron pump C1700 19 lbs. \$385.00

Hypro® "Silver Cast" pump XL1700 20 lbs. \$1.078.00 1 3/8" multi-speed quick coupler for 6500 series 1321 0013 \$42.00 Pump Repair Kit (includes rollers, seals, & O-ring) 3430 0161 \$71.12

NOTE: For chemical applications such as Roundup®, XL series should be used.

12 Volt Electric Pumps

Continuous duty motor and positive displacement diaphragm pump (Viton® valves, totally bypass at 45 PSI.

1.8 GPM max., 4.7 amp draw at 30 PSI, 3/8" FPT ports)	8000 543 150	5 lbs.	\$129.00
Santoprene (EPDM) Valve Kit (for foam markers)	94 391 06		\$48.73
Viton® Valve Kit (for sprayers)	94 391 09		94.79
Diaphragm Kit	94 395 06		\$46.62



Intermittent duty motor and positive displacement diaphragm pump (Viton® valves, totally bypass at 60 PSI., 5 GPM max., 9 amp draw at 20 PSI, 1/2" FPT ports) 2088 343 135 6 lbs. \$293.00 Viton® Valve Kit 94 232 05 \$107.04

Heavy duty motor and positive displacement diaphragm pump (3 GPM max., 45 PSI max., 8.6 amps draw at 30 PSI, 1/2" MPT ports) 12981 7 lbs. \$403.00 Viton® Valve assembly 13028 \$57.23 Upper housing assembly 13030 \$101.84



Gasoline Driven Straight Centrifugal Pumps

Pump with 3.5 HP Briggs & Stratton engine (Viton® seals are standard. Engine is equipped with ball bearings, rewind starter, and a manual throttle to control engine speed. Pump delivers 12 GPM @ 50 PSI. Pump must be initially primed or seals will be damaged. 1" x 3/4" port size) **DAC135**

Pump with 3 HP Honda® engine (Viton® seals are standard. Engine is equipped with ball bearings, rewind starter, and a manual throttle to control engine speed. Pump delivers 12 GPM @ 50 PSI. Pump must be initially primed or seals will be damaged. 1" x 3/4" port size) DAC135H 28 lbs. \$1,367.00 Pump Repair Kit (for DAC135 Series) \$87.98

Pump with 6.5 HP PowerPro™ engine (Viton® seals are standard. Engine is equipped with ball bearings, rewind starter, and a manual throttle to control engine speed. Pump delivers 82 GPM @ 40 PSI, 70 GPM @ 50 PSI, or 50 GPM @ 60 PSI. Pump must be initially primed or seals will be damaged. 1.5" port size. Suction lift should not exceed 22')

	DHC155	53 lbs.	\$1,064.00
With Honda® 5.5 HP engine	DHC155H	65 lbs.	\$1,823.00
Replacement Pump (for DHC155 or DHC155H)	DHC155LE		\$499.00
Pump Repair Kit (for DHC155 Series)	5565	1 lb.	\$63.38
With Honda® 5.5 HP engine, electric start	DHC155HE	70 lbs.	\$3,554.00





ARTS COMPONENTS

Valves



SAFI 12 volt ball valve designed for remote on/off control of spray booms and nozzles at pressures to 300 PSI. 1/2 sec. response time from fully open to fully closed. Flanged inlet and outlet connections. 35 GPM of flow.

12844 13534 Valve with packard \$386.60 Motor with packard \$250.27



TeeJet® Model 460 12 volt ball valve designed for remote on/off control of spray booms and nozzles at pressures to 300 PSI. 1/4 sec. response time from fully open to fully closed. Flanged inlet and outlet connections. 32 GPM of flow.

10933 Valve with packard \$514.27

Repair Parts

AB460 AB460-1 12095

Seal kit (SS ball included) \$212.71 Seal kit (without ball) \$69.86 Replacement motor w/packard (50515 Series) \$396.06



Electrically operated 12 volt valve, with Viton® diaphragm seals, designed for remote on/off control of spray booms and nozzles at pressures to 100 PSI. Direct-O-Valve is suitable for wettable powder appli-

cations. 3/4" NPT (F) inlet and 1/2" NPT (F) outlet. 10 GPM of flow.

144A1		\$230.57
AB144A1	EPDM Repair Kit	\$36.51
AB144A1VI	Viton® Repair Kit	\$54.61



12 volt worm gear drive plunger valve assembly. Flanged connections. Requires DIN electrical connection.

463011 900



Electric butterfly valve provides remote pressure control. Features two-wire lead for use in 12VDC system. Maximum operating pressure of 100 PSI. 3/4" NPT (F) connections.

244 3/4 \$202.67 **AB244** Repair Kit \$20.14



Electric butterfly valve provides remote pressure control. Features twowire lead for use in 12VDC system. Maximum operating pressure of 100 PSI. 3/4" NPT (F) connections.

01057 \$155.51



Electric solenoid valve provides remote pressure control. Features two-wire lead for use in 12VDC system. Maximum operating pressure of 175 PSI. 8 GPM. 3/4" NPT (F) connections.

11635

\$153.79



Manually operated single valve. In open position, liquid is directed to spray line and excess will by-pass through valve. 1/2" NPT (F) spray line connections. 150 PSI max. 12.5 GPM.

6B1 \$59.82 AB6B1 Repair Kit \$25.10



Teejet® valve for selective control of three section boom sprayers at pressures up to 300 PSI. 3/4" inlet and outlet. Control lever may be set at any of seven indexed locations.

AA17I \$151.96 **AB17** Repair Kit \$42.17

Pressure Regulators



For regulating flow in systems where sensitive regulation is required. Pressures to 150 PSI.

23120PP 23340PP

1/2" NPT connections (100 PSI) \$43.53 3/4" NPT connections (150 PSI) \$43.53

Pressure Gauges



\$366.10





60GB	164GBF	12800
60GS	2 1/2" SS 60 PSI	\$20.57
64GS	4" SS 60 PSI	\$41.27
60GB	2 1/2" Brass 60 PSI	\$15.82
100GB	2 1/2" Brass 100 PSI	\$21.17
104GB	4" Brass 100 PSI	\$30.12
164GS	4" SS 160 PSI	\$39.39
160GS	2 11/2" SS 160 PSI	\$23.76
160GB	2 1/2" Brass 160 PSI	\$15.82
160GBF	21/2" Brass Glycerine filled	
	160 PSI	\$26.94
200GB	2 1/2" Brass 200 PSI	\$15.82
164GBF	4" Brass Glycerine filled, back port 160 PSI	\$68.27
909P0100	Glycerine filled, back port	
	100 PSI Arag®	\$122.41

12800 4" Brass Glycerine filled, back port with mounting flange 160 PSI (50 Series sprayer) \$68.27

Chemical Isolator Kits

2250 For 5120 Console Texas Industrial Remcor \$95.36



23800 For 3318 Console TeeJet® \$132.60

Hose



120	1/2" Clear Vinyl	\$1.45
340	3/4" Clear Vinyl	\$2.13
1000	1" Clear Vinyl	\$2.49
380RB	3/8" EPDM Rubber	\$0.88
120RB	1/2" EPDM Rubber	\$2.00
340RB	3/4" EPDM Rubber	\$1.66
1010RB	1" EPDM Rubber	\$5.15
1140RB	1 1/4" EPDM Rubber	\$5.24
1120RB	1 1/2" EPDM Rubber	\$6.20
S114	1 1/4" Wire Suction	\$13.72
S112	1 1/2" Wire Suction	\$15.63
S2020	2" Wire Suction	\$17.09

Stainless Steel Hose Clamps and Screw



B4H	1/4"	\$1.35
В6Н	3/8"	\$1.65
B8H	1/2"	\$1.74
B12H	3/4"	\$1.82
B20H	1"	\$1.97
B24H	1 1/4"	\$2.10
B32H	1 1/2"	\$2.27
B44H	2"	\$2.54
B64H	3"	\$3.05
B128H	7 1/2"	\$6.39

2-Way Ball Valves



JV050FP	1/2"	\$29.17
JV075FP	3/4"	\$29.17
JV100FP	1"	\$36.38
JV125FP	1 1/4"	\$62.82
JV150FP	1 1/2"	\$62.82
JV200FP	2"	\$78.32

3-Way Ball Valves



UV100FP3	1"	\$58.33
JV125FP3	3 1/4"	\$60.60
UV200FP3	2"	\$91.10

COMPONENTS PARTS

Ball Valves



4011 1 1/4R 1 1/4" Ratchet \$240.43 **5542** Seal Repair Kit \$40.47

Springs



07580	Cable Tension	
	for X-Fold 5 7/8" x 3/4"	\$4.60
01564	Piston Pump Idler &	
	DB12 Boom	\$10.84
00180-76	Boom Breakaway	
	13 7/16" x 1 7/8"	\$26.61
00200-76	Floating Boom	
	10 1/8" x 1 3/4"	\$28.27
07838-51	X-Fold Boom	
	10 1/8" x 1 3/4"	\$41.63
00306-30	Running Gear Tongue	
	w/Insert 13 5/16" x 2"	\$70.35

Handguns



2AAL60 15" Hand Spray Gun \$140.91 **AB2AAL** Repair Kit \$20.76



 12434
 18" Hand Spray Gun with adjustable tip 3/8" FPT
 \$44.47

 12496
 Replacement tip
 \$11.49



25660-3	Lawn / Turf Gun with #3 Black	
	Nozzle & 3/4" FPT Threads	\$122.00
25670-1.5	Nozzle only 1.5 Gray	\$17.43
25670-3	Nozzle only 3 Black	\$18.13
25670-4	Nozzle only 4 Red	\$17.43
AB2566	Repair Kit	\$21.95



12217 15" Hand Spray Gun \$22.84

Male Tapered Pipe Threads & Hose Barbs



1/4" 1/4" \$0.71 A1414 1/4" A1438 3/8" \$0.47 A1412 1/4" 1/2" \$0.49 A3838 3/8" 3/8" \$0.49 3/8" A3812 1/2" \$0.51 1/2" \$0.99 A1238 3/8" BA1212 1/2" 1/2" \$1.70 **BA1234** 1/2" 3/4" \$1.88 **BA3412** 3/4" 1/2" \$1.88 3/4" A3438 3/8" \$1.18 **BA3434** 3/4" 13/4" \$1.88 A3410 3/4" 1" \$0.74 **BA1034** 1" 3/4" \$2.36 1" **BA1010** 1" \$2.36 1" 1 1/4" BA1 114 \$2.97 1 1/4" 3/4" **BA11434** \$2.97 **BA1141** 1 1/4" 1" \$2.97 1 1/4" **BA114** 1 1/4" \$2.97 A114 112 1 1/4" 1 1/2" \$3.87 1 1/2" **BA112 114** 1 1/4" \$4.61 1 1/2" 1 1/2" \$4.85 **BA112** BA112 200 1 1/2" 2" \$8.10 BA200 112 \$7.73 2" 1 1/2" 2" A200 2" \$2.85

Male Tapered Pipe Thread & Hose Barb Elbows

1/4"

1/4"

\$1.19

EL1414



1/4" 3/8" EL1438 \$0.70 EL1412 1/4" 1/2" \$0.75 EL3838 3/8" 3/8" \$0.83 EL3812 3/8" 1/2" \$1.35 EL1238 1/2" 3/8" \$0.80 1/2" BEL1212 1/2" \$1.88 **BEL1234** 1/2' 3/4" \$1.88 BEL3412 3/4" 1/2" \$2.48 **BEL3434** 3/4" 13/4" \$2.48 3/4" EL3410 1" \$1.72 1" 3/4" BEL1034 \$3.13 1" 1" \$3.13 BEL1010 1" **BEL1 114** 1 1/4" \$3.95 EL11434 1 1/4" 3/4" \$3.93 1" **BEL1141** 1 1/4" \$3.95 1 1/4" 1 1/4" \$3.95 **BEL114** 1 1/4" EL114 112 1 1/2" \$6.01 1 1/4" \$10.73 BEL112 114 1 1/2" **EL112** 1 1/2" 1 1/2" \$5.10 2" 1 1/2" \$7.73 BA200 112

Hose Barb Tees

BEL200



3/8" \$0.79 T38 T12 1/2" \$0.80 3/4" T34 \$2.48 T100 1" \$2.95 T114 11/4" \$4.89 T112 11/2" \$5.82 T200 2" \$15.98

2"

2"

\$10.32

Male Tapered Pipe Thread Nipples



M1400 1/4" 1/4" \$0.88 M3838 3/8" 3/8" \$0.91 M1214 1/2" 1/4" \$0.55 BM1238 1/2" 3/8" \$1.09 M1200 1/2" 1/2" \$0.53 3/4" M3438 3/8" \$1.10 3/4" M3412 1/2" \$1.16 3/4" BM3400 3/4" \$2.04 BM1034 1" 3/4" \$3.71 BM1000 1" \$2.77 1 1 1/4"1" BM1141 \$3.95 BM1140 1 1/4" 1 1/4" \$2.77 BM112 114 1 1/2"1 1/4" \$4.16 BM1120 1 1/2" 1 1/2" \$5.27 2" BM200 112 1 1/2" \$4.15 BM2000 2" 2" \$6.07

Reducer Bushings



3/8" 1/4" RB3814 \$0.91 1/2" 1/4" RB1214 \$1.09 BRB1238 1/2" 3/8" \$3.95 **BRB3418** 3/4" \$3.95 1/8" 3/4" RB3414 1/4" \$1.20 3/4" **RB3438** 3/8" \$1.09 3/4" 1/2" **RB3412** \$1.72 1" **BRB1014** 1/4" \$4.16 RB1012 1" 1/2" \$2.04 **BRB1034** 3/4" \$4.16 **BRB11434** 1 1/4" 3/4" \$4.16 BRB114 1 11/4" 1" \$4.21 BRB112 114 11/2" 1 1/4" \$5.52 BRB200 100 2" 1" \$6.07 BRB200 114 2" 1 1/4" \$6.07 RB200 112 2" 1 1/2" \$4.85 3" RB300 200 2" \$12.98

Hose Menders



SHM1400 1/4" X 1/4" \$0.47 3/8" X 1/4" SHM3814 \$0.80 SHM3800 3/8" X 3/8" \$0.49 SHM1214 1/2" X 1/4" \$0.49 \$0.55 1/2" X 3/8" SHM1238 \$0.49 SHM1200 1/2" X 1/2" SHM1258 1/2" X 5/8" \$0.58 SHM5838 5/8" X 3/8" \$0.55 5/8" X 5/8" SHM5800 \$0.97 SHM3400 3/4" X 3/4" \$1.47 SHM1000 \$0.93 1" X 1" 1 1/4" X 1 1/4" **SHM114** \$3.49 **SHM112** 1 1/2" X 1 1/2" \$4.31 2" X 2" **SHM200** \$6.34

Threaded Tees



TT14 1/4" \$3.00 **BTT12** 1/2" \$6.20 3/4" **BTT34** \$6.66 1" **BTT100** \$9.41 **BTT114** 1 1/4" \$10.99 **BTT112** 1 1/2" \$15.94 **BTT200** 2" \$16.58

RTS COMPONENTS

90° Street Elbows



SE14	1/4"	\$1.75
BSE38	3/8"	\$5.46
SE12	1/2"	\$2.39
BSE34	3/4"	\$5.91
SE100	1"	\$7.13
BSE114	1 1/4"	\$8.64
SE112	1 1/2"	\$7.77
SE200	2"	\$15.87

Line Strainers & Screens





RVB38 80	3/8" HB 80 mesh	\$15.62
RVB12 80	1/2" HB 80 mesh	\$23.25
RVF34 40	3/4" FPT 40 mesh	\$29.04
RVF34 80	3/4" FPT 80 mesh R	\$29.04
RVF100 40	1" FPT 40 mesh	\$64.46
RVF100 80	1" FPT 80 mesh	\$69.80
RVF114 40	1 1/4" FPT 40 mesh	\$64.46
RVF114 80	1 1/4" FPT 80 mesh	\$69.80
RVF112 40	1 1/2" FPT 40 mesh	\$57.80
RVF112 80	1 1/2" FPT 80 mesh	\$69.808
Renlacemen	t Screens	

Kepiacemei	nt Screens	
RVB80	3/8" & 1/2" 80 mesh	\$4.55
RVF340	3/4" 40 mesh	\$9.41
RVF380	3/4" 80 mesh	\$9.41
RVF140	1" 40 mesh	\$10.24
RVF180	1" 80 mesh	\$16.84
RVF1140	1 1/4" 40 mesh	\$11.76
RVF1180	1 1/4" 80 mesh	\$17.97
RVF1240	1 1/2" 40 mesh	\$15.26
RVF1280	1 1/2" 80 mesh	\$24.16
Replacemen	nt Gaskets	
RVR38GF	3/8" & 1/2"	\$1 <i>1</i> 7

KVB38GE 3/8" & 1/2 3/4" RVF34GV

RVF114GV 1", 1 1/4" & 1 1/2"

1-ou anici s	
LS075 40	
LS075 60	

\$46.52 3/4" FPT 40 mesh 40 3/4" FPT 60 mesh 60 \$52.10 3/4" FPT 80 mesh 80 LS075 80 \$52.10 LS100 40 1" FPT 40 mesh 40 \$51.08 LS100 80 1" FPT 80 mesh 80 \$58.23 1 1/4" FPT 40 mesh 40 \$49.59 LS125 40 LS125 80 1 1/4" FPT 80 mesh 80 \$58.23 1 1/2" FPT 50 mesh 50 LS150 50 \$112.06 LS150 80 1 1/2" FPT 80 mesh 80 \$112.06 LS200 50 2" FPT 50 mesh 50 \$112.06 LS200 80 2" FPT 80 mesh 80 \$112.05 **Replacement Screens**

3/4" 60 mesh \$23.19 LS760 LS780 3/4" 80 mesh \$25.14 1" & 1 1/4" 40 mesh LS140 \$25.14 LS180 1" & 1 1/4" 80 mesh \$18.86 LS220 1 1/2" & 2" 20 mesh \$48.96 LS250 1 1/2" & 2" 50 mesh \$53.87 LS280 1 1/2" & 2" 80 mesh \$53.87 **Replacement Gaskets** LS075G 3/4" \$4.81

1" & 1 1/4"

1 1/2" & 2" O-ring

1 1/2" & 2" Square

Parts



Gaskets			
M100G	1" flange	1.5"	\$2.98
112G	2" flange	2.375"	\$1.73
200G	2" full port flange	2.5"	\$1.88
300G	3" flange		\$2.54
-	_		



Clamps		
09938	1"	\$12.13
09939	2"	\$13.91
09940	2" Full Port	\$15.93
12030	3"	\$15.20



End Plugs		
FF100	1"	\$2.98
FF200	2"	\$6.22
FF220	2" Full Port	\$7.90



Flanged and Hose Barbs

FA100 100HB 1" flange x 1" hose \$2.65 FA200 100HB 2" flange x 1" hose \$7.07 FA200 125HB 2" flange x 11/4" hose \$7.07 FA200 150HB 2" flange x 11/2" hose \$7.07 FA200 200HB 2" flange x 2" hose \$7.07 FA220 200HB 2" flange full port x 2" hose \$22.79 FA300 300HB 3" flange x 3" hose \$22.79



\$6.53

\$9.19

Flanged and Hose Barb Elbows

FEL100 100HB 1" flange x 1" hose \$3.23 FEL200 100HB 2" flange x 1" hose \$13.10 **FEL200 125HB** 2" flange x 11/4" hose **FEL200 150HB** 2" flange x 11/2" hose \$13.10 \$13.14 FEL200 200HB 2" flange x 2" hose \$13.14 **FEL220 150HB** 2" flange full port x 11/2" hose\$13.10 FEL220 200HB 2" flange full port x 2" hose \$13.10 FEL300 300HB 3" flange x 3" hose \$60.87



Flanged and Flanged Couplings

1" flange x 1" flange 2" flange x 1" flange FA100 \$7.07 FA200 100 \$21.17 2" flange x 2" flange **FA200** \$18.63 FA300 220 3" flange x 2" flange full port \$47.66



Flanged and Flanged Elbows

FEL200 2" flange x 2" flange \$16.54 **FEL220** 2" flange full port x 2" flange full port \$16.54



Flanged Cross

FCR200 2" flange \$47.84



Flanged Tees

FT100 200 1" x 2" x 2" flanges \$18.34 FT200 2" x 2" x 2" flanges \$19.13 FT220 2" x 2" x 2" flangesfull port \$19.13



Flanged and Male Pipe Threads

FA100 100MPT 1" flange x 1" MPT \$3.01 FA200 125MPT 2" flange x 1 1/4" MPT \$6.25 FA200 150MPT 2" flange x 1 1/2" MPT \$6.25 **FA200 200MPT** 2" flange x 2" MPT \$6.26 **FA220 200MPT** 2" flange full port x 2" MPT \$7.06



Flanged Ball Valves

1" full port MV100CF \$62.28 MV200CF \$88.08 2" full port MV220CF \$117.37



Flanged 3-Way Ball Valves

FV200BLCF 2" 3-way, bottom load \$111.64 FV220SLCF 2" 3-way, full port side load \$166.85



Stubby 2-Way Ball Valves

2" coupler x 2" hose barb \$88.96 **VSFHB 200** VSF204FP 2" coupler x 2" FPT \$91.04 2" coupler x 2" flange MVSF200CF \$74.01 **MVSF 300** 3" coupler x 3" flange \$185.91

\$5.04

\$5.04

\$5.62

LS100G

LS150G

LS200G

COMPONENTS PARTS



Flanged Strainers

FLST150 50	1 1/2" flange strainer	
	w/screen	\$78.72
11537	Gasket (TeeJet®)	\$6.22
14485	Gasket (TeeJet®) bottom cap	\$3.91
11538	50 mesh screen (TeeJet®)	\$26.24
LST150GV	Gasket (Banjo®)	\$11.91



Drop Free Check Valves

210p 1100 01100	nt ruiroo	
DF12NTL	1/2" nozzle elbow & check	
	valve assembly	\$11.27
DF12NTT	1/2" nozzle tee & check	
	valve assembly	\$11.27
DF34NTL	3/4" nozzle tee & check	
	valve assembly	\$11.27
DF34NTT	3/4" nozzle tee & check	
	valve assembly	\$11.27
DFDV	Replacement Viton®	
	Diaphragm	\$1.60
DFCP	Replacement Diaphragm	
	Cap Assembly	\$4.63
DFGE	EPDM Tip Cap Gasket	\$0.62
DFFD	Floodjet Cap (red)	\$1.09
DFFT	Flat Cap (yellow)	\$1.09



TeeJet® Nozzle Body Series for Disc, Planter

Banding	&	Pressure	Hose	Kits
----------------	---	-----------------	------	-------------

Danuing & Fre	socii e Huoe Kito	
10913	1/2" single end nozzle	
	assembly (less cap & gasket)	\$8.97
10914	1/2" single tee nozzle	
	assembly (less cap & gasket)	\$8.97
21953VI	Replacement Diaphragm -	
	Viton®	\$1.82
21950 10PP	Replacement Diaphragm -	7

Cap Assembly



TeeJet® Single Nozzle Body

3/4" single end nozzle	
assembly (less cap & gasket)	\$10.56
3/4" single tee nozzle	
assembly (less cap & gasket)	\$10.56
1/2" single end nozzle	
assembly (less cap & gasket)	\$10.56
1/2" single tee nozzle	
assembly (less cap & gasket)	\$10.56
	assembly (less cap & gasket) 3/4" single tee nozzle assembly (less cap & gasket) 1/2" single end nozzle assembly (less cap & gasket) 1/2" single tee nozzle



\$35.58

TeeJet® Triple Nozzle Body

07782	(360) Triple end	\$26.03
15928	(370) Nozzle assembly	
	3/4" hose barb	
	(less cap & gasket)	\$27.46
07783	(360) Triple tee	\$26.03
15929	(370) Nozzle assembly	
	3/4" hose barb (less cap & gasket)	\$27.46
21953V	Replacement Diaphragm -	
	Viton®	\$1.82



Caps & Gaskets for TeeJet® Nozzle Bodies

caps & daske	is for feeder, mozzie podie	S
07787	Flat fan red cap w/	
	EPDM gasket	\$1.45
07788	Flat fan blue cap w/	
	EPDM gasket	\$1.45
07789	Flat fan brown cap w/	
	EPDM gasket	\$1.45
07790	Flat fan green cap w/	
	EPDM gasket	\$1.45
09692	Air induction yellow cap w/	
	EPDM gasket	\$1.45
19438EPR	EPDM tip cap gasket	\$0.61

Spray Nozzle Accessories



Nozzle Bodies

\$4.45

HOLLIG BOUISS		
NTL38	3/8" Elbow (less cap)	\$2.68
NTL12	1/2" Elbow (less cap)	\$2.98
NTL34	3/4" Elbow (less cap)	\$2.97
NTT38	3/8" Tee (less cap)	\$2.76
NTT12	1/2" Tee (less cap)	\$2.98
NTT34	3/4" Tee (less cap)	\$4.01
8027	Nozzle Body Cap	\$1.16



DEMCO Clamps

10862	Demco stainless steel boom
	clamp for TeeJet® nozzle. Fits
	square tube. Requires worm gear
	style hose clamp.

(2 required) ea. \$4.15 **B24H** Worm gear all stainless

steel hose clamp \$2.10



Diamond Boom Clamp Assemblies

09792 Demco stainless steel boom clamp for TeeJet® nozzle. Fits 3" diamond tube. Requires worm gear style hose clamp.

(2 required) ea. \$6.43

Worm gear all stainless steel hose clamp \$3.05



TeeJet® Vari-spacing Clamp assemblies

Vari-spacing stainless steel clamps for use on all dry boom Quick TeeJet® bodies.

 10902
 1" square boom clamp
 \$7.31

 10903
 1 1/4" square boom clamp
 \$7.60

 10904
 1 1/2" square boom clamp
 \$7.60



Square Boom Clamp Assemblies

For use with NTL or NTT nozzle fittings. Available in 1" or 1 1/4", for square boom tubing.

B11 1 1" square boom clamp \$3.70 **B11 114** 1 1/4" square boom clamp \$3.70



Round Boom Clamp Assemblies

For use with NTL or NTT nozzle fittings. Available

In 3/4 of 1, 10	or round boom tubing.	
B11 34R	3/4" round boom clamp	\$3.70
B11 1R	1" round boom clamp	\$3.70

SPRAY TIPS COMPONENTS

FULL ET SPR. WIDE ANGLE FLAT SPR.

WIDE ANGLE FLAT SPRAY TIPS AND NOZZLES FLOODJET® TIPS AND NOZZLES



TK & TKVS Floodjet Tip

FloodJet® tips and nozzles project a wide angle spray pattern. They are designed for incorporating herbicides into the soil. These tips are recommended for suspension and slurry type chemicals at lower spraying pressures. Floodjet® tips produce coarser particle sprays to minimize drift. Boom heights should be adjusted to obtain the overlap which provides the most uniform distribution. Optimum coverage is achieved by overlapping adjacent spray patterns 50% on each side to obtain double coverage. TK floodjet® tips are available in brass or stainless steel with VisiFlo color coding. KSS floodjet® nozzles are available in stainless steel. Fits into 07790 cap assembly.

		Liquid	Nozzle	Degree	_	allone	Per Ac	ro 40"	Cnacin	α
		Pressure		Spray	4	5	6	8	10	y 12
Tip No.		in PSI	In GPM	Anglé	MPH	MPH	MPH	MPH		MPH
TK10 TKSS10	\$7.60 \$9.76	10 20 30 40	.10 .14 .17 .20	80 109 118 123	3.7 5.3 6.4 7.4	3.0 4.2 5.1 5.9	2.5 3.5 4.3 5.0	1.9 2.6 3.2 3.7	1.5 2.1 2.6 3.0	1.2 1.8 2.1 2.5
AN1.56 TK1.51	\$1.23 \$7.60	10 20 30 40	.15 .21 .26 .30	85 108 116 121	5.6 7.9 9.7 11.1	4.5 6.3 7.7 8.9	3.7 5.3 6.4 7.4	2.8 3.9 4.8 5.6	2.2 3.2 3.9 4.5	1.9 2.6 3.2 3.7
TK20 TKVS20 (Red)	\$7.60 \$13.18	10 20 30 40	.20 .28 .35 .40 .25	95 113 121 125	7.4 10.5 12.9 14.9	5.9 8.4 10.3 11.9	5.0 7.0 8.6 9.9 6.2	3.7 5.3 6.4 7.4	3.0 4.2 5.1 5.9 3.7	2.5 3.5 4.3 5.0 3.1
TK2.5① TKVS2.5② (Brown)	,	10 20 30 40	.35 .43 .50	110 122 126 129	9.3 13.1 16.1 18.6	7.4 10.5 12.9 14.9	8.8 10.7 12.4	4.6 6.6 8.0 9.3	5.3 6.4 7.4	3.1 4.4 5.4 6.2 3.7
TK3 ① TKVS3② (Gray)	\$7.60 \$13.18	10 20 30 40	.30 .42 .52 .60	96 112 115 120	11.1 15.8 19.3 22	8.9 12.6 15.4 17.8	7.4 10.5 12.9 14.9	5.6 7.9 9.7 11.1	4.5 6.3 7.7 8.9	5.3 6.4 7.4
TK41 TKVS42 (White)	\$7.60 \$13.18	10 20 30 40	.40 .57 .69 .80	107 123 125 129	14.9 21 26 30	11.9 16.8 21 24	9.9 14.0 17.2 19.6 12.4	7.4 10.5 12.9 14.9	5.9 8.4 10.3 11.9	5.0 7.0 8.6 9.9
TK50 TKVS5@ (Lt. Blue)	\$7.60 \$13.18	10 20 30 40	.50 .71 .87 1.0	120 128 134 137	18.6 26 32 37	14.9 21 26 30	17.5 21 25	9.3 13.1 16.1 18.6	7.4 10.5 12.9 14.9	6.2 8.8 10.7 12.4
TK7.50 TKVS7.52 (Lt. Green)	\$7.60 \$13.18	10 20 30 40	.75 1.1 1.3 1.5	106 119 125 128	28 39 48 56	22 32 39 45	18.6 26 32 37	13.9 19.7 24 28	11.1 15.8 19.3 22	9.3 13.1 16.1 18.6
TK100 TKVS10@ (Black)	\$7.60 \$13.18	10 20 30 40	1.0 1.4 1.7 2.0	121 133 136 141	37 53 64 74	30 42 51 59	25 35 43 50	18.6 26 32 37	14.9 21 26 30	12.4 17.5 21 25
TK150 TKSS150	\$7.60 \$13.86	10 20 30 40	1.5 2.1 2.6 3.0	106 113 117 120	56 79 96 111	45 63 77 89	37 53 64 74	28 39 48 56	22 32 39 45	18.6 26 32 37
TK200 TKSS200	\$7.60 \$13.86	10 20 30 40	2.0 2.8 3.5 4.0	113 122 126 128	74 105 129 149	59 84 103 119	50 70 86 99	37 53 64 74	30 42 51 59	37 25 35 43 50
TK300 TKSS300	\$7.60 \$13.86	10 20 30 40	3.0 4.2 5.2 6.0	104 110 113 116	111 158 193 223	89 126 154 178	74 105 129 149	56 79 96 111	45 63 77 89	37 53 64 74

If the nozzle spacing on your boom is different than those in the chart above, you must multiply the tabulated or calculated GPA coverage by one of the conversion factors in the table below.

Where Tables are Based on 40" Nozzle Spacing									
Other Spacing	28"	30"	32"	34"	36"	38"	42"	44"	48"
Conversion Factor	1.43	1.33	1.25	1.18	1.11	1.05	.95	.91	.83

PLUG TIP BLANKS



To temporarily shut off selected nozzles, replace spray tips with these plug tips. Easy, quick way to change spacing of operating nozzles on boom.


Order No.	Price	Material
3942SS	\$0.81	Stainless Steel

Teelet

Flat spray tips 80 & 110 degree SERIES

Flat spray tips can be used for spraying herbicides, insecticides, fertilizers and other chemicals. Each tip produces a tapered edge spray pattern for uniform coverage where patterns overlap. Tips having an 80 degree spray pattern are available in brass, stainless steel, extended range color coded nylon with stainless steel orifice. Nozzle spacing is 20" and spray height is 17" to 19".

Fits into 07787, 07788 or 07789 cap assemblies.



80 & 110 degree FLAT SPRAY TIPS (Based on 20" spacing)

		Liquid	Capacity	Gallons Per Acre						
Tip No.		Pressure in PSI	1 Nozzle In GPM	4 MPH	5 MPH	6 MPH	7 MPH	8 MPH	10 MPH	12 MPH
		20	.05	3.5	2.8	2.4	2.0	1.8	1.4	1.2
800067 🕕	\$4.63	25 30	.055	3.9 4.3	3.2	2.6	2.3	2.0	1.6	1.3
000007	ֆ4.ნპ	40	.067	5.0	4.0	3.3	2.8	2.5	2.0	1.4 1.7
		50 60	.07 .08	5.6 6.1	4.5 4.9	3.7 4.1	3.2 3.5	2.8 3.1	2.2	1.9
		15	.06	4.6	3.6	3.0	2.6	2.3	1.8	1.5
80011	\$4.63	20 25	.07 .08	5.3 5.9	4.2 4.7	3.5 3.9	3.0 3.4	2.6 2.9	2.1	1.8
XR8001VS 2	\$7.73	30 40	.09	6.4	5.1	4.3	3.7 4.2	3.2	2.6	2.1
(Orange)		50	.10	7.4 8.3	5.9 6.6	5.0 5.5	4.2	3.7 4.2	3.0	2.5
, , ,		60	.12	9.1	7.3	6.1	5.2	4.6	3.6	3.0
800150	\$4.63	15 20	.09 .11	6.7 7.9	5.5 6.3	4.5 5.3	3.9 4.5	3.4 3.9	2.7 3.2	2.2
XR80015VS@	\$7.73	25 30	.12 .13	8.8 9.7	7.0 7.7	5.9 6.4	5.0 5.5	4.4 4.8	3.5 3.9	2.9
(Green)	φ1.10	40	.15	11.1	8.9	7.4	6.4	5.6	4.5	3.7
		50	.17	12.5	10.0	8.3	7.1	6.2	5.0	4.2
		60 15	.18 .12	13.6 8.9	10.9 7.3	9.1 6.1	7.8 5.2	6.8 4.5	5.5 3.6	4.6 3.0
80021	\$4.63	20 25	.14	10.5	8.4 9.4	7.0	6.0	5.3 5.9	4.2	3.5
XR8002VS2	\$7.73	30	.16 .17	11.7 12.9	10.3	7.8 8.6	6.7 7.4	6.4	4.7 5.1	3.9 4.3
(Yellow)	ΦΕ Ο Ο	40	.20	14.9	11.9	9.9	8.5	7.4	5.9	5.0
XR11002VK6	\$5.96	50 60	.23 .25	16.6 18.2	13.3 14.6	11.1 12.1	9.5 10.4	8.3 9.1	6.6 7.3	5.5 6.1
80031	\$4.63	15 20	.18 .21	13.4 15.8	10.9 12.6	9.1 10.5	7.8 9.0	6.8 7.9	5.4 6.3	4.5 5.3
		25	.24	17.6	14.1	11.7	10.1	8.8	7.0	5.9
XR8003VS@ (Blue)	\$7.73	30 40	.26 .30	19 22	15.4 17.8	12.9 14.9	11.0 12.7	9.7	7.7 8.9	6.4
XR11003VK6	\$5.96	50	.34	25	19.9	16.6	14.2	12.5	10.0	8.3
		60 15	.37 .24	27 17.8	22 14.5	18.2 12.1	15.6 10.4	13.6 9.1	10.9 7.2	9.1 6.0
80041	\$4.63	20	.28	21	16.8	14.0	12.0	10.5	84	7.0
XR8004VS2	\$7.73	25 30	.32 .35	23 26	18.8 21	15.7 17.2	13.4 14.7	11.7 12.9	9.4	7.8 8.6
(Red) XR11004VK6	ቀ ደ በር	40 50	.40 .45	30	24 27	19.8 22	17.0 19.0	14.9 16.6	11.9	9.9
ANTIUU4VK	φο.90	60	.49	33 36	29	24	21	18.2	13.3 14.6	12.1
80051	\$4.63	15 20	.31 .35	23 26	18.2 21	15.2 17.5	13.0 15.0	11.4 13.1	9.2	7.7 8.8
-		25	.40	29	23	19.6	16.8	14.7	11.7	9.8
(Brown)	\$7.73	30 40	.43 .50	32 37	26 30	21 25	18.4 21	16.1 18.6	12.9 14.9	10.7 12.4
XR11005VK6	\$5.96	50 60	.56 .61	42 45	33 36	28 30	24 26	21 23	16.6 18.2	13.8 15.2
		15	.37	28	22	18.2	15.6	13.6	11.0	9.2
80061	\$4.63	20 25	.42 .47	32 35	25 28	21 23	18.0 20	15.8 17.6	12.6 14.1	10.5
	\$7.73	30	.52	39	31	26	22	19.3	15.4	12.9
(Gray) XR11006VK65	\$5.96	40 50	.60 .67	45 50	36 40	30 33	25 28	22 25	17.8 19.9	14.9 16.6
2	ψ3.00	60	.74	55	44	36	31	27	22	18.2
8008	\$4.63	15 20	.49 .57	36 42	29 34	24 28	21 24	18.2 21	14.6 16.8	12.2 14.0
		25	.63	47	38	31 34	27 29	23 26	18.8	15.7
(White)	\$7.73	30 40	.69 .80	52 59	41 48	34 40	34	30	21 24	17.2 19.8
XR11008VK6	\$5.96	50	.89	66	53	44	38	33	27	22

NOTE: 15 PSI rating for XR VisiFlo tips only (example: XR8001VS).

If the nozzle spacing on your boom is different than those in the chart above, you must multiply the tabulated or calculated GPA coverage by one of the conversion factors in the table below.

	Where Tables are Based on 20" Nozzle Spacing									
Oth	er Spacing	8"	10"	12"	14"	16"	18"	22"	24"	30"
Cor	nversion Factor	2.5	2	1.67	1.43	1.25	1.11	.91	.83	.66

1 Brass 2 Color Coded Stainless Steel 3 Stainless Steel 5 Color Coded Ceramic 6 Polyacetal


Teelet StreamJet Tips

Turbo Teefet Induction

- All acetal construction for excellent chemical and wear resistance
- Compact size to prevent tip damage
- Removable pre-orifice for fast and easy cleaning
 • Large, round passages
- to minimize plugging

 Tapered flat spray pattern
- Patented orifice design
- Large droplets are produced through a venturi air aspirator resulting in less drift
- Wide operating pressure range of 15–100 PSIFits into 09692 cap assembly

TTI110___VP SPRAY TIP (Cross Section View) Removable





Stainless Steel for Banding Fertilizers

- · Permits banding fluids at high rig speeds.
- · Large orifices with no internal obstructions permit non-clogging suspension applications.
- Lower drift potential.

	PSI	(1) NOZZLE						
TTI11002VP	15	(N GPM	5 mph 7.1	6 mph 5.9	8 mph 4.5	10 mph 3.6	12 mph 3.0	15 mph
(100 Mesh) \$12.82	20	0.14 0.17	8.3 10.1	6.9 8.4	5.2 6.3	4.2 5.0	3.5 4.2	2.8
1	40 50	0.20 0.22	11.9 13.1	9.9 10.9	7.4 8.2	5.9 6.5	5.0 5.4	4.0 4.4
	60 70	0.24 0.26	14.3 15.4	11.9 12.9	8.9 9.7	7.1 7.7	5.9 6.4	4.8 5.1
	80 90 100	0.28 0.30 0.32	16.6 17.8 19.0	13.9 14.9 15.8	10.4 11.1 11.9	8.3 8.9 9.5	6.9 7.4 7.9	5.5 5.9 6.3
TTI110025VP	15	0.15	8.9	7.4	5.6	4.5	3.7	3.0
(50 Mesh) \$12.82	20 30	0.18 0.22	10.7 13.1	8.9 10.9	6.7 8.2	5.3 6.5	4.5 5.4	3.6 4.4
10000	40 50	0.25 0.28	14.9 16.6	12.4 13.9	9.3 10.4	7.4 8.3 9.2	6.2 6.9	5.0 5.5
	60 70 80	0.31 0.33 0.35 0.38	18.4 19.6	15.3 16.3 17.3	11.5 12.3 13.0	9.2 9.8 10.4	7.7 8.2 8.7	6.1 6.5 6.9
-	90 100	0.38 0.40	21 23 24	18.8 19.8	14.1	11.3 11.9	9.44 9.9	7.5 7.9
TTI11003VP (50 Mesh)	15	0.18	10.7 12.5	8.9 10.4	6.7	5.3 6.2 7.7	4.5 5.2	3.6 4.2
\$12.82	20 30 40	0.21 0.26 0.30	15.4 17.8	12.9 14.9	7.8 9.7 11.1	7.7 8.9	6.4 7.4	5.1
5	50 60	0.30 0.34 0.37	20 22	16.8 18.3	12.6 13.7	10.1 11.0	8.4 9.2	5.9 6.7 7.3 7.9
	70 80	0.40 0.42	24 25	19.8 21	14.9 15.6	11.9 12.5	9.9 10.4	8.3
-	90	0.45 0.47	27 28	22 23	16.7 17.4	13.4 14.0	11.1 11.6	8.9 9.3
TTI11004VP (50 Mesh)	15 20	0.24 0.28	14.3 16.6	11.9 13.9	8.9 10.4	7.1 8.3	5.9 6.9	4.8 5.5
`\$12.82'	30 40	0.35 0.40	21 24	17.3	13.0 14.9	10.4 11.9	8.7 9.9	6.9 7.9
	50 60 70	0.45 0.49	27 29 31	22 24 26	16.7 18.2 19.7	13.4 14.6 15.7	11.1 12.1 13.1	8.9 9.7
	80 90	0.53 0.57 0.60	34 36	28	21 22	16.9 17.8	14.1 14.9	10.5 11.3 11.9
TTIAAOOEND	100	0.63	37	30 31	23	18.7	15.6	12.5
TTI11005VP (50 Mesh) \$12.82	15 20 30	0.31 0.35 0.43	18.4 21 26	15.3 17.3 21	11.5 13.0 16.0	9.2 10.4 12.8	7.7 8.7 10.6	6.1 6.9 8.5
\$12.02	40 50	0.50 0.56	30	25 28	18.6 21	14.9 16.6	12.4 13.9	9.9 11.1
	60 70	0.61 0.66	33 36 39	30	23 25	18.1 19.6	15.1 16.3	12.1
	80 90	0.71 0.75 0.79	42 45	35 37 39	26 28	21 22	17.6 18.6	14.1 14.9
TTI11006VP	100	0.79	47 22	39 18.3	29	23 11	19.6 9.2	15.6
(50 Mesh) \$12.82	20 30	0.42 0.52	25 31	21 26	15.6 19.3 22	12.5 15.4	10.4 12.9	7.3 8.3 10.3
	40 50	0.60 0.67	36 40	30 33	25	17.8 19.9	14.9 16.6	11.9 13.3
	60 70	0.73 0.79	43 47	36 39	27 29	22 23	18.1 19.6	14.5 15.6
	80 90 100	0.85 0.90 0.95	50 53 56	42 45 47	32 33 35	25 27 28	21 22 24	16.8 17.8 18.8
TTI11008VP	15	0.49	29	24	18.2	14.6	12.1	9.7
(50 Mesh) \$14.99	20 30 40	0.57 0.69 0.80	34 41 48	28 34 40	21 26 30	16.9 20 24	14.1 17.1 19.8	11.3 13.7 15.8
	50 60	0.89 0.98	53	44 49	33 36	26 29	22 24	17.6 19.4
,	70 80	1.06 1.13	58 63 67	52 56	39 42	31 34	26 28	21 22
	90 100	1.20 1.26	71 75	59 62	45 47	36 37	30 30	24 25

L PRES	IQUID	CAPACITY		Gallons pe	er acre (30	" nozzie spa	acing)	
FILS	PSI	(1) NOZZLE IN GPM	4 mph	6 mph	8 mph	10 mph	12 mph	14 mph
15408 \$16.36	10 20 30 40	0.20 0.28 0.35 0.40	9.9 13.9 17.3 19.8	6.6 9.2 11.6 13.2	5.0 6.9 8.7 9.9	4.0 5.5 6.9 7.9	3.3 4.6 5.8 6.6	2.8 4.0 5.0 5.7
15409 \$16.36	10 20 30 40	0.30 0.42 0.52 0.60	14.9 21 26 30	9.9 13.9 17.2 19.8	7.4 10.4 12.9 14.9	5.9 8.3 10.3 11.9	5.0 6.9 8.6 9.9	4.2 5.9 7.4 8.5
15410 \$16.36	10 20 30 40	0.40 0.57 0.69 0.80	19.8 28 34 40	13.2 18.8 23 26	9.9 14.1 17.1 19.8	7.9 11.3 13.7 15.8	6.6 9.4 11.4 13.2	5.7 8.1 9.8 11.3
15411 \$16.36	10 20 30 40	0.50 0.71 0.87 1.00	25 35 43 50	16.5 23 29 33	12.4 17.6 22 25	9.9 14.1 17.2 19.8	8.3 11.7 14.4 16.5	7.1 10.0 12.3 14.1
15412 \$16.36	10 20 30 40	0.75 1.06 1.30 1.50	37 52 64 74	25 35 43 50	19 26 32 37	14.9 21 26 30	12.4 17.5 21 25	10.6 15.0 18.4 21
15413 \$16.36	10 20 30 40	1.00 1.41 1.73 2.00	50 70 86 99	33 47 57 66	25 35 43 50	19.8 28 34 40	16.5 23 29 33	14.1 19.9 24 28

Variable Rate Metering Orifice



	IQUID SURE	CAPACITY (1) NOZZLE	G	zie spacing)			
FNES	PSI	IN GPM	4 mph	5 mph	6 mph	8 mph	10 mph
15793 \$31.47	10 20 30 40 50 60 70 80 90	0.13 0.21 0.28 0.35 0.44 0.53 0.64 0.77 0.90	6.4 10.3 13.7 17.3 22 26 32 38 45	5.1 8.2 10.9 13.9 17.3 21 26 30 36	4.3 6.9 9.1 11.6 14.4 17.6 21 25 30	3.2 5.1 6.8 8.7 10.8 13.2 15.9 19.1 22	2.6 4.1 5.5 6.9 8.6 10.6 12.8 15.2 17.8




SPRAY TIPS COMPONENTS

BoomJet® Boomless Nozzles with Extra wide Flat Spray Projection

The 5880 BoomJet® Nozzle combines two off-center tips and three VeeJet nozzles to produce an overall wide swath flat spray. Nozzle assembly provides a good distribution for the wide pattern

coverage obtained. Supplied with one additional 1/4" NPT pipe plug and one blank tip for setting BoomJet® to spray to one side only. Type 5880 also has a 1/4" NPT pressure gauge port. 3/4" NPT inlet.



W = Maximum effective coverage with nozzle mounted at 36" height.



	00	VeeJet		Liquid	Total	"W"		Gal	lons Pe	. Acre	
BoomJet [®] Nozzle No.	Tips (Two)	Top Nozzles (Two)	VeeJet Bottom Nozzle	Pressure psi	Capacity GPM	in feet	4 mph	5 mph	7.5 mph	10 mph	15 mph
5880 3/4 2TOC06 \$288.39	#6733-0006	H1/4VV-1506	H1/4VVL-9502 with 50 mesh strainer	20 30 40	1.84 2.25 2.60	33.5 34.0 34.5	6.8 8.2 9.3	5.4 6.6 7.5	3.6 4.4 5.0	2.7 3.3 3.7	1.8 2.2 2.5
5880 3/4 2TOC10 \$288.39	OC10	H1/4U-0508HE	H1/4VVL-11004 with 50 mesh strainer	20 30 40	2.83 3.46 4.00	39.5 40.0 40.5	8.9 10.7 12.2	7.1 8.6 9.8	4.7 5.7 6.5	3.5 4.3 4.9	2.4 2.9 3.3
5880 3/4 2TOC20 \$322.62	OC20	H1/4U-0520HE	H1/4VVL-9506 with 50 mesh strainer	20 30 40	6.08 7.45 8.60	47.0 50.0 52.0	16.0 18.4 20.0	12.8 14.8 16.4	8.5 9.8 10.9	6.4 7.4 8.2	4.3 4.9 5.5
5880 3/4 2TOC40 \$322.62	OC40	H1/4U-0540HE	H1/4U-9510	20 30 40	12.0 14.7 17.0	56.0 60.0 63.0	27.0 30.0 33.0	21.0 24.0 27.0	14.1 16.2 17.8	10.6 12.1 13.4	7.1 8.1 8.9



METERING ORIFICES

Note: Always insert orifice plate with side marked with number facing the outlet.

MATERIAL: Stainless Steel



			Gal	lons Per I	Acre		
Orifice No.	Pressure in PSI	Capacity In GPM	3 MPH	4 MPH	5 MPH	6 MPH	8 MPH
4916 29 \$3.66	10 20 30 40	.054 .076 .093 .108	3.5 5.0 6.1 7.0	2.6 3.8 4.6 5.3	2.1 3.0 3.6 4.2	1.8 2.5 3.0 3.6	1.3 1.8 2.3 2.6
4916 35 \$3.66	10 20 30 40	.078 .111 .136	5.1 7.3 8.8 10.3	3.8 5.4 6.7 7.7	3.1 4.4 5.3 6.2	2.6 3.6 4.4 5.1	1.9 2.7 3.3 3.8
4916 40 \$3.66	10 20 30 40	.102 .144 .177 .204	6.7 9.4 11.6 13.3	5.0 7.1 8.6 10.0	4.0 5.7 6.9 8.1	3.4 4.7 5.8 6.7	2.5 3.6 4.4 5.0
4916 46 \$3.66	10 20 30 40	.135 .191 .233 .270	8.8 12.5 15.2 17.6	6.6 9.4 11.4 13.2	5.3 7.5 9.2 10.6	4.4 6.2 7.7 8.8	3.3 4.7 5.7 6.6
4916 52 \$3.66	10 20 30 40	.167 .237 .290 .334	11.0 15.2 19.1 21.9	8.2 11.6 14.5 16.4	6.5 9.3 11.4 13.1	5.5 7.7 9.5 11.0	4.1 5.8 7.1 8.2
4916 59 \$3.66	10 20 30 40	.216 .306 .375 432	13.9 19.8 24.4 27.7	10.6 15.2 18.5 21.3	8.5 12.0 14.5 17.0	7.1 10.0 11.9 14.1	5.3 7.5 9.2 10.6

				Gallo	ns Per A	cre	
Orifice No.	Pressure in PSI	Capacity In GPM	3 MPH	4 MPH	5 MPH	6 MPH	8 MPH
4916 65 \$3.66	10 20 30 40	.261 .369 .452 .522	17.2 24.4 29.7 34.3	12.8 17.8 22.4 25.6	10.2 14.5 17.8 20.5	8.5 12.1 14.5 17.0	6.4 9.0 11.1 12.8
4916 70 \$3.66	10 20 30 40	.306 .432 .530 .612	19.8 28.4 34.3 39.6	15.2 21.1 25.7 30.4	12.0 17.2 20.5 24.0	10.0 13.9 17.2 19.9	7.5 10.6 13.0 15.0
4916 75 \$3.66	10 20 30 40	.347 .491 .601 .694	22.4 32.3 39.6 44.9	17.2 23.8 29.7 34.3	13.9 19.1 23.8 27.7	11.4 15.8 19.8 22.7	8.5 12.0 14.5 17.0
4916 80 \$3.66	10 20 30 40	.396 .561 .687 .792	25.7 37.0 44.9 51.5	19.1 27.7 33.7 38.3	15.8 21.8 27.1 31.7	12.9 18.5 22.4 25.9	9.7 13.9 16.5 19.4
4916 89 \$3.66	10 20 30 40	.490 .693 .849 .980	26.4 45.5 55.4 64.7	23.8 33.7 41.6 47,5	19.1 27.1 33.0 38.3	15.8 22.4 27.7 31.7	12.0 17.2 21.1 24.0
4916 95 \$3.66	10 20 30 40	.572 .808 .990 1.144	37.6 52.8 64.7 75.2	27.7 39.6 48.8 55.4	22.4 31.7 38.9 44.9	18.5 26.4 32.3 37.0	13.9 19.8 24.4 27.7
4916 107 \$3.66	10 20 30 40	.735 1.04 1.27 1.47	48.2 68.0 83.2 96.4	36.3 50.8 62.7 72.6	29.0 40.9 50.2 58.1	23.8 33.7 41.6 47.5	17.8 25.7 31.0 35.6

Stainless steel & Polyacetal - Flow rates = .9 - 26.3 GPM @ 30 - 60 PSI

Hypro® Boom X Tender



FC-XT010 FC-XT015 (Yelow/Green) \$57.21 (Light Green) \$57.21 FC-XT020 (Blue)

Changes in spray height, operating pressure, mounting angle, and application speed will influence swath width.

	— Distance = 24	- 36 teet			
X Ten	der Boom	Nozzles fo	r Broadcast	Applicati	ons
Tip #	psi	gpm	Application Rate G 4 mph	PA ———— 5 mph	 6 mph
XT010	30	0.9	7	5.6	4.6
	40	1.0	7.7	6.2	5.2
	50	1.1	8.5	6.8	5.7
	60	1.2	9.3	7.4	6.2
XT015	30	1.3	10.9	8.7	7.3
	40	1.5	12.5	10.0	8.3
	50	1.7	13.7	11.0	9.2
	60	1.8	15.0	12.0	10.0
XT020	30	1.7	12.4	9.9	8.3
	40	2.0	14.6	11.6	9.7
	50	2.2	16.0	12.8	10.7
	60	2.4	17.5	14.0	11.6

STRAINERS





Strainer is three part assembly consisting of body, cap and screen.

Stainless steel screens in 50 and 100 mesh size.

TeeJet®		Strainer Body	Mesh Screen	
Strainer No.		& Cap Material	Material	
8079NY	\$1.41	Polypropylene	Stainless Steel - 50	
8079NY100	\$1.41	Polypropylene	Stainless Steel - 100	

STRAINER & BALL CHECK

STRAINER

Prevents nozzle dripping, fits all TeeJet® nozzles. Ball check opens at 5 PSI. Recommended for flow rates up to 0.8 GPM 50 and 100 mesh screens.

Check Valve No.		Body and Cap Screw Material	Mesh Screen Material
4193APP50	\$5.18	Polypropylene	Stainless Steel
4193APP100	\$5.38	Polypropylene	Stainless Steel

Technical Information

Useful Formulas

W

GPA x MPH x W (Per Nozzle) 5,940

> $= \frac{5,940 \times GPM (Per Nozzle)}{}$ **GPA** MPH x W

GPM — Gallons Per Minute **GPA** - Gallons Per Acre

mph - Miles Per Hour

- Nozzle spacing (in inches) for broadcast spraying

Spray width (in inches) for single nozzle, band spraying or boomless spraying.

Row spacing (in inches) divided by the number of nozzles per row for directed spraying.

Measuring Travel Speed

Measure a test course in the area to be sprayed or in an area with similar surface conditions. Minimum lengths of 100 and 200 feet are recommended for measuring speeds up to 5 and 10 mph respectively. Determine the time required to travel the test course. To help ensure accuracy, conduct the speed check with a loaded sprayer and select the engine throttle setting and gear that will be used when spraying. Repeat the above process and average the times that were measured. Use the following equation or the table below to determine ground speed.

Distance (ft) x 60 Speed (mph) = Time (seconds) x 88

Weight of solution	Specific Gravity	Conversion Factor
7.0 lbs. per gallon	.84	.92
8.0 lbs. per gallon	.96	.98
8.34 lbs. per gallon – WATER	1.00	1.00
9.0 lbs. per gallon	1.08	1.04
10.0 lbs. per gallon	1.20	1.10
10.65 lbs. per gallon – 28% Nitroger	n 1.28	1.13
11.0 lbs. per gallon	1.32	1.15
12.0 lbs. per gallon	1.44	1.20
14.0 lbs. per gallon	1.68	1.30

Tractor Speeds

Speed in mph (Miles Per Hour)	Time Required in SECONDS to Travel a Distance of:				
	100 Feet	200 Feet	300 Feet		
3.0	23	45	68		
3.5	20	39	58		
4.0	17	34	51		
4.5	15	30	45		
5.0	14	27	41		
6.0	_	23	34		
7.0	_	19	29		
7.5	_	18	27		
8.0	_	17	26		
9.0	_	15	23		

Tips Don't Last Forever!

There is sufficient evidence that spray tips may be the most neglected component in today's farming...yet they are among the most critical of items in proper application of valuable agricultural chemicals.

For example, a 10 percent overapplication of chemical on a twice-sprayed 1000-acre farm could represent a loss of \$2,000-\$10,000 based on today's chemical investments of \$10.00-\$50.00 per acre. This does not take into account potential crop damage.



^{*}All swaths and flow rates are based on tests conducted at 40 psi with nozzles parallel to the ground and 48-inches high while stationary.

SPECIAL INFORMATION

PRICES & SPECIFICATIONS

All prices and specifications are subject to change without notice. All shipments are billed at price prevailing at time of shipments. ALL PRICES F.O.B. BOYDEN OR SPENCER, IOWA OR AS DESIGNATED IN THIS CATALOG.

TERMS

Customers desiring credit must have good rating or furnish satisfactory reference before shipment will be made, otherwise all or-ders will be shipped C.O.D. No cash discounts allowed with C.O.D. shipments.

ORDERING

Prospective customers requesting open account status will be required to complete a Demco/Maurer credit application. If open terms cannot be approved, other means of payment will be considered. Please furnish a completed Demco/Maurer credit application with your first order.

SHIPMENTS

Our merchandise is carefully packed and thoroughly inspected before leaving our factory. Responsibility for its safe delivery is as-sumed by the carrier upon acceptance of the shipment. Claims for loss or damage sustained in transit must therefore be made upon the delivering carrier as follows:

CONCEALED LOSS OR DAMAGE - Concealed loss or damage means loss or damage which does not become apparent until the merchandise has been unpacked. The contents may be damaged in transit due to rough handling even though the carton may not show external damage. When the damage is discovered upon unpacking, make a written request for inspection by the carrier's agent within 15 days of the delivery date. Then file a claim with the carrier, since such damage is the carrier's responsibility.

VISIBLE LOSS OR DAMAGE - Any external evidence of loss or damage must be noted on the freight bill or express receipt, and signed by the carrier's agent. Failure to adequately describe such external evidence of loss or damage may result in the carrier refusing to honor a damage claim. The form required to file a claim will be supplied by the carrier.

SHIPPING ERRORS

Shipping errors resulting in shortages or goods ordered incorrectly by the customer, must be reported to Demco or Maurer Mfg. within 10 days after receipt of merchandise.

PICK UP ORDERS

All orders picked up and signed for by the customer or customer's agent at the Boyden or Spencer, Iowa plant are considered com-plete as signed. Customer will receive a copy of signed order at time of loading.

PARCEL POST, U.P.S., FEDERAL EXPRESS & FREIGHT

Due to the special packing and handling on Parcel Post and United Parcel shipments, a combined shipping and handling fee will be charged on each carton. Weight limitations are as follows:

Parcel Post = 70 lbs.

UPS = 150 lbs.

Federal Express = 150 lbs. - per carton.

A pallet charge is added on all freight orders.

RETURNS

NO GOODS ARE TO BE RETURNED WITHOUT A RETURNED GOODS AUTHORIZATION NUMBER AND INVOICE NUMBER. When your order has been filled correctly, the concerned party returning goods must in all cases pay freight, the cost of handling and a 25% restocking charge. All goods to be returned are to be in first class condition. Additional charges will be made for goods returned in other than first class condition.



Chris Currans

Territory Manager/East Iowa (East of Hwy 71) & Central Illinois (515) 708-1147 chris.currans@demco-products.com



Territory Manager/Southeast Minnesota, Wisconsin & Northern Illinois (507) 272-5950 scott.scherbring@demco-products.com

Jon Pedigo

Territory Manager/Indiana, Ohio & Southeast Illinois (712) 578-1986 jon.pedigo@demco-products.com

Brian Tonniges

Territory Manager/Southern Nebraska, Kansas, & Eastern Colorado (308) 390-1400 brian.tonniges@demco-products.com

Ed Stoel

Territory Manager/Southwest Minnesota, South Dakota, NE Nebraska, & Western Iowa (West of Hwy 71) (507) 220-2120 ed.stoel@demco-products.com

















We've been time tested and proven...

Back in 1950, Robert Dethmers started Dethmers Manufacturing Company in a corner of an implement dealership. One of his first products was fertilizer application equipment for the agricultural industry.

Today, as Demco continues to grow, our tradition of building quality products, employing talented, industrious people and providing attentive service remains. Our sales staff along with our dealers and distributors across the United States, Canada and the world carry on the standard.

Meeting the challenges and opportunities of changing times has produced growth in product lines. Our products are engineered and constructed with the best of materials and the latest in manufacturing technology, then tested beyond recommendations, pushing the product to its limit before the Demco name goes on. Our reputation was built on quality and dependability and we continue by being tougher on the product than the consumer.